CAN 41.5
58
Vol.1

FISHERIES AND ENVIRONMENT CANADA
FISHERIES AND MARINE SERVICE
FISHERIES MANAGEMENT
PACIFIC REGIONAL LIBRARY.
1090 W. PENDER STREET
VANCOUVER, B.C. V6E 2P1

Basic Data for the 1976 Canadian Chinook and Coho Catch Sampling and Mark Recovery Program

Volume 1

R.J.Cook and S.R.Heizer

Field Services Branch
South Coast Division
1090 West Pender Street
Vancouver, British Columbia V6E 2P1

November 1978

Fisheries and Marine Service Data Report No.58

Fisheries and Marine Service
Data Reports

These reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of Data Reports reflects the broad interests and policies of the Fisheries and Marine Service, namely, fisheries management, technology and development, ocean sciences, and aquatic environments relevant to Canada.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records by the Pacific Biological Station, Nanaimo, B.C. The series name was changed with report number 26.

Data Reports are not intended for general distribution and the contents must not be referred to in other publications without prior written clearance from the issuing establishment. The correct citation appears above the abstract of each report.

Service des pêches et de la mer
Rapports statistiques

Ces rapports servent de base à la compilation des données de classement et d'archives pour lesquelles il y a peu ou point d'analyse. Cette compilation aura d'ordinaire été préparée pour appuyer d'autres publications ou rapports. Les sujets des Rapports statistiques reflètent la vaste gamme des intérêts et politiques du Service des pêches et de la mer, notamment gestion des pêches, techniques et développement, sciences océaniques et environnements aquatiques, au Canada.

Les numéros 1-25 de cette série ont été publies à titre de Records statistiques, Service des pêches et de la mer, par la Station biologique du Pacifique, Nanaimo (C.-B.). Le nom de la série a été modifie à partir du numero 26.

Les Rapports statistiques ne sont pas préparés pour une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au haut du résumé de chaque rapport.

•Cover design by Christine Rusk

Fisheries and Marine Service
Data Report 58

November 1978

BASIC DATA FOR THE 1976 CANADIAN CHINOOK AND COHO CATCH SAMPLING AND MARK RECOVERY PROGRAM

Volume 1 of 4 Volumes

Catch, Sample Size, Observed and Estimated
Mark Recoveries for 15 Catch Regions

by

R.J. Cook and S.R. Heizer

Field Services Branch, South Coast Division
1090 West Pender Street
Vancouver, British Columbia V6E 2P1

Minister of Supply and Services Canada 1978
Cat. No. Fs 97-13/58 ISSN 0701-7634

TABLE OF CONTENTS

Abstract/Résumé -- iv

Introduction -- 1

Organization and Content of Subreports ------------------- 2

Definitions -- 2

Subreport 1: Catch, Sample Numbers and Computed Ratios, 1976 ------------------------------------ 2

Subreport 2: Observed and Estimated Recoveries of Marked Salmon in Sampled Canadian Commercial and Sport Fisheries, 1976 ------------------ 3

Subreport 3: Georgia Strait Sport Catch and Sport Total Recoveries of Marked Salmon, 1976 ------ 4

Acknowledgements -- 4

References -- 5

Subreport 1 ------------------------------ 1-1 to 1-15

Subreport 2 ------------------------------ 2-1 to 2-472

Subreport 3 -- 3-1

Appendix to Volume 1 ------------------------------------ A-1

Tables -------------------------------------- A-2 to A-7

Figures ------------------------------------ A-8 and A-9

ABSTRACT

Cook, R.C. and S.R. Heizer, 1978. Basic data for the 1976 Canadian chinook and coho catch sampling and mark recovery program. Volume One: Catch, sample size, observed and estimated mark recoveries for 15 catch regions. Fish. Mar. Serv. Data Rep. 58: 507 pp.

The Canadian Mark Recovery Program was initiated in 1974 to provide observed and estimated mark recoveries of chinook salmon (*Oncorhynchus tshawytscha*) and coho salmon (*O. kisutch*) in various British Columbia commercial and sport fisheries in tidal waters. This is the first volume of a four part report on chinook and coho mark recoveries in 1976 fisheries. Virtually all marks recovered in 1976 were adipose fin-clips containing coded-wire-tags. Catch, sample size, observed and estimated mark recoveries are presented for 15 British Columbia Catch Regions, on either a weekly or bi-weekly basis.

Key Words: Ocean fisheries, British Columbia, mark sampling, fin clips, coded-wire-tags, chinook salmon, coho salmon.

RÉSUMÉ

Cook, R.C. and S.R. Heizer, 1978. Basic data for the 1976 Canadian chinook and coho catch sampling and mark recovery program. Volume One: Catch, sample size, observed and estimated mark recoveries for 15 catch regions. Fish. Mar. Serv. Data Rep. 58: 507 pp.

Le Programme canadien de récupération des marques a été mis sur pied en 1974 pour observer et estimer la récupération des marques des saumons chinook (*Oncorhynchus tshawytscha*) et coho (*O. kisutch*) dans diverses zones de pêche commerciale et sportive des eaux à marée de la Colombie-Britannique. Nous présentons le premier de quatre volumes de l'année 1976. Presque toutes les marques récupérées en 1977 étaient fixées à la nageoire adipeuse et portaient une étiquette métallique codée. Les chiffres des captures, la taille des échantillons, la récupération estimative et observée des marques sont donnés pour 15 régions de la Colombie-Britannique, pour des périodes d'une ou de deux semaines.

Mots-clés: Pêche oceanique; Colombie-Britannique; échantillonnage par marquage; marques fixées aux nageoires; étiquettes métalliques codées; saumon chinook; saumon coho.

Vol. 1 de 4

INTRODUCTION

In 1976 The Canadian Chinook and Coho Catch Sampling and Mark Recovery Program (hereafter referred to as the Mark Recovery Program or MRP) completed its third year of sampling all major British Columbia fisheries (net, troll and sport). Commercial fisheries were sampled randomly with a target intensity of 20%, while sport sampling was based, as it was in the past, on voluntary returns. A previous report describes the MRP in detail (Argue, 1976). Heizer and Beukema (1977 MS) and Heizer, Cook and Argue (1978 MS) present results from the 1974 and 1975 sampling seasons.

This report, in 4 volumes, distills the large bulk of mark recovery data collected in 1976 (1,234,600 chinook and coho sampled, 25% of the total chinook and coho catch; 36,300 marks recovered; 15,500 chinook and coho biological samples). A report on the sampling program for 1977 is planned for release by early 1979.

This is the first volume of a report of mark recovery data gathered in 1976. The full report includes the following subreports:

<u>Volume 1</u>

Subreport 1 - Catch, Sample Numbers and Computed Ratios, 1976 (lists weekly summaries for commercial catch regions)

Subreport 2 - Observed and Estimated Recoveries of Marked Salmon in Sampled Canadian Commercial and Sport Fisheries, 1976 (gives summaries by Catch Region, mark and time period);

Subreport 3 - Georgia Strait Sport Catch and Sport Total Recoveries of Marked Salmon, 1976 (gives monthly mark totals);

<u>Volume 2</u>

Subreport 4 - Observed and Estimated Recoveries of Marked Salmon in Sampled Canadian Commercial and Sport Fisheries, 1976 (gives summaries by mark, Catch Region and time period);

<u>Volume 3</u>

Subreport 5 - Canadian Recoveries of Chinook with Coded Wire Tags (lists individual mark recoveries);

Subreport 6 - Canadian Recoveries of Chinook with Fin Marks (lists individual multiple fin mark recoveries);

Volume 4

Subreport 7 - Canadian Recoveries of Coho with Coded Wire Tags (lists individual mark recoveries).

Included herein are subreports 1, 2 and 3, providing catch and sample numbers, observed and estimated mark recoveries for each Catch Region and total voluntary mark recoveries in the Georgia Strait Sport Fishery.

ORGANIZATION AND CONTENT OF SUBREPORTS

Definitions

In this report, the word "tag" will be used for a fish identification code (e.g. binary code: agency 2, data 8/6, or multiple fin mark; dorsal-left ventral). A "mark" means a fish with clipped fins or missing adipose fin.

Most marks recovered from commercial fisheries were obtained from random samples of catches; these marks are "random marks" or "random recoveries". Other recoveries do not fulfill the condition of randomness, i.e., voluntary sport returns and selected recoveries from the commercial catch. In all cases, estimates of numbers of marks are based on observed random recoveries.

Subreport 1: Catch, Sample Numbers, and Computed Rations, 1976

This subreport presents numbers caught, numbers randomly sampled for marks, and catch:sample ratios (C/S) used to obtain the estimates of numbers of marks that appear in subreports 2 and 4.

The information is presented for specific time periods ("WEEKLY PERIODS") within each Catch Region. A Catch Region is defined in terms of a gear type operating in specific Statistical Areas. Table 1 gives these Catch Regions, their mnemonics, and the Statistical Areas may be identified in Figures 1 and 2.

The weekly periods are those used in reporting British Columbia catch Statistics (Newton, 1977). Weekly periods begin on a Sunday. Table 2 shows the dates of these weeks for 1976 and the corresponding abbreviated ending dates used. All time periods with either a reported catch or sample have been included. A dash indicates no reported data; for those time periods no C/S can be calculated.

The C/S ratio is reported rounded off to the nearest decimal place, although higher accuracy was used in expanding observed numbers of marks to estimated number. The calculation of C/S under "TOTALS" is based on totals of catch and sample, not on an average of weekly C/S.

Some samples were taken from catches of fish from more than one Catch Region. In these cases it is not possible to calculate C/S, therefore estimates of numbers of marks in such catches have not been made.

Subreport 2: Observed and Estimated Recoveries of Marked Salmon . . .

Contained in this subreport are observed and estimated numbers of marked chinook and coho in the randomly sampled commercial fisheries, and observed (voluntary) recoveries from sport fisheries. Estimated numbers were obtained by multiplying the weekly numbers of random recoveries by the C/S ratios from subreport 1. Observed and estimated recoveries are listed by tag within Catch Regions, which appear in the order given in Table 1. Tables 3 & 4 are page indexes to facilitate finding specific Catch Regions in Subreport 2. Each tag is identified by type of tag, agency code, data codes, scale age or brood year, and releasing agency. Chinook salmon are reported first for each Catch Region (pp. 2-1 through 2-222) and then coho salmon for each Catch Region (pp. 2-223 through 2-472).

For binary coded wire tags, the page headings offer sufficient explanation for interpretation. Note that agency codes are those reported in the Coded Wire Tag usage lists (Anon., 1974; 1975; 1976; 1977) and the Washington Department of Fisheries Mark Recovery Reports (Anon., 1975a; 1976a; 1977a; 1978). Table 5 explains the mnemonics used to describe colour tag codes.

It should be noted that lack of an agency mnemonic under "ISSUED BY" indicates that some discrepancy exists. Discrepancies include a difference between the species of a mark at release and the reported species of the recovered mark, or a tag reading of an unregistered code, or a pin partly or entirely unreadable.

Column headings are inappropriate for chinook multiple fin marks. For these, the fin mark mnemonic follows the abbreviation "FIN MK", followed in turn by the scale age. This age is in the European nomenclature, augmented by codes 7.0 for a missing scale, 8.0 indicating regenerate scale, and 9.0 for unreadable scales. Scale age 0.0 indicates that no scale was taken. The order that multiple fin marks appear in this subreport is identical to the order in Table 6, and then by numerical order of age code. No attempt was made to assign fin marks to an issuing agency.

Under each species in a Catch Region, multiple fin marks appear first, then standard binary coded wire tags, colour coded wire, then prototype binary tags. We also include categories of problem fish ("PIN LOST" - tag known to exist but lost before reading; "NO PIN" - adipose-marked fish with no other evidence of a tag; "NO DATA" - no data available regarding presence or absence of tag).

Recoveries from net Catch Regions are reported "WEEKLY". These periods are the Statistical Weeks shown in Table 2. The number of estimated recoveries in a "BIWEEKLY" period - for troll Catch Regions - is the sum of estimates from two consecutive Statistical Weeks, the latter week ending on the date shown. Observed sport recoveries are also reported "BIWEEKLY".

Estimates of recoveries from time periods or from Catch Regions either without a reported catch (e.g., mixed Catch Regions) or not sampled are not made, since C/S ratios for these cases cannot be computed.

The total of estimated recoveries in a Catch Region is also given for each tag. As well, totals over all tags are reported by time periods, as is a grand total for each species in a Catch Region. These totals include all marks and "NO PIN", "PIN LOST" and "NO DATA" categories.

Subreport 3: Georgia Strait Sport Catch and Sport Total Recoveries

Monthly totals of published sport catches (Taylor, 1977) and voluntary returns of marks of known species are given in this report.[3] Since the mark recoveries are voluntary - and thus not random - no computation of estimated numbers of marks in the catch has been made. The observed number of each tag recovered may be found in subreports 2 and 4.

Sport catch statistics are combined for January through April, hence recovery data is reported summed over the same period.

ACKNOWLEDGEMENTS

Many people worked hard and long to collect this information. We would like to thank all the samplers and the lab and office support staff for their excellent and dedicated work.

The Mark Recovery Program would especially like to thank all members of the EDP staff for their work in processing the MRP data.

---

[3] Argue, Coursley and Harris (1977) demonstrated that the British Columbia salmon catch by sport fishermen has been significantly underestimated in recent years.

REFERENCES

ANON. 1974. Coded wire tag use report. Pacific coast. Unpubl. MS. Hatchery Division, Washington Department of Fisheries. 85 pp.

ANON. 1975. Coded wire tag use report. Pacific coast. Unpubl. MS. Hatchery Division, Washington Department of Fisheries. 149 pp.

ANON. 1976. Pacific coast coded wire tag use report for 1976. Unpubl. MS. Regional Mark Processing Center, Oregon Department of Fish and Wildlife. 56 pp.

ANON. 1977. Pacific coast coded wire tag use report for 1977. Unpubl. MS. Regional Mark Processing Center, Oregon Department of Fish and Wildlife. 89 pp.

ANON. 1975a. 1973 Results from micro-tagged salmon experimental groups. Wash. Dept. of Fisheries. 170 pp.

ANON. 1976a. 1974 Results from micro-tagged salmon experimental groups. Wash. Dept. of Fisheries. 324 pp.

ANON. 1977a. 1975 Results from micro-tagged salmon experimental groups. Wash. Dept. of Fisheries. 477 pp.

ANON. 1978. 1976 Results from micro-tagged salmon experimental groups. Wash. Dept. of Fisheries. 488 pp.

ARGUE, A.W. 1976. Preliminary information from the 1973 and 1974 Canadian chinook and coho catch sampling and mark recovery programs. Canada Dept., Environ., Fish. Serv., Pacific Region. Tech. Rept. Series No. PAC/T-76-9. 32 pp.

ARGUE, A.W., J.C. COURSLEY and G.D. HARRIS. 1977. Preliminary revision of Georgia Strait and Juan de Fuca Strait tidal salmon sport catch statistics, 1972 to 1976, based on Georgia Strait head recovery program data. Fisheries and Environment Canada, Field Operations Directorate, Pacific Region. Technical Report Series No. PAC/T-77-16. 68 pp.

HEIZER, S.R. and J.C. BEUKEMA. 1977. Basic data for the 1974 Canadian chinook and coho catch sampling and mark recovery program. Fisheries and Environment Canada, Field Operations Directorate, Pacific Region. Data Record Series. No. PAC/D-77-6. 1573 pp.

HEIZER, S.R., R.J. COOK and A.W. ARGUE. 1978. Basic data for the 1975 Canadian chinook and coho catch sampling and mark recovery program. Fisheries and Environment Canada, Fisheries and Marine Service. Data Report No. 57: 2351 pp.

NEWTON, C.H.B. 1977. British Columbia catch statistics, 1976. Canada Dept. Environ., Fish. Service, Pacific Region. 215 pp.

TAYLOR, M. 1977. 1976 Salmon sport fishing catch statistics for British Columbia tidal waters. Canada Dept. Environ., Fish. Serv. 43 pp.

SUBREPORT 1

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: NTR

FOR WEEKLY PERIODS ENDING:

		FE 28	MR 6	MR 13	MR 20	AP 3	AP 10	AP 17	AP 24	MY 1	MY 8	MY 15	MY 22	MY 29	JN 5	TOTALS
CHINOOK	CATCH	50	14	15	174	79	747	603	1053	1573	2518	3774	8575	6561	6702	
	SAMPLE	-	-	-	-	-	-	-	-	-	-	516	2879	660	2381	
	C/S											7.3	3.0	9.9	2.8	
		JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	
	CATCH	11946	15122	22465	20157	13632	15073	14415	6161	11118	3136	7505	5734	2894	4012	
	SAMPLE	4232	5020	8522	4560	4448	4629	4352	1530	4059	490	2518	1275	726	1297	
	C/S	2.8	3.0	2.6	4.4	3.1	3.3	3.3	4.0	2.7	6.4	3.0	4.5	4.0	3.1	
		SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	OC 30	NO 6	NO 13	NO 20	NO 27	DE 25			
	CATCH	1515	1054	797	180	231	30	29	9	18	54	4	96			189825
	SAMPLE	507	192	-	-	-	-	-	-	-	-	-	-			54793
	C/S	3.0	5.5													3.5
		JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	
COHO	CATCH	5	1111	12608	35827	35804	35290	45301	20086	35828	16536	39922	17887	9405	14360	
	SAMPLE	-	284	4130	5446	11212	10115	10790	5500	10111	2803	7906	3446	2466	1925	
	C/S		3.9	3.1	6.6	3.2	3.5	4.2	3.7	3.5	5.9	5.0	5.2	3.8	7.5	
		SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	OC 30								
	CATCH	5744	3652	5665	1571	411	18	10								337041
	SAMPLE	401	324	-	-	-	-	-								76859
	C/S	14.3	11.3													4.4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: CTR

FOR WEEKLY PERIODS ENDING:

		AP 3	AP 10	AP 17	AP 24	MY 1	MY 8	MY 15	MY 22	MY 29	JN 5	JN 12	JN 19	JN 26	JL 3	TOTALS
CHINOOK	CATCH	185	113	149	164	417	945	3402	2416	4742	7279	9039	7272	17559	17605	
	SAMPLE	-	-	-	-	-	-	-	-	-	2575	2956	2937	3735	3279	
	C/S										2.8	3.1	2.5	4.7	5.4	
		JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	
	CATCH	11107	11380	11938	7079	10224	8997	6085	7644	4147	3038	1247	1287	1032	200	
	SAMPLE	2132	5155	4781	2894	4665	1676	2341	378	112	215	-	155	-	-	
	C/S	5.2	2.2	2.5	2.4	2.2	5.4	2.6	20.2	37.0	14.1		8.3			
		OC 16	OC 23	OC 30	NO 6	NO 20										
	CATCH	80	66	235	85	47										157205
	SAMPLE	-	-	-	-	-										39986
	C/S															3.9
		JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	
COHO	CATCH	4	10367	58204	74096	46308	78564	73118	44188	81759	39736	28987	33963	14998	9553	
	SAMPLE	-	3732	14303	13299	11836	30356	27904	18511	32192	6229	9608	2385	1346	446	
	C/S		2.8	4.1	5.6	3.9	2.6	2.6	2.4	2.5	6.4	3.0	14.2	11.1	21.4	
		SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	OC 30	NO 6							
	CATCH	5600	2119	689	397	8	20	3	2							602683
	SAMPLE	-	185	-	-	-	-	-	-							172332
	C/S		11.5													3.5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: NWTR — FOR WEEKLY PERIODS ENDING:

		AP 17	AP 24	MY 1	MY 8	MY 15	MY 22	MY 29	JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	TOTALS
CHINOOK	CATCH	71	721	2049	2644	2650	4631	3991	3462	5514	2944	4809	5597	5299	7041	
	SAMPLE	-	-	-	21	1414	1877	1136	2149	1447	1463	813	1425	1623	525	
	C/S				125.9	1.9	2.5	3.5	1.6	3.8	2.0	5.9	3.9	3.3	13.4	
		JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	
	CATCH	4025	5864	8482	6552	5608	3825	2974	3814	2195	2170	2497	988	212	658	
	SAMPLE	3523	937	-	1187	2475	1992	683	668	-	242	-	189	-	-	
	C/S	1.1	6.3		5.5	2.3	1.9	4.4	5.7		9.0		5.2			
		OC 30	NO 6													
	CATCH	328	466													102081
	SAMPLE	-	-													25789
	C/S															4.0
		JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	
COHO	CATCH	31299	72511	62762	38734	65521	24615	21159	39386	23064	23678	13520	11403	24107	15748	
	SAMPLE	12833	9407	5934	13643	4432	15050	1948	-	3619	5475	5695	3016	1995	-	
	C/S	2.4	7.7	10.6	2.8	14.8	1.6	10.9		6.4	4.3	2.4	3.8	12.1		
		SE 25	OC 2	OC 9	OC 16	OC 23	OC 30	NO 6								
	CATCH	12848	7689	11994	857	759	175	2032								503861
	SAMPLE	398	-	526	-	-	-	-								83971
	C/S	32.3		22.8												6.0

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: SWTR — FOR WEEKLY PERIODS ENDING:

		FE 28	MR 6	MR 13	MR 20	MR 27	AP 3	AP 10	AP 17	AP 24	MY 1	MY 8	MY 15	MY 22	MY 29	TOTALS
CHINOOK	CATCH	2324	789	553	562	407	325	1126	1351	12884	21279	19847	16443	23999	23092	
	SAMPLE	1030	768	-	423	369	-	150	235	413	3552	2867	5121	3683	5217	
	C/S	2.3	1.0		1.3	1.1		7.5	5.7	31.2	6.0	6.9	3.2	6.5	4.4	
		JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	
	CATCH	17468	32353	16781	35970	35796	24729	38087	33704	22434	39295	24079	12672	10135	11322	
	SAMPLE	4524	10363	3947	8177	6456	4596	5505	5564	2861	7340	5389	2767	2633	788	
	C/S	3.9	3.1	4.3	4.4	5.5	5.4	6.9	6.1	7.8	5.4	4.5	4.6	3.8	14.4	
		SE 11	SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	OC 30	NO 6	NO 13	NO 20	NO 27	DE 25		
	CATCH	7820	7447	4803	6901	2661	2584	3979	2078	334	120	17	94	34		518678
	SAMPLE	2858	1097	376	997	399	420	165	286	21	-	-	-	-		101357
	C/S	2.7	6.8	12.8	6.9	6.7	6.2	24.1	7.3	15.9						5.1
		JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	
COHO	CATCH	55054	227683	94891	102780	183353	95421	41200	44515	40091	24468	17676	25759	27158	15730	
	SAMPLE	8105	52533	18750	27862	24916	15117	7935	8858	8773	4237	5694	2997	12441	3092	
	C/S	6.8	4.3	5.1	3.7	7.4	6.3	5.2	5.0	4.6	5.8	3.1	8.6	2.2	5.1	
		SE 25	OC 2	OC 9	OC 16	OC 23	OC 30	NO 6	NO 13							
	CATCH	16894	16854	9141	2005	1389	3421	643	2							1046128
	SAMPLE	1209	3845	503	122	47	26	5	-							207067
	C/S	14.0	4.4	18.2	16.4	29.6	131.6	128.6								5.1

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: WOTR

FOR WEEKLY PERIODS ENDING:

		AP 24	MY 1	MY 8	MY 15	MY 22	MY 29	JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	TOTALS
CHINOOK	CATCH	918	5461	4081	3848	2030	576	1139	4844	493	9675	835	4330	4548	4109	
	SAMPLE	560	1713	2175	1533	606	391	545	2031	221	1425	122	706	1280	522	
	C/S	1.6	3.2	1.9	2.5	3.3	1.5	2.1	2.4	2.2	6.8	6.8	6.1	3.6	7.9	
		JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	NO 6	
	CATCH	637	3512	4116	6466	2028	3230	4389	1626	2506	2595	753	859	491	332	80427
	SAMPLE	275	915	1140	1510	447	1044	769	509	286	651	325	100	62	13	21876
	C/S	2.3	3.8	3.6	4.3	4.5	3.1	5.7	3.2	8.8	4.0	2.3	8.6	7.9	25.5	3.7
		JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	
COHO	CATCH	6	6127	97636	8516	28611	22612	9260	3417	8045	10407	18333	6349	11547	26450	
	SAMPLE	-	3252	33927	1063	2637	5765	1586	1186	3203	3679	5560	1889	4884	5109	
	C/S		1.9	2.9	8.0	10.8	3.9	5.8	2.9	2.5	2.8	3.3	3.4	2.4	5.2	
		SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	NO 6								
	CATCH	7635	20422	13878	2528	609	417	158								302963
	SAMPLE	2388	2693	4420	1804	194	170	18								85427
	C/S	3.2	7.6	3.1	1.4	3.1	2.5	8.8								3.5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: JFTR

FOR WEEKLY PERIODS ENDING:

		AP 24	MY 15	JN 12	JN 26	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	TOTALS
CHINOOK	CATCH	100	2	356	144	18	154	293	86	10	170	66	22	4	1	
	SAMPLE	-	-	-	-	-	-	-	-	-	72	-	-	-	-	
	C/S										2.4					

		OC 9	OC 16	OC 23	TOTALS
	CATCH	79	16	79	1600
	SAMPLE	-	-	-	72
	C/S				22.2

		JN 26	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 9	OC 16	OC 23	TOTALS
COHO	CATCH	114	44	93	239	258	45	471	847	102	202	374	12	91	2892
	SAMPLE	-	-	-	-	61	-	412	-	-	-	-	-	-	473
	C/S					4.2		1.1							6.1

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: GSTR

FOR WEEKLY PERIODS ENDING:

		AP 3	AP 17	AP 24	MY 1	MY 8	MY 15	MY 22	MY 29	JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	TOTALS
CHINOOK	CATCH	42	4580	20098	24094	25604	19200	17145	10095	12829	9867	5953	6255	5710	4128	
	SAMPLE	-	1431	5488	7524	8485	7273	5414	4381	5546	5905	3329	3001	3536	2170	
	C/S		3.2	3.7	3.2	3.0	2.6	3.2	2.3	2.3	1.7	1.8	2.1	1.6	1.9	
		JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16	
	CATCH	4865	2956	2550	3078	1426	1872	1890	2875	2841	3256	3088	2564	75	7	
	SAMPLE	3488	1627	708	972	805	948	1317	1522	1758	1575	1976	2075	-	-	
	C/S	1.4	1.8	3.6	3.2	1.8	2.0	1.4	1.9	1.6	2.1	1.6	1.2			
		OC 23	OC 30	NO 6	DE 25											
	CATCH	55	42	6	8											199054
	SAMPLE	-	-	-	-											82254
	C/S															2.4
		JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	
COHO	CATCH	405	9668	11935	13635	7244	7820	14755	3398	2507	1717	1688	2390	1191	1181	
	SAMPLE	-	7072	4868	9075	4642	3615	3207	2437	1622	1574	1018	884	986	872	
	C/S		1.4	2.5	1.5	1.6	2.2	4.6	1.4	1.5	1.1	1.7	2.7	1.2	1.4	
		OC 2	OC 9	OC 23	NO 6											
	CATCH	858	9	33	1											80435
	SAMPLE	720	-	-	-											42592
	C/S	1.2														1.9

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: NN

FOR WEEKLY PERIODS ENDING:

		AP 24	MY 15	MY 22	MY 29	JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	TOTALS
CHINOOK	CATCH	10	41	26	102	550	1371	1279	3597	2730	2648	1473	1757	2121	1388	
	SAMPLE	-	-	-	11	43	79	46	556	460	322	376	197	393	143	
	C/S				9.3	12.8	17.4	27.8	6.5	5.9	8.2	3.9	8.9	5.4	9.7	

		AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	OC 2	TOTALS
	CATCH	647	223	371	327	237	187	154	21239
	SAMPLE	51	34	63	63	64	103	-	3004
	C/S	12.7	6.6	5.9	5.2	3.7	1.8		7.1

		JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11
COHO	CATCH	82	45	1545	4557	5467	3313	4049	6548	7396	2049	6687	7710	15176	10855
	SAMPLE	-	-	401	532	671	804	285	1285	567	332	855	1870	1415	1443
	C/S			3.9	8.6	8.1	4.1	14.2	5.1	13.0	6.2	7.8	4.1	10.7	7.5

		SE 18	OC 2	TOTALS
	CATCH	8366	2243	86088
	SAMPLE	4239	-	14699
	C/S	2.0		5.9

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: CN

FOR WEEKLY PERIODS ENDING:

		MY 8	MY 15	MY 22	MY 29	JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	TOTALS
CHINOOK	CATCH	11	199	306	584	554	1376	696	2368	3442	12805	7322	8920	3612	2877	
	SAMPLE	-	-	-	-	313	1245	694	2273	2274	4912	2146	1080	-	34	
	C/S					1.8	1.1	1.0	1.0	1.5	2.6	3.4	8.3		84.6	

		AU 14	AU 21	AU 28	SE 4	SE 11	OC 2	OC 9	OC 16	TOTALS
	CATCH	4387	2450	1734	778	1251	61	63	63	55859
	SAMPLE	1674	896	336	429	312	60	-	-	18678
	C/S	2.6	2.7	5.2	1.8	4.0	1.0			3.0

		JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11
COHO	CATCH	61	37	29	2048	21061	25292	25440	19955	12679	28448	17659	23268	12381	16483
	SAMPLE	-	8	17	867	6919	4729	1784	2	247	6261	4902	4273	3903	2046
	C/S		4.6	1.7	2.4	3.0	5.3	14.3	9977.5	51.3	4.5	3.6	5.4	3.2	8.1

		OC 2	OC 9	OC 16	TOTALS
	CATCH	4893	7303	916	217953
	SAMPLE	2878	-	-	38836
	C/S	1.7			5.6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS. 1976

CATCH REGION: NWVN

FOR WEEKLY PERIODS ENDING:

		JN 5	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	TOTALS
CHINOOK	CATCH	34	56	272	530	686	1398	106	134	176	551	648	200	13	1	
	SAMPLE	-	-	109	-	425	47	-	43	-	52	97	-	-	-	
	C/S			2.5		1.6	29.7		3.1		10.6	6.7				

		SE 18	OC 9	TOTALS
CHINOOK	CATCH	11	51	4867
	SAMPLE	-	21	794
	C/S		2.4	6.1

		JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18
COHO	CATCH	769	931	3100	7130	6721	1059	1781	849	3151	798	406	35	5	82
	SAMP'E	-	854	-	2859	26	-	616	-	2138	167	-	-	-	32
	C/S		1.1		2.5	258.5		2.9		1.5	4.8				2.6

		OC 9	TOTALS
COHO	CATCH	1534	28351
	SAMPLE	266	6958
	C/S	5.8	4.1

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: SWVN

FOR WEEKLY PERIODS ENDING:

		MY 1	MY 15	MY 22	MY 29	JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	TOTALS
CHINOOK	CATCH	81	2	172	831	1202	2471	2375	3499	4256	4467	4617	1309	1381	620	
	SAMPLE	-	-	-	-	91	330	530	276	175	1198	1292	128	-	80	
	C/S					13.2	7.5	4.5	12.7	24.3	3.7	3.6	10.2		7.8	

		AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 9	OC 16	OC 23	TOTALS
	CATCH	474	383	310	995	847	196	6	1078	1073	8	32653
	SAMPLE	-	-	-	-	44	-	-	-	-	5	4149
	C/S					19.3					1.6	7.9

		JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11
COHO	CATCH	144	349	2218	469	989	950	312	363	354	181	130	92	371	846
	SAMPLE	-	78	31	28	277	824	-	-	8	-	-	-	-	42
	C/S		4.5	71.5	16.8	3.6	1.2			44.3					20.1

		SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	TOTALS
	CATCH	616	93	363	2367	438	156	11801
	SAMPLE	-	-	-	-	-	59	1347
	C/S						2.6	8.8

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: JFN

FOR WEEKLY PERIODS ENDING:

		MY 22	MY 29	JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	TOTALS
CHINOOK	CATCH	169	55	11	10	312	1229	3	9	38	40	3758	2924	6213	3003	
	SAMPLE	-	-	-	-	59	584	-	-	-	-	1771	665	1025	166	
	C/S					5.3	2.1					2.1	4.4	6.1	18.1	

		AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	OC 30	TOTALS
	CATCH	2746	1361	2014	7099	4536	1364	1250	695	296	7	39142
	SAMPLE	1030	651	315	984	1291	332	372	339	29	-	9613
	C/S	2.7	2.1	6.4	7.2	3.5	4.1	3.4	2.1	10.2		4.1

		MY 22	MY 29	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28
COHO	CATCH	312	122	8	1623	2780	13	11	149	169	2750	6326	11684	9025	10392
	SAMPLE	-	-	-	394	1954	-	-	-	-	992	1693	1885	640	2799
	C/S				4.1	1.4					2.8	3.7	6.2	14.1	3.7

		SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	OC 30	TOTALS
	CATCH	9234	13511	67012	11794	61831	20755	17069	2376	37	248983
	SAMPLE	5763	2004	12031	4390	14446	7938	5279	648	-	62856
	C/S	1.6	6.7	5.6	2.7	4.3	2.6	3.2	3.7		4.0

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: JSN

FOR WEEKLY PERIODS ENDING:

		FE 28	MR 6	MY 1	MY 8	MY 15	MY 22	MY 29	JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	TOTALS
CHINOOK	CATCH	28	12	22	31	110	89	38	60	29	240	1349	4437	5178	5379	
	SAMPLE	-	-	-	-	-	-	-	-	-	-	-	-	-	394	
	C/S														13.7	
		JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 16	OC 23	OC 30	
	CATCH	6567	5565	5025	2881	2266	3451	2826	2790	1461	2036	594	826	337	330	
	SAMPLE	1822	1353	1265	967	722	1848	1646	870	219	467	214	242	99	121	
	C/S	3.6	4.1	4.0	3.0	3.1	1.9	1.7	3.2	6.7	4.4	2.8	3.4	3.4	2.7	
		NO 6														
	CATCH	5														53962
	SAMPLE	-														12249
	C/S															4.4
		JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	
COHO	CATCH	654	3410	4459	7545	14887	17523	15399	14923	9033	9785	18116	22095	15928	8837	
	SAMPLE	-	-	-	-	613	3741	2774	1659	1845	3126	4544	8237	4355	923	
	C/S					24.3	4.7	5.6	9.0	4.9	3.1	4.0	2.7	3.7	9.6	
		SE 25	OC 2	OC 9	OC 16	OC 23	OC 30	NO 6								
	CATCH	10728	6931	8062	13265	1138	204	10								202932
	SAMPLE	2464	1645	-	992	290	110	-								37318
	C/S	4.4	4.2		13.4	3.9	1.9									5.4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: GSN

FOR WEEKLY PERIODS ENDING:

		AP 17	MY 8	MY 15	MY 22	MY 29	JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	JL 31	TOTALS
CHINOOK	CATCH	1	21	24	36	41	33	24	15	21	8	81	11	78	53	
	SAMPLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	C/S															

		AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 16	OC 23	DE 25	TOTALS
	CATCH	25	48	851	602	1197	2605	36	74	433	270	4	6592
	SAMPLE	-	7	34	-	328	925	-	-	-	204	-	1498
	C/S		6.9	25.0		3.6	2.8				1.3		4.4

		JL 3	JL 10	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 16
COHO	CATCH	2	25	26	80	503	60	108	746	584	217	999	51	102	2079
	SAMPLE	-	-	-	-	-	-	9	20	-	61	432	5	-	511
	C/S							12.0	37.3		3.6	2.3	10.2		4.1

		OC 23	DE 25	TOTALS
	CATCH	3657	2921	12160
	SAMPLE	493	730	2261
	C/S	7.4	4.0	5.4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

CATCH, SAMPLE NUMBERS, AND COMPUTED RATIOS, 1976

CATCH REGION: FGN

FOR WEEKLY PERIODS ENDING:

		AP 3	AP 24	MY 1	MY 8	MY 15	MY 22	MY 29	JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	TOTALS
CHINOOK	CATCH	7	181	717	507	336	368	1048	1608	2787	1910	2334	4348	2712	16	
	SAMPLE	-	-	-	-	-	-	169	160	569	1206	746	1222	708	-	
	C/S							6.2	10.1	4.9	1.6	3.1	3.6	3.8		

		JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16	OC 23
	CATCH	7397	6167	3094	75	3245	7827	8365	9213	2424	2423	8317	73	2015	4
	SAMPLE	2706	1972	656	-	728	2517	2954	2845	901	731	2092	-	141	-
	C/S	2.7	3.1	4.7		4.5	3.1	2.8	3.2	2.7	3.3	4.0		14.3	

		OC 30	NO 13	TOTALS
	CATCH	357	1	79876
	SAMPLE	58	-	23081
	C/S	6.2		3.5

		JN 12	JL 3	JL 10	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2
COHO	CATCH	1	1	57	68	145	1145	417	269	944	1828	2686	320	562	1100
	SAMPLE	-	-	-	18	13	4	-	75	324	714	152	50	221	188
	C/S				3.8	11.2	286.3		3.6	2.9	2.6	17.7	6.4	2.5	5.9

		OC 9	OC 16	OC 23	OC 30	NO 6	NO 13	NO 20	TOTALS
	CATCH	98	2970	8	1510	8	3	5	14145
	SAMPLE	-	323	-	189	-	-	-	2271
	C/S		9.2		8.0				6.2

SUBREPORT 2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE / AGENCY / DATA	B.Y	PERIOD 1	PERIOD 2	TOTALS
FIN MK AD/LV/RV	AGE 0.1	JL 17		
OBSERVED:		1		1
ESTIMATED:		3		3
FIN MK AD/LV/RV	AGE 0.2	JL 31		
OBSERVED:		1		1
ESTIMATED:		3		3
FIN MK AD/RV	AGE 0.1	JN 19	AU 14	
OBSERVED:		1	1	2
ESTIMATED:		3	3	6
FIN MK AD/RV	AGE 0.2	JL 3		
OBSERVED:		3		3
ESTIMATED:		12		12
FIN MK AD/RV	AGE 0.3	JL 3	JL 31	
OBSERVED:		2	1	3
ESTIMATED:		7	3	10
FIN MK AD/RV	AGE 8.0	JL 3	AU 14	
OBSERVED:		2	1	3
ESTIMATED:		9	3	12
FIN MK AD/LP	AGE 0.0	JL 17		
OBSERVED:		1		1
ESTIMATED:		3		3
FIN MK AD/RP	AGE 0.0	JL 17		
OBSERVED:		1		1
ESTIMATED:		3		3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

							TOTALS
FIN MK AD/RP	AGE 0.2	MY 22	JN 19	JL 3	AU 14	AU 28	
OBSERVED:		1	1	5	1	1	9
ESTIMATED:		3	3	13	3	5	27
FIN MK AD/RP	AGE 0.3	JL 3					
OBSERVED:		1					1
ESTIMATED:		4					4
FIN MK AD/RP	AGE 8.0	JN 19	JL 3				
OBSERVED:		2	2				4
ESTIMATED:		6	5				11
FIN MK D/LV/RV	AGE 0.0	JL 17					
OBSERVED:		1					1
ESTIMATED:		3					3
FIN MK D/LP	AGE 0.3	JN 19					
OBSERVED:		1					1
ESTIMATED:		3					3
FIN MK D/LP	AGE 8.0	JN 19	AU 28				
OBSERVED:		1	1				2
ESTIMATED:		3	5				8
FIN MK D/RP	AGE 0.0	JL 17					
OBSERVED:		2					2
ESTIMATED:		7					7
FIN MK D/RP	AGE 0.1	JN 19	AU 28				
OBSERVED:		5	1				6
ESTIMATED:		15	5				20

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED FOR BIWEEKLY PERIODS ENDING: BY							TOTALS
FIN MK	D/RP		AGE 0.2	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			1	2	6	4	3	1	2	19
	ESTIMATED:			3	6	21	12	11	6	8	67
FIN MK	D/RP		AGE 8.0	JN 19	JL 17	AU 14					
	OBSERVED:			2	2	1					5
	ESTIMATED:			6	6	3					15
FIN MK	AD/LM/RM		AGE 0.1	AU 28							
	OBSERVED:			1							1
	ESTIMATED:			5							5
FIN MK	AD/D/RP		AGE 0.0	JL 3							
	OBSERVED:			1							1
	ESTIMATED:			3							3
FIN MK	AD/D/RP		AGE 0.2	JN 19	JL 3	JL 31					
	OBSERVED:			4	7	2					13
	ESTIMATED:			12	20	7					39
FIN MK	AD/D/RP		AGE 0.3	MY 22	JL 17						
	OBSERVED:			1	1						2
	ESTIMATED:			3	3						6
FIN MK	AD/D/RP		AGE 8.0	JN 19	JL 3						
	OBSERVED:			2	3						5
	ESTIMATED:			6	12						18
FIN MK	AD/LV/LM		AGE 0.2	MY 22							
	OBSERVED:			1							1
	ESTIMATED:			7							7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:							TOTALS
FIN MK	AD/LV/LM	AGE 8.0	JL 17							
	OBSERVED:		1							1
	ESTIMATED:		3							3
FIN MK	AD/RV/RM	AGE 8.0	JN 19							
	OBSERVED:		1							1
	ESTIMATED:		3							3
FIN MK	AD/RP/LM	AGE 0.2	JN 5							
	OBSERVED:		1							1
	ESTIMATED:		10							10
FIN MK	AD/D/RP/LM	AGE 0.2	JL 3							
	OBSERVED:		1							1
	ESTIMATED:		4							4
BINARY	1: 2 2	72 WDF	JL 3	JL 17	AU 14	AU 28				
	OBSERVED:		2	1	3	2				8
	ESTIMATED:		5	3	8	6				22
BINARY	1: 2 4	73 WDF	AU 14							
	OBSERVED:		1							1
	ESTIMATED:		3							3
BINARY	1: 2 5	73 WDF	AU 14							
	OBSERVED:		1							1
	ESTIMATED:		3							3
BINARY	1: 2 6	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:		3	4	1	3	3	1	1	16
	ESTIMATED:		9	11	3	11	11	3	4	52

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   CHINOOK

TAG TYPE	AGENCY /AREA 1 2 3	DATA B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	1: 2 8	72 WDF	JN 19	JL 17					
	OBSERVED:		1	1					2
	ESTIMATED:		3	3					6
BINARY	1: 2 9	72 WDF	MY 22	JN 19	JL 17	JL 31			
	OBSERVED:		1	1	1	1			4
	ESTIMATED:		3	3	3	3			12
BINARY	1: 2 10	72 WDF	JL 3	AU 14					
	OBSERVED:		1	1					2
	ESTIMATED:		4	3					7
BINARY	1: 2 15	73 WDF	SE 11						
	OBSERVED:		1						1
	ESTIMATED:		3						3
BINARY	1: 6 4	73 WDF	JL 17	JL 31	AU 14	AU 28	SE 11		
	OBSERVED:		6	9	11	4	3		33
	ESTIMATED:		19	31	30	14	9		103
BINARY	1: 6 5	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:		1	3	1	6	1	1	13
	ESTIMATED:		4	10	4	20	3	4	45
BINARY	1: 6 7	73 WDF	JN 19	JL 3	AU 14	AU 28			
	OBSERVED:		2	2	3	3			10
	ESTIMATED:		6	5	8	11			30
BINARY	1: 6 8	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:		1	3	4	5	4	3	20
	ESTIMATED:		3	9	14	17	12	10	65

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	1: 6 10	73 WDF	JL 3	JL 17	AU 14	AU 28				
	OBSERVED:		5	6	4	3				18
	ESTIMATED:		17	19	11	9				56
BINARY	1: 6 11	73 WDF	JL 17	JL 31	AU 14	AU 28				
	OBSERVED:		3	2	2	3				10
	ESTIMATED:		10	7	5	9				31
BINARY	1: 10 2	73 WDF	JN 5	AU 14						
	OBSERVED:		1	1						2
	ESTIMATED:		10	3						13
BINARY	1: 10 3	73 WDF	AU 14	AU 28						
	OBSERVED:		2	2						4
	ESTIMATED:		5	6						11
BINARY	1: 11 5	73 WDF	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:		1	3	1	3	7	5	1	21
	ESTIMATED:		10	9	3	9	25	14	3	73
BINARY	1: 11 6	73 WDF	JL 3	JL 31	AU 14	SE 11				
	OBSERVED:		2	3	2	1				8
	ESTIMATED:		7	11	5	3				26
BINARY	1: 11 7	73 WDF	JN 5	JL 17	JL 31	AU 14	AU 28			
	OBSERVED:		1	1	2	1	1			6
	ESTIMATED:		10	3	7	3	3			26
BINARY	1: 11 8	73 WDF	JN 19	JL 3	AU 14					
	OBSERVED:		1	1	1					3
	ESTIMATED:		3	4	3					10

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	1:	11 13	73	WDF	JL 17				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	1:	11 14	73	WDF	JN 19	JL 3	JL 17	AU 14	
	OBSERVED:				1	2	1	2	6
	ESTIMATED:				3	5	3	9	20
BINARY	1:	11 15	73	WDF	JL 3	JL 31			
	OBSERVED:				2	1			3
	ESTIMATED:				5	4			9
BINARY	1:	13 8	73	WDF	AU 28				
	OBSERVED:				2				2
	ESTIMATED:				8				8
BINARY	1:	13 15	73	WDF	AU 28				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	1:	15 6			JL 17				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	1:	15 13			JL 3				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	1:	15 15	73	WDF	AU 14	AU 28			
	OBSERVED:				1	1			2
	ESTIMATED:				3	3			6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:									TOTALS
BINARY	2: 1 1	71 CFSO	JN 19									
	OBSERVED:		1									1
	ESTIMATED:		3									3
BINARY	2: 2 3	73 CFSO	JN 19	JL 3	AU 14	AU 28						
	OBSERVED:		1	1	2	1						5
	ESTIMATED:		3	3	5	3						14
BINARY	2: 3 2	73 CFSO	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:		2	7	10	11	6	3	7	6	2	54
	ESTIMATED:		6	21	38	35	22	11	24	20	6	183
BINARY	2: 4 1	72 CFSO	JN 5	JN 19								
	OBSERVED:		1	1								2
	ESTIMATED:		3	3								6
BINARY	2: 4 6	73 CFSO	JL 3	AU 14	AU 28	SE 11						
	OBSERVED:		2	1	1	1						5
	ESTIMATED:		5	3	3	3						14
BINARY	2: 5 1	72 CFSO	MY 22	JN 19	JL 3	JL 31						
	OBSERVED:		1	5	2	2						10
	ESTIMATED:		7	14	5	7						33
BINARY	2: 5 6	73 CFSO	JN 19	JL 17								
	OBSERVED:		2	1								3
	ESTIMATED:		6	3								9
BINARY	2: 6 2	73 CFSO	JN 5	JN 19	JL 3	JL 17	AU 14					
	OBSERVED:		1	2	2	1	2					8
	ESTIMATED:		3	6	5	3	5					22

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	2: 7 1	72 CFSO	JL 3							
	OBSERVED:		1							1
	ESTIMATED:		3							3
BINARY	2: 8 1	72 CFSO	JN 5	JN 19	JL 3	JL 31	AU 14	SE 25		
	OBSERVED:		2	2	3	3	2	1		13
	ESTIMATED:		6	6	9	11	5	3		40
BINARY	2: 8 6	73 CFSO	JL 31	AU 28						
	OBSERVED:		1	1						2
	ESTIMATED:		3	3						6
BINARY	2: 10 2	74 CFSO	JL 17	JL 31	AU 14	AU 28				
	OBSERVED:		2	1	3	2				8
	ESTIMATED:		6	4	8	8				26
BINARY	2: 11 1	72 CFSO	MY 22	JN 19	JL 3	JL 17	AU 28	SE 11	SE 25	
	OBSERVED:		1	1	5	1	3	2	1	14
	ESTIMATED:		3	3	17	3	9	7	3	45
BINARY	2: 12 2	73 CFSO	AU 28							
	OBSERVED:		1							1
	ESTIMATED:		3							3
BINARY	2: 14 6	74 CFSO	SE 11							
	OBSERVED:		1							1
	ESTIMATED:		3							3
BINARY	2: 15 1	73 CFSO	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:		1	2	2	3	1	2	1	12
	ESTIMATED:		3	6	7	10	3	9	5	43

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	5: 2 10	73	FWS	MY 22	JN 19	JL 3	JL 17	JL 31	AU 28			
	OBSERVED:			1	1	1	1	1	1			6
	ESTIMATED:			3	3	3	3	3	3			18
BINARY	5: 3 1	72	FWS	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 28		
	OBSERVED:			2	1	5	3	2	1	1		15
	ESTIMATED:			10	3	15	9	6	3	3		49
BINARY	5: 3 10	73	FWS	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			3	1	1	4	7	3	4	1	24
	ESTIMATED:			9	10	3	14	22	10	11	3	82
BINARY	5: 4 10	73	FWS	JL 3								
	OBSERVED:			2								2
	ESTIMATED:			5								5
BINARY	5: 5 10	72	FWS	JL 3	JL 17	JL 31						
	OBSERVED:			1	1	1						3
	ESTIMATED:			3	3	4						10
BINARY	5: 6 1	73	FWS	AU 28								
	OBSERVED:			1								1
	ESTIMATED:			3								3
BINARY	5: 6 10	73	FWS	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28			
	OBSERVED:			2	5	6	2	1	1			17
	ESTIMATED:			6	13	19	7	3	3			51
BINARY	5: 10 12	74	FWS	JL 17								
	OBSERVED:			1								1
	ESTIMATED:			3								3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR CHINOOK

TAG TYPE	DATA /AREA 1 2 3	B.Y ISSUED BY		BIWEEKLY PERIODS ENDING:										TOTALS
BINARY	7: 10 10	73 ODFW		MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:			1	6	17	23	6	9	6	5	2	1	76
	ESTIMATED:			3	24	50	70	19	31	20	20	6	3	246
BINARY	7: 10 11	73 ODFW		MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	SE 25				
	OBSERVED:			1	4	9	1	8	1	2				26
	ESTIMATED:			3	12	25	3	28	3	6				80
BINARY	7: 10 12	73 ODFW		MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	SE 11				
	OBSERVED:			1	1	7	2	6	3	2				22
	ESTIMATED:			3	3	20	6	21	11	6				70
BINARY	7: 10 13	73 ODFW		JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:			1	6	12	13	9	3	5	1			50
	ESTIMATED:			3	18	39	41	30	11	17	3			162
BINARY	7: 10 14	73 ORAF		JL 17										
	OBSERVED:			1										1
	ESTIMATED:			3										3
BINARY	7: 11 13	74 ODFW		JL 31										
	OBSERVED:			1										1
	ESTIMATED:			3										3
BINARY	7: 12 9	74 ODFW		AU 14	AU 28									
	OBSERVED:			1	1									2
	ESTIMATED:			3	3									6
BINARY	9: 3 11	74 ODFW		AU 28										
	OBSERVED:			1										1
	ESTIMATED:			3										3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	11:	1 1	73	UW	SE 11				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	11:	1 2	73	UW	JL 3	JL 31	AU 14	AU 28	
	OBSERVED:				5	2	2	1	10
	ESTIMATED:				18	7	5	5	35
BINARY	11:	1 3	73	UW	JN 19	JL 17			
	OBSERVED:				1	1			2
	ESTIMATED:				3	3			6
BINARY	11:	1 4	73	UW	JL 3				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	11:	1 5	73	UW	JL 3				
	OBSERVED:				1				1
	ESTIMATED:				4				4
BINARY	13:	1 1	73	WDF	AU 14				
	OBSERVED:				2				2
	ESTIMATED:				9				9
BINARY	15:	0 9	71	WDF	MY 22	JN 5	JL 3	JL 17	
	OBSERVED:				2	3	1	1	7
	ESTIMATED:				10	16	3	3	32
BINARY	15:	0 14	71	WDF	JL 3				
	OBSERVED:				1				1
	ESTIMATED:				3				3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:						TOTALS
BINARY 15:	1	9	71 WDF	JL 17						1
OBSERVED:				1						3
ESTIMATED:				3						
BINARY 15:	2	2	71 WDF	MY 22	JL 3					5
OBSERVED:				2	3					23
ESTIMATED:				15	8					
BINARY 15:	2	3	71 WDF	JL 3						1
OBSERVED:				1						3
ESTIMATED:				3						
BINARY 15:	2	4	71 WDF	MY 22	JL 3					4
OBSERVED:				2	2					15
ESTIMATED:				6	9					
BINARY 15:	2	9	71 WDF	JN 5						1
OBSERVED:				1						3
ESTIMATED:				3						
BINARY 15:	2	14	71 WDF	MY 22	JN 19	JL 17	JL 31	AU 28	SE 25	7
OBSERVED:				1	2	1	1	1	1	25
ESTIMATED:				7	6	3	3	3	3	
BINARY 15:	3	1	71 WDF	JN 19						2
OBSERVED:				2						6
ESTIMATED:				6						
BINARY 15:	3	2	71 WDF	JN 19	JL 3	JL 17	AU 28			11
OBSERVED:				3	4	3	1			34
ESTIMATED:				9	12	10	3			

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	15:	3 3	71	WDF	JN 5		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	15:	3 4	71	WDF	JN 19		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	15:	5 1	71	WDF	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	15:	5 2	71	WDF	MY 22	JL 31	
	OBSERVED:				1	1	2
	ESTIMATED:				3	4	7
BINARY	15:	6 5	71	WDF	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	15:	6 8	71	WDF	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	15:	6 13	71	WDF	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	15:	7 12	71	WDF	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				3		3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	15:	7 15	71 WDF	JL 17				
	OBSERVED:			2				2
	ESTIMATED:			7				7
BINARY	15:	8 2	71 WDF	JN 5	JL 3	JL 17		
	OBSERVED:			1	1	1		3
	ESTIMATED:			3	4	3		10
BINARY	15:	8 4	71 WDF	MY 22	JN 19	JL 3	JL 31	
	OBSERVED:			1	1	6	2	10
	ESTIMATED:			3	3	20	7	33
BINARY	15:	8 5	71 COOP	JN 19				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	15:	8 12	72 WDF	JL 17	SE 11			
	OBSERVED:			1	1			2
	ESTIMATED:			3	4			7
BINARY	15:	8 15	72 WDF	JN 19				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	15:	9 4	72 WDF	JN 19	JL 3	JL 17	AU 14	
	OBSERVED:			2	3	1	1	7
	ESTIMATED:			6	12	3	3	24
BINARY	15:	9 5	72 WDF	SE 11				
	OBSERVED:			1				1
	ESTIMATED:			4				4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	15: 10 11	72 WDF	JN 5	JN 19	JL 3	JL 17	JL 31	SE 11			
	OBSERVED:		1	4	2	3	1	1			12
	ESTIMATED:		10	11	5	10	3	3			42
BINARY	15: 10 14	72 WDF	JN 5	JN 19	JL 3	JL 17	AU 14	SE 11			
	OBSERVED:		4	3	4	3	2	3			19
	ESTIMATED:		26	9	14	10	5	10			74
BINARY	15: 10 15	72 WDF	JL 17								
	OBSERVED:		1								1
	ESTIMATED:		3								3
BINARY	15: 11 1	72 WDF	MY 22	JN 5	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	
	OBSERVED:		1	1	7	1	6	1	2	1	20
	ESTIMATED:		7	3	20	3	19	3	6	3	64
BINARY	15: 11 10	72 WDF	JN 5	JN 19	JL 3	JL 17	JL 31	AU 28			
	OBSERVED:		1	2	3	1	1	1			9
	ESTIMATED:		10	6	9	3	3	3			34
BINARY	15: 11 14	72 WDF	JL 3	AU 14							
	OBSERVED:		2	1							3
	ESTIMATED:		7	6							13
BINARY	15: 11 15	72 COOP	JL 3								
	OBSERVED:		1								1
	ESTIMATED:		4								4
BINARY	15: 12 1	72 WDF	MY 22	JN 19	JL 17	JL 31					
	OBSERVED:		1	1	2	1					5
	ESTIMATED:		3	3	7	4					17

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   CHINOOK

TAG TYPE	AGENCY DATA /AREA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	15: 12 2	72	WDF	JL 3	JL 17	AU 28	
OBSERVED:				1	1	1	3
ESTIMATED:				3	3	5	11
BINARY	15: 12 3	72	WDF	JL 3	JL 17	JL 31	
OBSERVED:				2	1	2	5
ESTIMATED:				7	3	7	17
BINARY	15: 12 4	72	WDF	JL 3			
OBSERVED:				2			2
ESTIMATED:				9			9
BINARY	15: 12 7	72	WDF	MY 22	JN 19	JL 3	
OBSERVED:				1	2	1	4
ESTIMATED:				3	6	3	12
BINARY	15: 12 10	72	WDF	JL 3			
OBSERVED:				3			3
ESTIMATED:				8			8
BINARY	15: 12 11	72	WDF	JN 19			
OBSERVED:				1			1
ESTIMATED:				3			3
BINARY	15: 12 13	72	WDF	JN 19	JL 3		
OBSERVED:				1	1		2
ESTIMATED:				3	3		6
BINARY	15: 12 14	72	WDF	JL 3			
OBSERVED:				1			1
ESTIMATED:				3			3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR CHINOOK

TAG TYPE / AGENCY AREA / DATA 1 2 3 / B.Y ISSUED BY / FOR BIWEEKLY PERIODS ENDING: / TOTALS

TAG TYPE /AREA DATA 1 2 3	B.Y ISSUED BY								TOTALS
BINARY 15: 12 15	72 WDF	JN 19							
OBSERVED:		1							1
ESTIMATED:		3							3
BINARY 15: 13 1	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
OBSERVED:		1	1	2	1	1	1	1	8
ESTIMATED:		3	4	6	3	3	3	4	26
BINARY 15: 13 5	72 COOP	SE 11							
OBSERVED:		1							1
ESTIMATED:		3							3
BINARY 15: 13 6	73 WDF	JN 19	JL 3	AU 14	AU 28				
OBSERVED:		1	1	1	1				4
ESTIMATED:		3	3	3	3				12
BINARY 15: 13 8	73 WDF	JL 3	JL 31	AU 14					
OBSERVED:		1	1	1					3
ESTIMATED:		3	3	3					9
BINARY 15: 13 9	72 WDF	JN 19							
OBSERVED:		1							1
ESTIMATED:		3							3
BINARY 15: 13 12	73 WDF	JN 19	JL 17	JL 31	AU 28	SE 11			
OBSERVED:		1	2	1	1	1			6
ESTIMATED:		3	6	3	3	4			19
BINARY 15: 13 13	73 WDF	JL 3	AU 14	AU 28					
OBSERVED:		1	1	1					3
ESTIMATED:		4	3	5					12

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	15:	14 5	72 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
OBSERVED:				3	9	6	3	4	3	1	29
ESTIMATED:				9	25	19	11	11	11	4	90
BINARY	15:	14 6	72 WDF	MY 22	JN 19	JL 3	JL 17	SE 25			
OBSERVED:				1	4	1	1	1			8
ESTIMATED:				7	12	3	3	3			28
BINARY	15:	14 7	72 WDF	JL 3							
OBSERVED:				1							1
ESTIMATED:				4							4
BINARY	15:	14 8	72 WDF	JL 3							
OBSERVED:				1							1
ESTIMATED:				3							3
BINARY	15:	15 14	72 WDF	JN 5	JN 19	JL 31	AU 14	SE 25			
OBSERVED:				3	1	2	4	1			11
ESTIMATED:				16	3	7	14	3			43
COLOUR	BL:	BR GN	71 CFSO	JL 3	JL 17						
OBSERVED:				1	1						2
ESTIMATED:				4	3						7
COLOUR	BL:	GN BL	70 CFSO	JL 31							
OBSERVED:				1							1
ESTIMATED:				4							4
COLOUR	BL:	LG OR	72 CFSO	JL 3							
OBSERVED:				1							1
ESTIMATED:				4							4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR CHINOOK

TAG TYPE	AGENCY DATA /AREA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:					TOTALS
COLOUR BL: LG RD		72	CFSO	JN 19	JL 17	JL 31			
OBSERVED:				1	1	2			4
ESTIMATED:				3	3	7			13
COLOUR BL: LG YW		72	CFSO	AU 14					
OBSERVED:				1					1
ESTIMATED:				3					3
COLOUR BL: XY GN		73	CFSO	JL 31					
OBSERVED:				1					1
ESTIMATED:				3					3
COLOUR BL: PU		72	CFSO	JN 19	JL 3				
OBSERVED:				1	1				2
ESTIMATED:				3	4				7
COLOUR BL: RD		73	CFSO	JN 5	JN 19	JL 3	JL 17	AU 14	
OBSERVED:				1	2	2	1	1	7
ESTIMATED:				3	6	9	3	3	24
COLOUR BL: RD GN		73	CFSO	JN 19	SE 11				
OBSERVED:				1	1				2
ESTIMATED:				3	3				6
COLOUR BL: RD GD		73	CFSO	JL 3	JL 31	AU 28			
OBSERVED:				2	1	1			4
ESTIMATED:				7	3	3			13
COLOUR BL: WH BL		72	CFSO	JL 3					
OBSERVED:				1					1
ESTIMATED:				3					3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE / AREA	AGENCY DATA B.Y											TOTALS
COLOUR BL: CY	73 CFSO	JL 3	JL 17	AU 28								
OBSERVED:		1	2	1								4
ESTIMATED:		3	7	3								13
COLOUR PK: BL	71 ODFW	MY 22	JN 5	JN 19	JL 3	JL 17	AU 14					
OBSERVED:		3	1	1	4	1	1					11
ESTIMATED:		18	3	3	12	3	3					42
PIN LOST		MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
OBSERVED:		1	4	10	10	4	4	1	2			36
ESTIMATED:		3	11	31	31	15	11	3	7			112
NO PIN		MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
OBSERVED:		3	10	26	45	24	18	16	6	7	4	159
ESTIMATED:		9	42	76	136	76	62	44	21	22	12	500
NO DATA		MY 22	JN 19									
OBSERVED:		1	2									3
ESTIMATED:		3	6									9
TOTALS FOR NTR	CHINOOK	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
OBSERVED:		39	46	181	291	188	144	138	92	47	14	1180
ESTIMATED:		163	233	536	921	590	499	422	317	155	42	3878

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
FIN MK	AD/LV		AGE 0.3	JL 31				
	OBSERVED:			1				1
	ESTIMATED:			2				2
FIN MK	AD/RP		AGE 0.2	AU 14				
	OBSERVED:			1				1
	ESTIMATED:			2				2
FIN MK	AD/RP		AGE 8.0	AU 28				
	OBSERVED:			1				1
	ESTIMATED:			20				20
FIN MK	D/RP		AGE 8.0	AU 28				
	OBSERVED:			2				2
	ESTIMATED:			40				40
BINARY	1:	2 2	72 WDF	JN 19	JL 17	AU 14	AU 28	
	OBSERVED:			3	1	2	1	7
	ESTIMATED:			8	2	4	3	17
BINARY	1:	2 4	73 WDF	JL 3				
	OBSERVED:			1				1
	ESTIMATED:			5				5
BINARY	1:	2 5	73 WDF	AU 28				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	1:	2 6	73 WDF	JL 31	AU 14	AU 28		
	OBSERVED:			2	1	1		4
	ESTIMATED:			5	5	3		13

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1:	2 8	72	WDF	JN 5			1
	OBSERVED:				1			3
	ESTIMATED:				3			
BINARY	1:	2 9	72	WDF	AU 14			1
	OBSERVED:				1			2
	ESTIMATED:				2			
BINARY	1:	6 4	73	WDF	JL 17			1
	OBSERVED:				1			2
	ESTIMATED:				2			
BINARY	1:	6 5	73	WDF	JL 3	AU 28		2
	OBSERVED:				1	1		25
	ESTIMATED:				5	20		
BINARY	1:	6 7	73	WDF	JN 19	JL 17	AU 14	5
	OBSERVED:				3	1	1	12
	ESTIMATED:				8	2	2	
BINARY	1:	6 8	73	WDF	JL 17	AU 14		5
	OBSERVED:				2	3		17
	ESTIMATED:				4	13		
BINARY	1:	6 10	73	WDF	JN 5	JL 3	AU 14	3
	OBSERVED:				1	1	1	10
	ESTIMATED:				3	5	2	
BINARY	1:	6 11	73	WDF	JL 17	AU 14		2
	OBSERVED:				1	1		7
	ESTIMATED:				2	5		

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	1: 7 6			JL 17						
	OBSERVED:			1						1
	ESTIMATED:			2						2
BINARY	1: 10 3		73 WDF	JL 17						
	OBSERVED:			1						1
	ESTIMATED:			2						2
BINARY	1: 11 5		73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			1	3	3	1	2	2	12
	ESTIMATED:			3	14	7	3	4	23	54
BINARY	1: 11 6		73 WDF	JL 3	JL 17	JL 31	SE 11			
	OBSERVED:			1	3	1	1			6
	ESTIMATED:			5	12	3	14			34
BINARY	1: 11 8		73 WDF	JL 17						
	OBSERVED:			1						1
	ESTIMATED:			2						2
BINARY	1: 12 2		73 WDF	AU 28						
	OBSERVED:			1						1
	ESTIMATED:			3						3
BINARY	1: 13 3			JN 19						
	OBSERVED:			1						1
	ESTIMATED:			3						3
BINARY	1: 13 8		73 WDF	JL 3	JL 31	AU 28				
	OBSERVED:			1	1	1				3
	ESTIMATED:			5	2	20				27

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	1: 13 11	73	WDF	JL 3								
	OBSERVED:			1								1
	ESTIMATED:			5								5
BINARY	1: 15 2			JL 17								
	OBSERVED:			1								1
	ESTIMATED:			2								2
BINARY	1: 15 9	73	WDF	JL 31								
	OBSERVED:			1								1
	ESTIMATED:			3								3
BINARY	1: 15 15	73	WDF	JL 31								
	OBSERVED:			2								2
	ESTIMATED:			5								5
BINARY	2: 2 2			JN 5								
	OBSERVED:			1								1
	ESTIMATED:			3								3
BINARY	2: 2 3	73	CFSO	AU 14								
	OBSERVED:			1								1
	ESTIMATED:			5								5
BINARY	2: 3 2	73	CFSO	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:			2	6	7	5	5	5	1	1	32
	ESTIMATED:			6	17	36	17	12	18	20	14	140
BINARY	2: 4 1	72	CFSO	JN 19								
	OBSERVED:			3								3
	ESTIMATED:			8								8

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	2:	4 3	74	CFSO	AU 14					
	OBSERVED:				1					1
	ESTIMATED:				2					2
BINARY	2:	4 6	73	CFSO	JL 17					
	OBSERVED:				2					2
	ESTIMATED:				7					7
BINARY	2:	5 1	72	CFSO	JN 5	JL 3	JL 17	JL 31	AU 14	
	OBSERVED:				2	1	1	2	1	7
	ESTIMATED:				6	5	2	5	2	20
BINARY	2:	6 2	73	CFSO	JL 3	JL 17	JL 31			
	OBSERVED:				2	4	1			7
	ESTIMATED:				11	12	3			26
BINARY	2:	6 6	74	CFSO	JL 3	AU 14	SE 11			
	OBSERVED:				1	1	1			3
	ESTIMATED:				5	5	37			47
BINARY	2:	7 1	72	CFSO	JN 5	JL 17	JL 31	AU 14		
	OBSERVED:				1	1	1	1		4
	ESTIMATED:				3	2	3	2		10
BINARY	2:	7 6	73	CFSO	JN 19					
	OBSERVED:				1					1
	ESTIMATED:				2					2
BINARY	2:	8 1	72	CFSO	JL 3	JL 17	JL 31	AU 28		
	OBSERVED:				1	3	1	1		6
	ESTIMATED:				5	12	2	3		22

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	2: 8 6	73 CFSO		JL 17							
	OBSERVED:			1							1
	ESTIMATED:			2							2
BINARY	2: 9 2			AU 14							
	OBSERVED:			1							1
	ESTIMATED:			2							2
BINARY	2: 10 2	74 CFSO		JL 3	AU 14	AU 28					
	OBSERVED:			1	10	2					13
	ESTIMATED:			5	25	5					35
BINARY	2: 11 1	72 CFSO		JL 3	JL 17						
	OBSERVED:			1	1						2
	ESTIMATED:			5	2						7
BINARY	2: 11 2	73 CFSO		JN 19	JL 3	JL 17					
	OBSERVED:			3	1	1					5
	ESTIMATED:			9	5	2					16
BINARY	2: 12 2	73 CFSO		JN 19	JL 3	JL 31	AU 14	AU 28			
	OBSERVED:			1	1	2	2	1			7
	ESTIMATED:			2	5	5	7	3			22
BINARY	2: 14 2	74 CFSO		JN 5							
	OBSERVED:			1							1
	ESTIMATED:			3							3
BINARY	2: 15 1	73 CFSO		JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			1	7	4	7	2	4	1	26
	ESTIMATED:			3	18	19	21	5	18	3	87

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	5: 1 1	72	FWS	JN 19	JL 3	JL 17	JL 31		
	OBSERVED:			2	1	2	2		7
	ESTIMATED:			6	5	4	5		20
BINARY	5: 2 1	72	FWS	JN 5	JN 19	JL 3	JL 17	JL 31	
	OBSERVED:			2	1	1	2	1	7
	ESTIMATED:			6	3	5	4	3	21
BINARY	5: 2 10	73	FWS	AU 28					
	OBSERVED:			1					1
	ESTIMATED:			3					3
BINARY	5: 3 1	72	FWS	JN 5	JN 19	JL 3	JL 17	JL 31	
	OBSERVED:			2	2	2	4	5	15
	ESTIMATED:			6	5	10	12	12	45
BINARY	5: 3 10	73	FWS	JN 19	JL 3	JL 17	JL 31		
	OBSERVED:			3	3	2	1		9
	ESTIMATED:			8	14	4	3		29
BINARY	5: 4 1	73	FWS	JL 31	AU 14				
	OBSERVED:			2	1				3
	ESTIMATED:			5	2				7
BINARY	5: 4 14	74	FWS	AU 14					
	OBSERVED:			1					1
	ESTIMATED:			5					5
BINARY	5: 5 1	73	FWS	AU 14					
	OBSERVED:			1					1
	ESTIMATED:			2					2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	5: 5 10	72	FWS	JL 17	AU 14						
	OBSERVED:			2	1						3
	ESTIMATED:			10	2						12
BINARY	5: 6 1	73	FWS	AU 28							
	OBSERVED:			2							2
	ESTIMATED:			5							5
BINARY	5: 6 10	73	FWS	JL 17	JL 31	AU 14	AU 28				
	OBSERVED:			1	2	2	1				6
	ESTIMATED:			2	5	4	3				14
BINARY	5: 8 1	73	FWS	AU 14							
	OBSERVED:			1							1
	ESTIMATED:			2							2
BINARY	5: 13 1	74	FWS	JL 31							
	OBSERVED:			1							1
	ESTIMATED:			3							3
BINARY	7: 10 10	73	ODFW	JN 19	JL 3	JL 17	JL 31	AU 14			
	OBSERVED:			1	2	2	3	4			12
	ESTIMATED:			2	10	4	7	15			38
BINARY	7: 10 11	73	ODFW	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			1	1	1	2	2	1	1	9
	ESTIMATED:			3	2	5	4	5	2	20	41
BINARY	7: 10 12	73	ODFW	JN 5	JL 3	AU 14					
	OBSERVED:			1	1	1					3
	ESTIMATED:			3	5	2					10

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	7:	10 13	73 ODFW	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			1	1	1	4	2	3	2	14
	ESTIMATED:			3	3	5	12	5	7	5	40
BINARY	7:	10 14	73 ORAF	JL 31							
	OBSERVED:			1							1
	ESTIMATED:			3							3
BINARY	11:	1 1	73 UW	JL 3	JL 31	AU 14					
	OBSERVED:			5	1	1					7
	ESTIMATED:			24	2	2					28
BINARY	11:	1 2	73 UW	JL 17	SE 11						
	OBSERVED:			1	1						2
	ESTIMATED:			5	14						19
BINARY	11:	1 5	73 UW	JN 19	AU 28						
	OBSERVED:			1	1						2
	ESTIMATED:			2	3						5
BINARY	11:	1 8	73 UW	JN 19	JL 31						
	OBSERVED:			1	1						2
	ESTIMATED:			3	3						6
BINARY	13:	1 1	73 WDF	JL 3	JL 17	AU 14					
	OBSERVED:			1	1	1					3
	ESTIMATED:			5	2	2					9
BINARY	15:	0 9	71 WDF	JL 17	AU 28						
	OBSERVED:			1	3						4
	ESTIMATED:			2	8						10

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:			TOTALS
BINARY 15:	1 14		71 WDF	JN 19			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY 15:	2 2		71 WDF	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			2			2
BINARY 15:	2 5		71 WDF	JL 31			
	OBSERVED:			1			1
	ESTIMATED:			2			2
BINARY 15:	2 14		71 WDF	JN 5	JL 17	JL 31	
	OBSERVED:			1	1	1	3
	ESTIMATED:			3	2	3	8
BINARY 15:	3 1		71 WDF	JL 3	AU 14		
	OBSERVED:			1	1		2
	ESTIMATED:			5	2		7
BINARY 15:	3 2		71 WDF	JN 5	AU 28		
	OBSERVED:			1	1		2
	ESTIMATED:			3	3		6
BINARY 15:	3 3		71 WDF	JN 19	JL 3		
	OBSERVED:			1	1		2
	ESTIMATED:			3	5		8
BINARY 15:	3 8		71 WDF	JL 3			
	OBSERVED:			1			1
	ESTIMATED:			5			5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	15: 5 6	71	WDF	JN 5		
	OBSERVED:			1		1
	ESTIMATED:			3		3
BINARY	15: 5 11	72	WDF	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			5		5
BINARY	15: 5 12	72	WDF	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			5		5
BINARY	15: 6 0	71	WDF	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			5		5
BINARY	15: 6 5	71	WDF	JL 17		
	OBSERVED:			1		1
	ESTIMATED:			5		5
BINARY	15: 7 4	71	WDF	JL 3	JL 17	
	OBSERVED:			1	1	2
	ESTIMATED:			5	2	7
BINARY	15: 7 12	71	WDF	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			2		2
BINARY	15: 7 15	71	WDF	JN 19		
	OBSERVED:			1		1
	ESTIMATED:			2		2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	15: 8 7	72	WDF	JN 19	JL 17	AU 14				
	OBSERVED:			1	2	1				4
	ESTIMATED:			2	4	2				8
BINARY	15: 8 15	72	WDF	JL 3						
	OBSERVED:			1						1
	ESTIMATED:			5						5
BINARY	15: 9 6	72	WDF	AU 28						
	OBSERVED:			1						1
	ESTIMATED:			3						3
BINARY	15: 10 11	72	WDF	JL 3	JL 17	AU 14				
	OBSERVED:			2	3	1				6
	ESTIMATED:			9	9	5				23
BINARY	15: 10 12	72	WDF	JL 3	JL 17					
	OBSERVED:			1	1					2
	ESTIMATED:			5	2					7
BINARY	15: 10 14	72	WDF	JL 17	JL 31					
	OBSERVED:			1	1					2
	ESTIMATED:			2	2					4
BINARY	15: 10 15	72	WDF	AU 28						
	OBSERVED:			1						1
	ESTIMATED:			3						3
BINARY	15: 11 1	72	WDF	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	
	OBSERVED:			1	2	1	2	2	2	10
	ESTIMATED:			3	6	5	4	5	4	27

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	15: 11 10		72 WDF	JL 3	JL 17	JL 31		
	OBSERVED:			1	1	1		3
	ESTIMATED:			5	2	3		10
BINARY	15: 11 12		72 WDF	JL 17				
	OBSERVED:			1				1
	ESTIMATED:			5				5
BINARY	15: 11 14		72 WDF	JL 17	AU 14			
	OBSERVED:			1	1			2
	ESTIMATED:			2	2			4
BINARY	15: 12 1		72 WDF	JL 31				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	15: 12 2		72 WDF	JL 17				
	OBSERVED:			1				1
	ESTIMATED:			5				5
BINARY	15: 12 3		72 WDF	JL 3	JL 17	AU 14	AU 28	
	OBSERVED:			1	1	1	1	4
	ESTIMATED:			5	2	2	3	12
BINARY	15: 12 4		72 WDF	JN 19	JL 17			
	OBSERVED:			1	2			3
	ESTIMATED:			3	10			13
BINARY	15: 12 7		72 WDF	JL 3	JL 31	AU 14		
	OBSERVED:			1	1	1		3
	ESTIMATED:			5	3	2		10

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	DATA /AREA 1 2 3	B.Y	AGENCY ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	15: 12 10	72	WDF	JL 31				
OBSERVED:				1				1
ESTIMATED:				3				3
BINARY	15: 12 11	72	WDF	JL 31				
OBSERVED:				1				1
ESTIMATED:				3				3
BINARY	15: 12 13	72	WDF	JL 17				
OBSERVED:				1				1
ESTIMATED:				5				5
BINARY	15: 13 1	73	WDF	JL 3	JL 17	JL 31	AU 28	
OBSERVED:				1	1	1	1	4
ESTIMATED:				5	5	3	3	16
BINARY	15: 13 4	72	WDF	JL 17				
OBSERVED:				1				1
ESTIMATED:				2				2
BINARY	15: 13 5	72	COOP	AU 14				
OBSERVED:				1				1
ESTIMATED:				2				2
BINARY	15: 13 6	73	WDF	JN 19	JL 17	JL 31		
OBSERVED:				1	1	3		5
ESTIMATED:				3	2	8		13
BINARY	15: 13 12	73	WDF	JL 3	JL 17	JL 31	AU 14	
OBSERVED:				1	5	1	1	8
ESTIMATED:				5	17	3	2	27

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY 15:	13 13	73 WDF	JN 5	JL 31	AU 28			
	OBSERVED:		1	1	1			3
	ESTIMATED:		3	2	3			8
BINARY 15:	14 5	72 WDF	JL 3	JL 31	AU 28			
	OBSERVED:		1	2	1			4
	ESTIMATED:		5	5	20			30
BINARY 15:	15 14	72 WDF	JL 17	JL 31				
	OBSERVED:		2	1				3
	ESTIMATED:		7	2				9
COLOUR BL:	BR GN	71 CFSO	JN 19	JL 3				
	OBSERVED:		1	1				2
	ESTIMATED:		2	5				7
COLOUR BL:	LG BL	72 CFSO	AU 14					
	OBSERVED:		1					1
	ESTIMATED:		2					2
COLOUR BL:	LG OR	72 CFSO	JL 3					
	OBSERVED:		1					1
	ESTIMATED:		5					5
COLOUR BL:	LG PK	72 CFSO	JN 19	JL 17				
	OBSERVED:		1	1				2
	ESTIMATED:		2	2				4
COLOUR BL:	LG RD	72 CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	
	OBSERVED:		1	1	1	1	2	6
	ESTIMATED:		2	5	5	2	7	21

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
COLOUR BL: LG YW			72 CFSO	JL 17	JL 31						
		OBSERVED:		2	3						5
		ESTIMATED:		4	8						12
COLOUR BL: XY GN			73 CFSO	JN 5	JL 17	AU 14					
		OBSERVED:		1	2	2					5
		ESTIMATED:		3	7	4					14
COLOUR BL: PU			72 CFSO	JL 3	JL 31						
		OBSERVED:		1	1						2
		ESTIMATED:		5	2						7
COLOUR BL: RD			73 CFSO	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
		OBSERVED:		1	1	3	3	2	6	1	17
		ESTIMATED:		3	2	14	7	5	20	3	54
COLOUR BL: RD GN			73 CFSO	JN 19	JL 3	JL 17	JL 31	AU 14			
		OBSERVED:		2	1	2	1	4			10
		ESTIMATED:		5	5	7	3	9			29
COLOUR BL: RD GD			73 CFSO	JN 5	JN 19	JL 3	JL 17	JL 31	AU 28		
		OBSERVED:		3	1	1	4	2	1		12
		ESTIMATED:		8	2	5	12	5	3		35
COLOUR BL: CY			73 CFSO	JN 5	JL 3	JL 17					
		OBSERVED:		1	1	1					3
		ESTIMATED:		3	5	2					10
COLOUR PK: BL			71 ODFW	JN 19							
		OBSERVED:		1							1
		ESTIMATED:		3							3

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR CHINOOK

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	TOTALS
PIN LOST									
OBSERVED:	4	2	2	6	4	1			19
ESTIMATED:	11	6	9	13	10	5			54
NO PIN									
OBSERVED:	11	16	16	22	17	10	5		97
ESTIMATED:	31	42	77	66	42	25	13		296
TOTALS FOR CTR CHINOOK									
OBSERVED:	43	76	92	141	97	96	42	4	591
ESTIMATED:	125	200	452	404	246	274	273	79	2053

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
FIN MK	AD/LV		AGE 0.3	MY 22	JN 19	JL 17	JL 31	
	OBSERVED:			1	1	2	1	5
	ESTIMATED:			2	2	7	6	17
FIN MK	AD/LV		AGE 8.0	JN 19	JL 31			
	OBSERVED:			1	1			2
	ESTIMATED:			2	1			3
FIN MK	AD/LV/RV		AGE 8.0	AU 14				
	OBSERVED:			1				1
	ESTIMATED:			6				6
FIN MK	AD/RV		AGE 0.0	JN 19				
	OBSERVED:			1				1
	ESTIMATED:			2				2
FIN MK	AD/RV		AGE 0.2	AU 28				
	OBSERVED:			1				1
	ESTIMATED:			2				2
FIN MK	AD/RV		AGE 0.3	JN 5	JN 19			
	OBSERVED:			1	1			2
	ESTIMATED:			4	2			6
FIN MK	AD/RV		AGE 8.0	JN 5	JN 19	AU 14	AU 28	
	OBSERVED:			1	1	1	1	4
	ESTIMATED:			4	2	6	2	14
FIN MK	AD/LP		AGE 0.2	JN 19				
	OBSERVED:			1				1
	ESTIMATED:			4				4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY		FOR BIWEEKLY PERIODS ENDING:	TOTALS
FIN MK	AD/RP		AGE 0.0		JN 19	
		OBSERVED:			1	1
		ESTIMATED:			2	2
FIN MK	AD/RP		AGE 0.2		AU 14	
		OBSERVED:			1	1
		ESTIMATED:			6	6
FIN MK	AD/RP		AGE 0.3		JL 17	
		OBSERVED:			1	1
		ESTIMATED:			3	3
FIN MK	AD/RM		AGE 0.2		JL 17	
		OBSERVED:			1	1
		ESTIMATED:			3	3
FIN MK	AD/RM		AGE 0.3		JL 31	
		OBSERVED:			1	1
		ESTIMATED:			1	1
FIN MK	AD/D/RP		AGE 0.3		MY 22	
		OBSERVED:			1	1
		ESTIMATED:			2	2
FIN MK	AD/D/RP		AGE 8.0		JN 19	
		OBSERVED:			2	2
		ESTIMATED:			6	6
FIN MK	AD/LV/LM		AGE 0.2		MY 22	
		OBSERVED:			1	1
		ESTIMATED:			2	2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:			TOTALS
FIN MK	AD/RP/LV		AGE 0.3	MY 22			
	OBSERVED:			1			1
	ESTIMATED:			2			2
FIN MK	AD/D/RV/LM		AGE 0.0	JN 19			
	OBSERVED:			1			1
	ESTIMATED:			2			2
FIN MK	AD/LV/RM		AGE 0.3	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	1:	1 7		AU 28			
	OBSERVED:			1			1
	ESTIMATED:			2			2
BINARY	1:	2 2	72 WDF	MY 22	JN 19	AU 28	
	OBSERVED:			1	1	1	3
	ESTIMATED:			2	2	2	6
BINARY	1:	2 6	73 WDF	JL 3	AU 28		
	OBSERVED:			1	1		2
	ESTIMATED:			4	2		6
BINARY	1:	3 9	72 WDF	MY 22			
	OBSERVED:			1			1
	ESTIMATED:			2			2
BINARY	1:	6 4	73 WDF	AU 14			
	OBSERVED:			1			1
	ESTIMATED:			6			6

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

```
CATCH REGION: NWTR        CHINOOK

 TAG  AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3      BY
                                                                    TOTALS

BINARY  1:  6  7    73 WDF     AU 28
        OBSERVED:                  1                                    1
        ESTIMATED:                 2                                    2

BINARY  1:  6  8    73 WDF     JL 31    OC 9
        OBSERVED:                  2       1                            3
        ESTIMATED:                 2       5                            7

BINARY  1:  6 10    73 WDF     JL 31
        OBSERVED:                  1                                    1
        ESTIMATED:                 1                                    1

BINARY  1:  6 11    73 WDF     SE 11
        OBSERVED:                  1                                    1
        ESTIMATED:                 6                                    6

BINARY  1:  6 15               MY 22
        OBSERVED:                  2                                    2
        ESTIMATED:                 4                                    4

BINARY  1:  7 15                JL 3
        OBSERVED:                  1                                    1
        ESTIMATED:                 6                                    6

BINARY  1: 11  5    73 WDF     JL 31   AU 28
        OBSERVED:                  1       1                            2
        ESTIMATED:                 1       2                            3

BINARY  1: 11  6    73 WDF      JN 5   JL 31
        OBSERVED:                  1       2                            3
        ESTIMATED:                 2       2                            4
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1:	11 15	73	WDF	JN 5			
	OBSERVED:				1			1
	ESTIMATED:				2			2
BINARY	1:	12 2	73	WDF	AU 28			
	OBSERVED:				1			1
	ESTIMATED:				2			2
BINARY	1:	12 10			AU 28			
	OBSERVED:				1			1
	ESTIMATED:				2			2
BINARY	1:	13 8	73	WDF	JL 3			
	OBSERVED:				1			1
	ESTIMATED:				4			4
BINARY	1:	15 4			AU 28			
	OBSERVED:				1			1
	ESTIMATED:				2			2
BINARY	1:	15 15	73	WDF	JL 31			
	OBSERVED:				1			1
	ESTIMATED:				1			1
BINARY	2:	2 3	73	CFSO	JN 5	AU 28	SE 11	
	OBSERVED:				1	1	1	3
	ESTIMATED:				2	2	4	8
BINARY	2:	3 2	73	CFSO	JN 5	JL 31		
	OBSERVED:				1	2		3
	ESTIMATED:				4	2		6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	2:	4 6	73	CFSO	JL 17	AU 28				
	OBSERVED:				1	1				2
	ESTIMATED:				13	2				15
BINARY	2:	5 1	72	CFSO	JN 5	JL 3	JL 31	AU 28	OC 9	
	OBSERVED:				1	1	1	2	1	6
	ESTIMATED:				2	4	6	4	-	16
BINARY	2:	5 6	73	CFSO	AU 28					
	OBSERVED:				1					1
	ESTIMATED:				2					2
BINARY	2:	6 2	73	CFSO	JN 5	JN 19	AU 14	AU 28		
	OBSERVED:				2	1	1	5		9
	ESTIMATED:				3	4	6	11		24
BINARY	2:	7 1	72	CFSO	JL 31					
	OBSERVED:				1					1
	ESTIMATED:				1					1
BINARY	2:	8 1	72	CFSO	MY 22	SE 11				
	OBSERVED:				1	1				2
	ESTIMATED:				2	6				8
BINARY	2:	8 6	73	CFSO	AU 28					
	OBSERVED:				1					1
	ESTIMATED:				2					2
BINARY	2:	11 1	72	CFSO	MY 22	AU 28				
	OBSERVED:				1	4				5
	ESTIMATED:				2	9				11

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	5:	1 1	72	FWS	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 28		
	OBSERVED:				7	8	9	5	2	1	1		33
	ESTIMATED:				13	23	29	22	27	1	2		117
BINARY	5:	1 9	73	FWS	MY 22								
	OBSERVED:				1								1
	ESTIMATED:				2								2
BINARY	5:	2 1	72	FWS	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:				4	3	5	2	2	2	1	1	20
	ESTIMATED:				9	7	17	10	16	7	6	2	74
BINARY	5:	2 10	73	FWS	AU 28	SE 11							
	OBSERVED:				2	1							3
	ESTIMATED:				4	4							8
BINARY	5:	3 1	72	FWS	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:				10	4	4	1	1	4	1	3	28
	ESTIMATED:				21	10	12	4	13	9	6	6	81
BINARY	5:	3 10	73	FWS	AU 28								
	OBSERVED:				1								1
	ESTIMATED:				2								2
BINARY	5:	4 1	73	FWS	JN 5	JN 19	JL 31	AU 14	AU 28				
	OBSERVED:				1	1	2	1	2				7
	ESTIMATED:				2	4	13	6	4				29
BINARY	5:	4 10	73	FWS	JN 19								
	OBSERVED:				1								1
	ESTIMATED:				2								2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	5:	5 1	73 FWS	MY 22	JN 5	JL 3	AU 28	
	OBSERVED:			1	1	1	1	4
	ESTIMATED:			2	4	4	2	12
BINARY	5:	6 1	73 FWS	AU 28				
	OBSERVED:			1				1
	ESTIMATED:			2				2
BINARY	5:	6 10	73 FWS	JL 17	AU 14	AU 28	SE 11	
	OBSERVED:			1	2	1	1	5
	ESTIMATED:			3	11	2	6	22
BINARY	5:	7 1	73 FWS	MY 22	JL 31	SE 11		
	OBSERVED:			1	1	1		3
	ESTIMATED:			2	1	4		7
BINARY	5:	8 1	73 FWS	AU 28				
	OBSERVED:			1				1
	ESTIMATED:			2				2
BINARY	5:	10 3	73 FWS	JL 31				
	OBSERVED:			1				1
	ESTIMATED:			1				1
BINARY	7:	10 10	73 ODFW	AU 14	AU 28	SE 11		
	OBSERVED:			1	2	4		7
	ESTIMATED:			6	4	23		33
BINARY	7:	10 11	73 ODFW	JL 17	AU 28	OC 9		
	OBSERVED:			2	2	1		5
	ESTIMATED:			7	5	5		17

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE / AGENCY /AREA / DATA 1 2 3 / B.Y ISSUED / BY / FOR BIWEEKLY PERIODS ENDING: / TOTALS

BINARY 7: 10 12 — 73 ODFW

	JN 5	TOTALS
OBSERVED:	1	1
ESTIMATED:	4	4

BINARY 7: 10 13 — 73 ODFW

	JN 5	JN 19	JL 3	JL 31	AU 28	SE 11	TOTALS
OBSERVED:	1	1	1	1	1	1	6
ESTIMATED:	2	2	4	1	2	4	15

BINARY 11: 1 2 — 73 UW

	JN 19	TOTALS
OBSERVED:	1	1
ESTIMATED:	2	2

BINARY 11: 1 3 — 73 UW

	JN 5	JL 3	TOTALS
OBSERVED:	1	3	4
ESTIMATED:	2	12	14

BINARY 11: 1 4 — 73 UW

	JN 5	JL 31	AU 28	TOTALS
OBSERVED:	2	1	2	5
ESTIMATED:	3	1	4	8

BINARY 11: 1 5 — 73 UW

	JN 19	JL 17	AU 14	AU 28	TOTALS
OBSERVED:	1	1	1	1	4
ESTIMATED:	4	3	6	2	15

BINARY 11: 1 6 — 73 UW

	JL 17	TOTALS
OBSERVED:	1	1
ESTIMATED:	3	3

BINARY 11: 1 7 — 73 UW

	JN 5	TOTALS
OBSERVED:	1	1
ESTIMATED:	2	2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	11:	1 8	73	UW	JN 19	JL 3	JL 31	
	OBSERVED:				1	1	3	5
	ESTIMATED:				2	4	3	9
BINARY	13:	1 1	73	WDF	AU 28			
	OBSERVED:				1			1
	ESTIMATED:				2			2
BINARY	15:	0 6	71	WDF	JL 3			
	OBSERVED:				1			1
	ESTIMATED:				4			4
BINARY	15:	0 9	71	WDF	JN 5	AU 14	AU 28	
	OBSERVED:				1	1	2	4
	ESTIMATED:				4	6	5	15
BINARY	15:	0 14	71	WDF	JN 5			
	OBSERVED:				1			1
	ESTIMATED:				2			2
BINARY	15:	1 1	71	WDF	MY 22	JN 5		
	OBSERVED:				1	1		2
	ESTIMATED:				2	2		4
BINARY	15:	1 13	71	WDF	JN 19	JL 31		
	OBSERVED:				1	1		2
	ESTIMATED:				4	1		5
BINARY	15:	2 2	71	WDF	MY 22	AU 28		
	OBSERVED:				2	1		3
	ESTIMATED:				4	2		6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE	DATA 1 2 3	B.Y	AGENCY /AREA ISSUED BY		BIWEEKLY PERIODS ENDING:	TOTALS
BINARY	15: 2 3	71	WDF		JN 5	1
				OBSERVED:	1	2
				ESTIMATED:	2	
BINARY	15: 2 4	71	WDF		JN 19	1
				OBSERVED:	1	4
				ESTIMATED:	4	
BINARY	15: 2 7	71	WDF		AU 28	1
				OBSERVED:	1	2
				ESTIMATED:	2	
BINARY	15: 2 9	71	WDF		JL 31	1
				OBSERVED:	1	1
				ESTIMATED:	1	
BINARY	15: 2 14	71	WDF		SE 11	2
				OBSERVED:	2	10
				ESTIMATED:	10	
BINARY	15: 3 1	71	WDF		JN 5	1
				OBSERVED:	1	2
				ESTIMATED:	2	
BINARY	15: 3 2	71	WDF		JN 19	1
				OBSERVED:	1	4
				ESTIMATED:	4	
BINARY	15: 3 3	71	WDF		AU 14	1
				OBSERVED:	1	6
				ESTIMATED:	6	

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY 15:	3 11	71	WDF	JN 19		
OBSERVED:				1		1
ESTIMATED:				2		2
BINARY 15:	3 13	71	WDF	MY 22		
OBSERVED:				1		1
ESTIMATED:				2		2
BINARY 15:	5 0	71	WDF	JN 5		
OBSERVED:				1		1
ESTIMATED:				2		2
BINARY 15:	5 2	71	WDF	JN 19	AU 14	
OBSERVED:				1	1	2
ESTIMATED:				2	6	8
BINARY 15:	5 10	71	COOP	JN 19		
OBSERVED:				1		1
ESTIMATED:				4		4
BINARY 15:	5 12	72	WDF	JL 3		
OBSERVED:				1		1
ESTIMATED:				4		4
BINARY 15:	6 1	72	WDF	JL 17		
OBSERVED:				1		1
ESTIMATED:				3		3
BINARY 15:	6 5	71	WDF	AU 14	AU 28	
OBSERVED:				1	1	2
ESTIMATED:				6	2	8

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	15: 6 8	71	WDF	JN 5						
	OBSERVED:			1						1
	ESTIMATED:			4						4
BINARY	15: 7 1	71	WDF	MY 22						
	OBSERVED:			1						1
	ESTIMATED:			2						2
BINARY	15: 7 5	71	WDF	JN 5						
	OBSERVED:			1						1
	ESTIMATED:			2						2
BINARY	15: 7 12	71	WDF	MY 22						
	OBSERVED:			2						2
	ESTIMATED:			5						5
BINARY	15: 7 14	71	WDF	MY 22						
	OBSERVED:			3						3
	ESTIMATED:			7						7
BINARY	15: 7 15	71	WDF	MY 22	JN 5					
	OBSERVED:			1	1					2
	ESTIMATED:			2	4					6
BINARY	15: 8 2	71	WDF	MY 22	JL 3	JL 17	JL 31			
	OBSERVED:			1	1	1	2			5
	ESTIMATED:			2	6	3	2			13
BINARY	15: 8 4	71	WDF	MY 22	JN 5	JN 19	JL 17	AU 14	AU 28	
	OBSERVED:			2	1	2	1	1	2	9
	ESTIMATED:			4	4	6	3	6	4	27

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	15:	8 7	72	WDF	MY 22	AU 28	
	OBSERVED:				1	1	2
	ESTIMATED:				2	2	4
BINARY	15:	8 12	72	WDF	JN 5	JL 17	
	OBSERVED:				1	1	2
	ESTIMATED:				4	3	7
BINARY	15:	8 15	72	WDF	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				1		1
BINARY	15:	9 4	72	WDF	JN 5		
	OBSERVED:				1		1
	ESTIMATED:				2		2
BINARY	15:	9 5	72	WDF	JN 19		
	OBSERVED:				2		2
	ESTIMATED:				6		6
BINARY	15:	9 6	72	WDF	JN 5		
	OBSERVED:				1		1
	ESTIMATED:				2		2
BINARY	15:	9 7	72	WDF	JN 19	JL 17	
	OBSERVED:				1	1	2
	ESTIMATED:				4	3	7
BINARY	15:	10 10	72	WDF	MY 22	JL 31	
	OBSERVED:				1	1	2
	ESTIMATED:				2	1	3

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE / DATA 1 2 3	B.Y	ISSUED BY									TOTALS
BINARY 15: 10 11	72	WDF	MY 22	AU 14	AU 28	SE 11					
OBSERVED:			1	1	1	1					4
ESTIMATED:			2	6	2	4					14
BINARY 15: 10 12	72	WDF	JL 31								
OBSERVED:			1								1
ESTIMATED:			1								1
BINARY 1[illegible]: 10 14	72	WDF	AU 28	SE 11							
[illegible]SERVED:			1	2							3
ESTIMATED:			2	11							13
BINARY 15: 10 15	72	WDF	JN 19								
OBSERVED:			1								1
ESTIMATED:			2								2
BINARY 15: 11 1	72	WDF	MY 22	JN 5	JN 19	JL 3	JL 31	AU 14	AU 28	SE 11	
OBSERVED:			1	1	1	2	2	1	3	1	12
ESTIMATED:			2	2	2	8	13	6	7	6	46
BINARY 15: 11 2	72	WDF	JN 19								
OBSERVED:			1								1
ESTIMATED:			4								4
BINARY 15: 11 10	72	WDF	MY 22								
OBSERVED:			1								1
ESTIMATED:			2								2
BINARY 15: 11 11	72	WDF	JN 19	AU 28							
OBSERVED:			1	1							2
ESTIMATED:			4	2							6

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE	AGENCY /AREA 1 2 3	DATA	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	15: 11 14		72 WDF	JN 19						
		OBSERVED:		1						1
		ESTIMATED:		4						4
BINARY	15: 12 1		72 WDF	MY 22	AU 28	SE 11				
		OBSERVED:		1	1	1				3
		ESTIMATED:		2	2	6				10
BINARY	15: 12 2		72 WDF	JN 5						
		OBSERVED:		1						1
		ESTIMATED:		2						2
BINARY	15: 12 3		72 WDF	MY 22	JN 19					
		OBSERVED:		2	1					3
		ESTIMATED:		4	2					6
BINARY	15: 12 4		72 WDF	MY 22	JN 19					
		OBSERVED:		2	1					3
		ESTIMATED:		4	2					6
BINARY	15: 12 7		72 WDF	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	
		OBSERVED:		1	3	1	1	2	1	9
		ESTIMATED:		2	7	4	6	7	6	32
BINARY	15: 12 8		72 FWS	JL 3	JL 31					
		OBSERVED:		1	1					2
		ESTIMATED:		6	6					12
BINARY	15: 12 10		72 WDF	MY 22	AU 28					
		OBSERVED:		2	1					3
		ESTIMATED:		4	2					6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	15:	12 13	72	WDF	MY 22	JN 5	JL 3	JL 31	
	OBSERVED:				2	1	1	1	5
	ESTIMATED:				4	2	4	1	11
BINARY	15:	13 1	73	WDF	AU 28	OC 9			
	OBSERVED:				1	1			2
	ESTIMATED:				2	-			2
BINARY	15:	13 4	72	WDF	JL 3				
	OBSERVED:				1				1
	ESTIMATED:				4				4
BINARY	15:	13 5	72	COOP	MY 22	JN 19	AU 28		
	OBSERVED:				1	1	1		3
	ESTIMATED:				2	4	2		8
BINARY	15:	13 9	72	WDF	JL 17				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	15:	13 12	73	WDF	JN 19	JL 3	AU 28		
	OBSERVED:				1	1	1		3
	ESTIMATED:				2	4	2		8
BINARY	15:	13 13	73	WDF	MY 22	JL 31	AU 28		
	OBSERVED:				1	1	2		4
	ESTIMATED:				2	1	4		7
BINARY	15:	14 4	72	WDF	JN 19				
	OBSERVED:				1				1
	ESTIMATED:				2				2

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	15: 14 5		72 WDF	JL 31	AU 28	
OBSERVED:				1	1	2
ESTIMATED:				1	2	3
BINARY	15: 14 6		72 WDF	JN 19	JL 17	
OBSERVED:				1	1	2
ESTIMATED:				4	3	7
BINARY	15: 15 12		72 WDF	AU 28		
OBSERVED:				1		1
ESTIMATED:				2		2
BINARY	15: 15 14		72 WDF	JL 3	AU 14	
OBSERVED:				1	1	2
ESTIMATED:				4	6	10
COLOUR	BL: LB			MY 22		
OBSERVED:				1		1
ESTIMATED:				2		2
COLOUR	BL: OR LG		72 CFSO	JN 5		
OBSERVED:				1		1
ESTIMATED:				2		2
COLOUR	BL: XY GN		73 CFSO	AU 14		
OBSERVED:				1		1
ESTIMATED:				6		6
COLOUR	BL: RD		73 CFSO	JN 19		
OBSERVED:				1		1
ESTIMATED:				4		4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:										TOTALS
COLOUR BL: RD GN		73 CFSO	AU 28										
OBSERVED:			1										1
ESTIMATED:			2										2
COLOUR BL: RD GD		73 CFSO	JN 19										
OBSERVED:			1										1
ESTIMATED:			2										2
COLOUR BL: WH BL		72 CFSO	JL 3	JL 31									
OBSERVED:			1	1									2
ESTIMATED:			4	1									5
COLOUR PK: BL		71 ODFW	JN 19										
OBSERVED:			1										1
ESTIMATED:			4										4
COLOUR YW: PK XR		72 NMFS	JL 3										
OBSERVED:			1										1
ESTIMATED:			4										4
PIN LOST			MY 22	JN 5	JN 19	JL 17	JL 31	AU 28					
OBSERVED:			1	3	2	1	1	4					12
ESTIMATED:			2	5	4	13	1	9					34
NO PIN			MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
OBSERVED:			12	24	13	11	9	23	3	20	7	1	123
ESTIMATED:			25	60	42	52	60	42	17	42	36	-	376
NO DATA			AU 14	OC 9									
OBSERVED:			1	1									2
ESTIMATED:			6	-									6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR   CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TOTALS FOR NWTR	CHINOOK MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	TOTALS
OBSERVED:	79	79	77	42	35	69	25	96	25	6	533
ESTIMATED:	162	198	232	188	202	140	148	200	130	10	1610

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

										TOTALS
FIN MK AD/D	AGE 0.0	JL 3								3
OBSERVED:		3								13
ESTIMATED:		13								
FIN MK AD/D	AGE 0.2	JN 19								1
OBSERVED:		1								3
ESTIMATED:		3								
FIN MK AD/D	AGE 0.3	MY 8	MY 22	JN 5	JN 19	AU 14				9
OBSERVED:		2	1	2	1	3				47
ESTIMATED:		14	7	8	3	15				
FIN MK AD/D	AGE 8.0	MY 8	JN 19							2
OBSERVED:		1	1							10
ESTIMATED:		7	3							
FIN MK AD/D/RM	AGE 8.0	JL 17								1
OBSERVED:		1								5
ESTIMATED:		5								
FIN MK AD/LV	AGE 0.0	JL 3	AU 14							2
OBSERVED:		1	1							11
ESTIMATED:		6	5							
FIN MK AD/LV	AGE 0.2	MY 22	JL 3							3
OBSERVED:		2	1							16
ESTIMATED:		10	6							
FIN MK AD/LV	AGE 0.3	MY 8	MY 22	JN 5	JN 19	JL 17	JL 31	AU 14	AU 28	14
OBSERVED:		1	2	1	3	1	1	4	1	64
ESTIMATED:		7	6	4	9	7	6	20	5	

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED FOR BY	BIWEEKLY PERIODS ENDING:							TOTALS
FIN MK	AD/LV		AGE 3.0	JL 31							
	OBSERVED:			1							1
	ESTIMATED:			6							6
FIN MK	AD/LV		AGE 8.0	MY 8	MY 22	JN 5	JN 19	JL 3	JL 31	AU 28	
	OBSERVED:			1	1	3	3	3	1	1	13
	ESTIMATED:			7	3	12	9	15	6	5	57
FIN MK	AD/LV/RV		AGE 0.1	JL 3							
	OBSERVED:			1							1
	ESTIMATED:			4							4
FIN MK	AD/LV/RV		AGE 8.0	JL 3							
	OBSERVED:			1							1
	ESTIMATED:			4							4
FIN MK	AD/RV		AGE 0.0	JN 19	JL 3						
	OBSERVED:			1	1						2
	ESTIMATED:			4	4						8
FIN MK	AD/RV		AGE 0.2	MY 22	JL 3	OC 23					
	OBSERVED:			1	1	1					3
	ESTIMATED:			3	4	6					13
FIN MK	AD/RV		AGE 0.3	MY 22	JN 5	SE 11					
	OBSERVED:			1	1	1					3
	ESTIMATED:			7	4	3					14
FIN MK	AD/RV		AGE 8.0	MY 22	JN 19	JL 31					
	OBSERVED:			2	1	1					4
	ESTIMATED:			10	3	8					21

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
FIN MK	AD/LP		AGE 0.2	JN 5		
	OBSERVED:			1		1
	ESTIMATED:			4		4
FIN MK	AD/LP		AGE 0.3	JN 19		
	OBSERVED:			1		1
	ESTIMATED:			3		3
FIN MK	AD/LP		AGE 8.0	AP 24	JN 5	
	OBSERVED:			1	2	3
	ESTIMATED:			31	9	40
FIN MK	AD/RP		AGE 0.0	JN 19	JL 3	
	OBSERVED:			1	1	2
	ESTIMATED:			3	6	9
FIN MK	AD/RP		AGE 0.2	JN 19		
	OBSERVED:			1		1
	ESTIMATED:			3		3
FIN MK	AD/RP		AGE 0.3	MY 22	JL 17	
	OBSERVED:			1	1	2
	ESTIMATED:			3	7	10
FIN MK	AD/RP		AGE 8.0	JN 19		
	OBSERVED:			2		2
	ESTIMATED:			6		6
FIN MK	D/LV		AGE 0.3	JN 5		
	OBSERVED:			1		1
	ESTIMATED:			4		4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

```
CATCH REGION: SWTR         CHINOOK

 TAG  AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3      BY
                                                                        TOTALS

FIN MK D/LV        AGE 8.0     JL 31
        OBSERVED:                  1                                        1
        ESTIMATED:                 6                                        6

FIN MK D/RV        AGE 0.2      JN 5
        OBSERVED:                  1                                        1
        ESTIMATED:                 4                                        4

FIN MK D/RV        AGE 0.3     JN 19    JL 3
        OBSERVED:                  1       1                                2
        ESTIMATED:                 3       4                                7

FIN MK D/RP        AGE 0.0     JN 19
        OBSERVED:                  1                                        1
        ESTIMATED:                 4                                        4

FIN MK D/RP        AGE 0.2      MY 8   MY 22
        OBSERVED:                  1       1                                2
        ESTIMATED:                 6       3                                9

FIN MK AD/D/RP     AGE 0.0     JN 19    JL 3
        OBSERVED:                  1       2                                3
        ESTIMATED:                 3       9                               12

FIN MK AD/D/RP     AGE 0.2     JN 19   JL 31   SE 25
        OBSERVED:                  3       1       1                        5
        ESTIMATED:                10       8       7                       25

FIN MK AD/D/RP     AGE 0.3      MY 8   JL 17
        OBSERVED:                  1       1                                2
        ESTIMATED:                 7       7                               14
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
FIN MK	AD/D/RP		AGE 8.0	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			4		4
FIN MK	AD/LV/LM		AGE 0.0	JN 19		
	OBSERVED:			2		2
	ESTIMATED:			9		9
FIN MK	AD/LV/LM		AGE 0.2	JN 5	AU 14	
	OBSERVED:			1	1	2
	ESTIMATED:			4	4	8
FIN MK	AD/RP/LV		AGE 0.3	JN 19		
	OBSERVED:			1		1
	ESTIMATED:			4		4
FIN MK	AD/RP/LV		AGE 2.0	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			6		6
BINARY	1:	1 6		AP 24		
	OBSERVED:			1		1
	ESTIMATED:			31		31
BINARY	1:	1 11	72 WDF	JN 5		
	OBSERVED:			1		1
	ESTIMATED:			4		4
BINARY	1:	1 12	72 WDF	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			6		6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:										TOTALS
BINARY	1:	2 2	72	WDF	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	AU 14	AU 28	OC 9	
	OBSERVED:				1	2	2	1	3	2	1	1	3	1	17
	ESTIMATED:				6	13	6	4	9	11	5	5	12	7	78
BINARY	1:	2 4	73	WDF	JL 3	JL 17									
	OBSERVED:				1	1									2
	ESTIMATED:				6	7									13
BINARY	1:	2 5	73	WDF	JL 17	AU 14	AU 28	OC 23							
	OBSERVED:				1	1	2	1							5
	ESTIMATED:				5	4	9	24							42
BINARY	1:	2 6	73	WDF	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	SE 25	OC 23			
	OBSERVED:				1	1	3	6	2	7	1	1			22
	ESTIMATED:				3	4	15	37	16	36	7	6			124
BINARY	1:	2 8	72	WDF	MY 22	JN 5	JN 19								
	OBSERVED:				1	4	2								7
	ESTIMATED:				3	15	7								25
BINARY	1:	2 9	72	WDF	MY 22	JN 5	JN 19	JL 3	AU 14						
	OBSERVED:				3	2	1	1	1						8
	ESTIMATED:				10	8	3	4	4						29
BINARY	1:	2 10	72	WDF	MY 22	JN 5	JN 19	JL 3							
	OBSERVED:				1	2	2	1							6
	ESTIMATED:				3	8	6	6							23
BINARY	1:	3 2	72	WDF	JL 17										
	OBSERVED:				1										1
	ESTIMATED:				5										5

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	1: 3 5	72 WDF	JL 3							
	OBSERVED:		1							1
	ESTIMATED:		4							4
BINARY	1: 3 7	72 COOP	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	SE 25	
	OBSERVED:		3	4	3	3	1	2	1	17
	ESTIMATED:		13	13	15	21	8	11	7	88
BINARY	1: 3 8	72 WDF	MY 8	JN 19	JL 3					
	OBSERVED:		1	1	1					3
	ESTIMATED:		7	3	4					14
BINARY	1: 3 9	72 WDF	JL 17	AU 14						
	OBSERVED:		1	1						2
	ESTIMATED:		7	5						12
BINARY	1: 3 11	72 WDF	MY 8	JL 3	AU 14					
	OBSERVED:		1	1	1					3
	ESTIMATED:		6	4	4					14
BINARY	1: 5 1		JN 19							
	OBSERVED:		2							2
	ESTIMATED:		7							7
BINARY	1: 5 5		JL 3							
	OBSERVED:		1							1
	ESTIMATED:		6							6
BINARY	1: 6 5	73 WDF	AU 28							
	OBSERVED:		1							1
	ESTIMATED:		5							5

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	1:	6 7	73 WDF	JL 31	AU 14			
	OBSERVED:			2	2			4
	ESTIMATED:			14	9			23
BINARY	1:	6 8	73 WDF	JN 5	JN 19	JL 17	AU 14	
	OBSERVED:			1	2	1	1	5
	ESTIMATED:			4	7	7	4	22
BINARY	1:	6 10	73 WDF	JL 31	AU 14	AU 28		
	OBSERVED:			1	1	1		3
	ESTIMATED:			6	5	5		16
BINARY	1:	6 11	73 WDF	JL 17	JL 31			
	OBSERVED:			1	1			2
	ESTIMATED:			7	8			15
BINARY	1:	7 9		JL 17				
	OBSERVED:			1				1
	ESTIMATED:			7				7
BINARY	1:	10 3	73 WDF	JL 31				
	OBSERVED:			1				1
	ESTIMATED:			6				6
BINARY	1:	11 5	73 WDF	JN 19	JL 31	AU 14	OC 23	
	OBSERVED:			1	2	2	1	6
	ESTIMATED:			4	16	9	6	35
BINARY	1:	11 6	73 WDF	MY 22	AU 28	SE 25		
	OBSERVED:			1	1	1		3
	ESTIMATED:			3	5	7		15

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	1:	11 7	73	WDF	OC 9				
	OBSERVED:				1				1
	ESTIMATED:				7				7
BINARY	1:	11 8	73	WDF	AU 14				
	OBSERVED:				1				1
	ESTIMATED:				5				5
BINARY	1:	11 9	73	WDF	JL 31				
	OBSERVED:				1				1
	ESTIMATED:				6				6
BINARY	1:	11 14	73	WDF	JN 19				
	OBSERVED:				1				1
	ESTIMATED:				4				4
BINARY	1:	12 2	73	WDF	JN 5	AU 14	AU 28	SE 11	
	OBSERVED:				1	1	1	1	4
	ESTIMATED:				4	5	4	14	27
BINARY	1:	12 11			JL 17				
	OBSERVED:				1				1
	ESTIMATED:				5				5
BINARY	1:	13 5	74	WDF	JL 17				
	OBSERVED:				1				1
	ESTIMATED:				7				7
BINARY	1:	13 8	73	WDF	JL 17	JL 31			
	OBSERVED:				1	3			4
	ESTIMATED:				5	24			29

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY		1: 13 10	73	WDF	JL 17			
	OBSERVED:				1			1
	ESTIMATED:				5			5
BINARY		1: 13 11	73	WDF	JN 19	JL 17		
	OBSERVED:				1	1		2
	ESTIMATED:				4	5		9
BINARY		1: 14 5	74	WDF	JL 17			
	OBSERVED:				1			1
	ESTIMATED:				7			7
BINARY		1: 15 4			JL 3			
	OBSERVED:				1			1
	ESTIMATED:				6			6
BINARY		1: 15 6			JN 19			
	OBSERVED:				1			1
	ESTIMATED:				4			4
BINARY		1: 15 8	73	WDF	JL 3			
	OBSERVED:				1			1
	ESTIMATED:				4			4
BINARY		1: 15 9	73	WDF	JL 3	JL 31	OC 9	
	OBSERVED:				1	2	1	4
	ESTIMATED:				6	14	7	27
BINARY		1: 15 15	73	WDF	JN 19	JL 17	AU 14	
	OBSERVED:				1	2	1	4
	ESTIMATED:				4	14	4	22

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	2:	2 3	73 CFSO	AU 14	AU 28						
	OBSERVED:			1	3						4
	ESTIMATED:			4	13						17
BINARY	2:	3 1	71 CFSO	JN 5							
	OBSERVED:			1							1
	ESTIMATED:			4							4
BINARY	2:	4 6	73 CFSO	JN 5	AU 14						
	OBSERVED:			1	1						2
	ESTIMATED:			4	5						9
BINARY	2:	5 1	72 CFSO	MY 22	AU 14	AU 28	SE 11				
	OBSERVED:			1	2	1	1				5
	ESTIMATED:			7	11	4	14				36
BINARY	2:	5 6	73 CFSO	JL 17							
	OBSERVED:			1							1
	ESTIMATED:			7							7
BINARY	2:	6 2	73 CFSO	MY 22	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	
	OBSERVED:			1	1	1	2	2	1	1	9
	ESTIMATED:			7	3	6	12	9	4	3	44
BINARY	2:	7 1	72 CFSO	JL 17							
	OBSERVED:			1							1
	ESTIMATED:			7							7
BINARY	2:	7 5	74 CFSO	JL 17							
	OBSERVED:			1							1
	ESTIMATED:			7							7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY													TOTALS
BINARY	2: 8 1	72 CFSO	AU 28												
	OBSERVED:		1												1
	ESTIMATED:		5												5
BINARY	2: 8 6	73 CFSO	JL 3	JL 17											
	OBSERVED:		1	1											2
	ESTIMATED:		4	5											9
BINARY	2: 11 1	72 CFSO	JL 17	AU 28	SE 25										
	OBSERVED:		1	1	1										3
	ESTIMATED:		5	4	13										22
BINARY	2: 11 2	73 CFSO	MY 22												
	OBSERVED:		1												1
	ESTIMATED:		7												7
BINARY	2: 15 1	73 CFSO	JL 3	JL 17	AU 14	AU 28									
	OBSERVED:		1	1	1	1									4
	ESTIMATED:		4	7	4	5									20
BINARY	5: 1 1	72 FWS	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:		1	1	7	14	13	14	17	5	7	15	1	1	96
	ESTIMATED:		8	6	46	82	53	47	85	35	48	77	5	3	495
BINARY	5: 1 3	73 FWS	MY 8	JN 19											
	OBSERVED:		1	2											3
	ESTIMATED:		6	6											12
BINARY	5: 1 6	73 FWS	JL 3												
	OBSERVED:		1												1
	ESTIMATED:		6												6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	5: 1 7	73	FWS	JL 3												
	OBSERVED:			1												1
	ESTIMATED:			6												6
BINARY	5: 1 8	73	FWS	MY 8	JN 5											
	OBSERVED:			1	1											2
	ESTIMATED:			7	4											11
BINARY	5: 1 10	73	FWS	JL 17	AU 14											
	OBSERVED:			1	1											2
	ESTIMATED:			7	5											12
BINARY	5: 2 1	72	FWS	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
	OBSERVED:			1	5	10	8	9	8	7	2	14	3	1	1	69
	ESTIMATED:			6	32	49	34	29	41	48	12	72	14	3	7	347
BINARY	5: 2 7	73	FWS	JN 19												
	OBSERVED:			1												1
	ESTIMATED:			3												3
BINARY	5: 2 8	73	FWS	JN 5												
	OBSERVED:			1												1
	ESTIMATED:			4												4
BINARY	5: 2 10	73	FWS	AU 14	AU 28	SE 11										
	OBSERVED:			1	2	1										4
	ESTIMATED:			5	9	3										17
BINARY	5: 3 1	72	FWS	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:			1	1	4	8	14	26	12	11	4	9	5	1	96
	ESTIMATED:			8	31	25	29	57	89	61	67	31	45	22	14	479

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY		BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	5: 3 6	73 FWS		MY 22												
			OBSERVED:	1												1
			ESTIMATED:	3												3
BINARY	5: 3 10	73 FWS		JL 3	AU 14											
			OBSERVED:	2	2											4
			ESTIMATED:	11	9											20
BINARY	5: 4 1	73 FWS		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
			OBSERVED:	1	2	7	5	15	15	10	3	15	4	2	1	
			ESTIMATED:	31	13	26	21	52	79	59	18	73	17	29	7	
				OC 9												
			OBSERVED:	2												82
			ESTIMATED:	13												438
BINARY	5: 4 9	73 FWS		JN 19												
			OBSERVED:	1												1
			ESTIMATED:	3												3
BINARY	5: 4 10	73 FWS		JN 19	AU 14											
			OBSERVED:	2	1											3
			ESTIMATED:	6	4											10
BINARY	5: 5 1	73 FWS		MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
			OBSERVED:	2	5	2	6	7	8	2	5	3	1	2		43
			ESTIMATED:	13	23	8	20	33	51	12	25	13	14	20		232
BINARY	5: 5 8	73 FWS		MY 22												
			OBSERVED:	1												1
			ESTIMATED:	3												3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY		FOR BIWEEKLY PERIODS ENDING:										TOTALS
BINARY	5: 5 9	73 FWS		JN 19										
			OBSERVED:	1										1
			ESTIMATED:	4										4
BINARY	5: 6 1	73 FWS		MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	OC 9	
			OBSERVED:	3	6	8	6	11	7	5	6	4	1	57
			ESTIMATED:	18	30	34	21	55	44	32	30	17	7	288
BINARY	5: 6 4	73 FWS		JN 19	JL 31									
			OBSERVED:	1	1									2
			ESTIMATED:	3	6									9
BINARY	5: 6 8	73 FWS		JN 5										
			OBSERVED:	1										1
			ESTIMATED:	4										4
BINARY	5: 6 10	73 FWS		AU 28	SE 11	SE 25								
			OBSERVED:	1	3	1								5
			ESTIMATED:	4	19	7								30
BINARY	5: 7 1	73 FWS		AP 24	MY 8	JN 19	JL 3	JL 17	JL 31					
			OBSERVED:	1	2	3	2	3	1					12
			ESTIMATED:	6	13	10	11	19	6					65
BINARY	5: 7 4	73 FWS		JL 3										
			OBSERVED:	1										1
			ESTIMATED:	6										6
BINARY	5: 7 7	73 FWS		JL 3										
			OBSERVED:	1										1
			ESTIMATED:	6										6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	5: 8 1	73 FWS	JN 5	JN 19	JL 3	JL 17	
	OBSERVED:		2	1	3	1	7
	ESTIMATED:		8	3	15	5	31
BINARY	5: 9 4	73 FWS	MY 22				
	OBSERVED:		1				1
	ESTIMATED:		3				3
BINARY	5: 10 1	74 FWS	JN 5	AU 14			
	OBSERVED:		1	1			2
	ESTIMATED:		4	5			9
BINARY	5: 10 3	73 FWS	JL 17				
	OBSERVED:		1				1
	ESTIMATED:		5				5
BINARY	5: 10 6	73 FWS	JL 17				
	OBSERVED:		1				1
	ESTIMATED:		5				5
BINARY	5: 10 9	73 FWS	JL 3				
	OBSERVED:		1				1
	ESTIMATED:		6				6
BINARY	5: 10 10	74 FWS	JL 17				
	OBSERVED:		1				1
	ESTIMATED:		5				5
BINARY	5: 11 1	74 FWS	AU 14				
	OBSERVED:		1				1
	ESTIMATED:		4				4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	5:	11 4	73	FWS	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				7		7
BINARY	5:	11 7	73	FWS	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				7		7
BINARY	5:	12 1	74	FWS	JN 19	AU 14	
	OBSERVED:				1	1	2
	ESTIMATED:				3	5	8
BINARY	5:	12 4	73	FWS	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				7		7
BINARY	5:	12 7	73	FWS	AU 14		
	OBSERVED:				1		1
	ESTIMATED:				5		5
BINARY	5:	13 1	74	FWS	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				5		5
BINARY	5:	13 5	73	FWS	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				6		6
BINARY	5:	13 8	73	FWS	MY 22		
	OBSERVED:				1		1
	ESTIMATED:				3		3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	5: 13 13	74	FWS		JL 31		
	OBSERVED:				1		1
	ESTIMATED:				8		8
BINARY	5: 14 1	74	FWS		AU 28	SE 11	
	OBSERVED:				1	1	2
	ESTIMATED:				4	3	7
BINARY	5: 14 4	73	FWS		JN 19		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	5: 14 8	73	FWS		MY 8		
	OBSERVED:				1		1
	ESTIMATED:				6		6
BINARY	5: 15 4	73	FWS		JN 5		
	OBSERVED:				1		1
	ESTIMATED:				4		4
BINARY	5: 15 12	74	FWS		JN 19		
	OBSERVED:				1		1
	ESTIMATED:				4		4
BINARY	6: 1 4	73	CDFG		SE 25		
	OBSERVED:				1		1
	ESTIMATED:				7		7
BINARY	6: 2 1	72	CDFG		JN 5		
	OBSERVED:				1		1
	ESTIMATED:				4		4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:										TOTALS
BINARY	7:	10 10	73	ODFW	JN 5	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	NO 6			
	OBSERVED:				4	1	2	1	1	1	1	2			13
	ESTIMATED:				17	3	9	7	4	4	3	23			70
BINARY	7:	10 11	73	ODFW	JN 5	JL 3	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9			
	OBSERVED:				1	2	1	1	1	1	2	2			11
	ESTIMATED:				4	10	6	5	5	3	20	14			67
BINARY	7:	10 12	73	ODFW	JN 19	JL 17	JL 31	AU 14	AU 28	SE 11	OC 23				
	OBSERVED:				1	1	1	2	1	1	1				8
	ESTIMATED:				4	7	6	9	5	3	6				40
BINARY	7:	10 13	73	ODFW	MY 8	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9		
	OBSERVED:				1	4	6	7	2	4	3	3	4		34
	ESTIMATED:				6	13	28	44	14	20	13	19	28		185
BINARY	7:	10 14	73	ORAF	JL 31										
	OBSERVED:				1										1
	ESTIMATED:				6										6
BINARY	8:	2 13			JN 5										
	OBSERVED:				1										1
	ESTIMATED:				4										4
BINARY	8:	2 15			JN 5										
	OBSERVED:				1										1
	ESTIMATED:				4										4
BINARY	11:	1 1	73	UW	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
	OBSERVED:				2	5	4	2	2	4	2	1	1	1	24
	ESTIMATED:				13	22	15	11	12	28	9	5	3	7	125

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR   CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE /AREA	DATA 1 2 3	AGENCY B.Y BY													TOTALS
BIN^RY 11:	1 2	73 UW	JN 5	JL 3	JL 17	AU 28									
OBSERVED:			1	1	1	1									4
ESTIMATED:			4	6	7	5									22
BINARY 11:	1 3	73 UW	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	OC 9	NO 6			
OBSERVED:			2	5	8	8	5	3	6	4	1	1			43
ESTIMATED:			13	21	29	40	33	20	31	17	7	7			218
BINARY 11:	1 4	73 UW	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25	OC 9	
OBSERVED:			1	4	2	3	11	8	3	3	5	2	2	1	45
ESTIMATED:			31	26	6	13	38	40	19	18	25	9	14	7	246
BINARY 11:	1 5	73 UW	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25			
OBSERVED:			1	2	6	7	9	6	2	6	3	1			43
ESTIMATED:			7	10	25	23	46	39	14	29	14	13			220
BINARY 11:	1 6	73 UW	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 23			
OBSERVED:			4	6	7	10	3	4	3	3	1	1			42
ESTIMATED:			17	24	23	51	18	28	16	13	14	24			228
BINARY 11:	1 7	73 UW	MY 8	MY 22	JN 5	JL 3	JL 17	JL 31	AU 14	SE 25	OC 9				
OBSERVED:			3	2	4	2	2	2	2	1	1				19
ESTIMATED:			20	6	17	10	14	12	11	7	7				104
BINARY 11:	1 8	73 UW	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	SE 11				
OBSERVED:			4	4	6	5	7	3	6	4	2				41
ESTIMATED:			26	17	25	16	33	21	38	20	5				201
BINARY 13:	1 1	73 WDF	JL 17	JL 31	AU 14										
OBSERVED:			3	2	1										6
ESTIMATED:			19	14	5										38

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY DATA /AREA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY 13:	1 5		JL 3				
	OBSERVED:		1				1
	ESTIMATED:		4				4
BINARY 14:	3 1	74 FWS	JL 3				
	OBSERVED:		1				1
	ESTIMATED:		4				4
BINARY 14:	15 1		JL 17				
	OBSERVED:		1				1
	ESTIMATED:		5				5
BINARY 15:	0 8	71 WDF	MY 22	JN 19	JL 3	JL 17	
	OBSERVED:		1	2	1	1	5
	ESTIMATED:		7	6	4	7	24
BINARY 15:	0 9	71 WDF	AU 14				
	OBSERVED:		1				1
	ESTIMATED:		5				5
BINARY 15:	0 14	71 WDF	MY 22	JN 5	JN 19	JL 3	
	OBSERVED:		1	1	1	1	4
	ESTIMATED:		3	4	3	4	14
BINARY 15:	0 15	71 WDF	JL 3	JL 17	JL 31	AU 28	
	OBSERVED:		1	1	1	1	4
	ESTIMATED:		6	7	8	5	26
BINARY 15:	1 1	71 WDF	JL 3				
	OBSERVED:		1				1
	ESTIMATED:		4				4

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	15: 1 8	71 WDF	JN 5					
	OBSERVED:		1					1
	ESTIMATED:		4					4
BINARY	15: 1 11	71 WDF	AU 14					
	OBSERVED:		1					1
	ESTIMATED:		4					4
BINARY	15: 1 12	71 WDF	JN 19					
	OBSERVED:		1					1
	ESTIMATED:		3					3
BINARY	15: 1 13	71 WDF	MY 22	JN 5	JL 31	AU 14	SE 11	
	OBSERVED:		1	2	2	1	1	7
	ESTIMATED:		7	9	14	4	3	37
BINARY	15: 1 14	71 WDF	JN 5	AU 14				
	OBSERVED:		1	1				2
	ESTIMATED:		4	4				8
BINARY	15: 2 0	71 WDF	JN 5					
	OBSERVED:		1					1
	ESTIMATED:		4					4
BINARY	15: 2 2	71 WDF	AU 28					
	OBSERVED:		1					1
	ESTIMATED:		5					5
BINARY	15: 2 4	71 WDF	JN 19	JL 31				
	OBSERVED:		1	1				2
	ESTIMATED:		4	6				10

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	15: 2 7	71	WDF	JN 5	JL 3	AU 14		
OBSERVED:				3	1	1		5
ESTIMATED:				13	4	5		22
BINARY	15: 2 8	71	WDF	JL 3				
OBSERVED:				1				1
ESTIMATED:				4				4
BINARY	15: 2 11	71	WDF	JN 5				
OBSERVED:				1				1
ESTIMATED:				4				4
BINARY	15: 2 12	71	WDF	JL 31				
OBSERVED:				1				1
ESTIMATED:				6				6
BINARY	15: 2 14	71	WDF	MY 8	AU 14	SE 11	OC 9	
OBSERVED:				1	1	1	1	4
ESTIMATED:				7	5	3	7	22
BINARY	15: 3 1	71	WDF	MY 8	MY 22	JN 5	JN 19	
OBSERVED:				2	2	1	3	8
ESTIMATED:				13	10	4	9	36
BINARY	15: 3 2	71	WDF	MY 8	JN 5	JN 19	JL 3	
OBSERVED:				1	1	1	1	4
ESTIMATED:				6	4	4	4	18
BINARY	15: 3 3	71	WDF	MY 8				
OBSERVED:				2				2
ESTIMATED:				13				13

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE /AREA	AGENCY DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:								TOTALS
BINARY 15: 3 6		71 WDF	JL 3	JL 17							
OBSERVED:			1	1							2
ESTIMATED:			6	5							11
BINARY 15: 5 0		71 WDF	JN 5	JL 3	JL 31	AU 14					
OBSERVED:			1	1	1	1					4
ESTIMATED:			4	6	6	5					21
BINARY 15: 5 1		71 WDF	AU 28								
OBSERVED:			1								1
ESTIMATED:			4								4
BINARY 15: 5 6		71 WDF	MY 8								
OBSERVED:			1								1
ESTIMATED:			6								6
BINARY 15: 5 7		71 WDF	JL 3								
OBSERVED:			1								1
ESTIMATED:			6								6
BINARY 15: 5 9		72 WDF	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	AU 14	AU 28	
OBSERVED:			1	2	2	4	4	1	1	1	16
ESTIMATED:			7	10	8	12	20	5	5	5	72
BINARY 15: 5 11		72 WDF	JN 5	JL 3							
OBSERVED:			1	1							2
ESTIMATED:			4	4							8
BINARY 15: 5 12		72 WDF	MY 22	JN 19	JL 3	JL 17	JL 31				
OBSERVED:			1	1	3	1	1				7
ESTIMATED:			3	3	15	5	6				32

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR   CHINOOK

TAG TYPE	AGENCY /AREA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	15: 5 13	71	WDF	MY 8	MY 22	JN 19	JL 3	AU 28		
OBSERVED:				1	2	1	1	1		6
ESTIMATED:				7	13	3	6	4		33
BINARY	15: 6 0	71	WDF	MY 8	AU 28					
OBSERVED:				1	1					2
ESTIMATED:				6	5					11
BINARY	15: 6 1	72	WDF	MY 8	JL 3	JL 31	AU 14			
OBSERVED:				1	1	1	1			4
ESTIMATED:				7	6	6	4			23
BINARY	15: 6 4	72	WDF	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	
OBSERVED:				1	1	1	3	1	1	8
ESTIMATED:				7	4	3	17	7	6	44
BINARY	15: 6 5	71	WDF	JN 5	JN 19					
OBSERVED:				1	1					2
ESTIMATED:				4	3					7
BINARY	15: 6 7	71	WDF	JN 19						
OBSERVED:				1						1
ESTIMATED:				3						3
BINARY	15: 6 8	71	WDF	AP 24						
OBSERVED:				1						1
ESTIMATED:				6						6
BINARY	15: 6 11	71	WDF	MY 22						
OBSERVED:				1						1
ESTIMATED:				3						3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	15:	6 12	71	WDF	JN 19					
	OBSERVED:				1					1
	ESTIMATED:				3					3
BINARY	15:	7 1	71	WDF	JN 19	JL 31				
	OBSERVED:				1	1				2
	ESTIMATED:				3	8				11
BINARY	15:	7 2	71	WDF	MY 8	MY 22	JN 5			
	OBSERVED:				2	1	1			4
	ESTIMATED:				13	7	4			24
BINARY	15:	7 12	71	WDF	MY 22	JL 3	JL 17	AU 14	SE 11	
	OBSERVED:				1	1	2	1	1	6
	ESTIMATED:				3	6	12	5	14	40
BINARY	15:	7 14	71	WDF	MY 8	MY 22	JN 5			
	OBSERVED:				1	1	1			3
	ESTIMATED:				6	3	4			13
BINARY	15:	7 15	71	WDF	MY 22					
	OBSERVED:				2					2
	ESTIMATED:				13					13
BINARY	15:	8 1	72	WDF	AP 24	JN 5	JN 19	AU 14		
	OBSERVED:				1	2	1	1		5
	ESTIMATED:				31	8	4	5		48
BINAR	15:	8 2	71	WDF	MY 8	MY 22	JN 19	JL 17	JL 31	
	OBSERVED:				1	3	2	1	1	8
	ESTIMATED:				6	20	6	7	6	45

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY DATA /AREA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:											TOTALS
BINARY	15: 8 3	71 WDF	MY 8											
	OBSERVED:		1											1
	ESTIMATED:		6											6
BINARY	15: 8 4	71 WDF	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	SE 11					
	OBSERVED:		1	5	3	3	1	1	2					16
	ESTIMATED:		7	22	12	15	7	8	29					100
BINARY	15: 8 7	72 WDF	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:		1	6	2	1	5	10	5	2	2	4	1	39
	ESTIMATED:		6	38	10	4	16	48	32	12	9	18	3	196
BINARY	15: 8 12	72 WDF	MY 8	JN 5	JN 19	JL 3	JL 1	AU 28	SE 25					
	OBSERVED:		1	1	2	3	1	1	1					10
	ESTIMATED:		6	4	6	15	7	4	7					49
BINARY	15: 8 15	72 WDF	MY 22	JN 5	JN 19	JL 3	JL 17	AU 14	SE 11					
	OBSERVED:		2	3	2	1	1	1	1					11
	ESTIMATED:		6	12	6	6	5	5	14					54
BINARY	15: 9 1	73 WDF	JN 19											
	OBSERVED:		1											1
	ESTIMATED:		3											3
BINARY	15: 9 4	72 WDF	MY 22	JN 5	JN 19	JL 17	JL 31							
	OBSERVED:		5	3	2	2	1							13
	ESTIMATED:		26	13	9	14	6							68
BINARY	15: 9 5	72 WDF	MY 8	JN 5	JN 19	JL 3	JL 17	AU 14						
	OBSERVED:		1	1	2	2	1	3						10
	ESTIMATED:		7	4	7	10	7	15						50

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE / AGENCY /AREA / DATA 1 2 3 / B.Y ISSUED BY / FOR BIWEEKLY PERIODS ENDING:

TAG TYPE / DATA 1 2 3	B.Y / AGENCY								TOTALS
BINARY 15: 9 6	72 WDF	MY 8	MY 22	JN 5	JN 19	JL 17	JL 31	AU 28	
OBSERVED:		1	1	2	5	2	3	1	15
ESTIMATED:		7	3	8	16	12	18	4	68
BINARY 15: 9 7	72 WDF	JN 19							
OBSERVED:		1							1
ESTIMATED:		3							3
BINARY 15: 9 12	72 WDF	MY 22	JN 19	JL 3	JL 31	AU 14			
OBSERVED:		1	2	1	1	1			6
ESTIMATED:		3	6	6	6	5			26
BINARY 15: 9 13	71 WDF	JL 3	AU 14						
OBSERVED:		1	1						2
ESTIMATED:		4	4						8
BINARY 15: 10 10	72 WDF	MY 22	JN 19	JL 3	JL 17	AU 14			
OBSERVED:		1	2	2	3	1			9
ESTIMATED:		3	7	9	19	5			43
BINARY 15: 10 11	72 WDF	MY 22	SE 11						
OBSERVED:		1	1						2
ESTIMATED:		3	3						6
BINARY 15: 10 12	72 WDF	AP 24	MY 22	JL 3	JL 17				
OBSERVED:		1	1	1	1				4
ESTIMATED:		31	3	6	5				45
BINARY 15: 10 14	72 WDF	MY 22	AU 14	OC 9					
OBSERVED:		1	1	1					3
ESTIMATED:		3	4	7					14

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	15:	10 15	72 WDF	MY 8	MY 22	JN 5	JN 19	JL 17		
OBSERVED:				1	2	4	2	3		12
ESTIMATED:				6	10	15	9	19		59
BINARY	15:	11 1	72 WDF	MY 8	JL 3	JL 31	AU 14	AU 28	SE 11	
OBSERVED:				1	2	2	1	1	2	9
ESTIMATED:				7	10	12	4	[illegible]	17	55
BINARY	15:	11 9	72 WDF	JL 31						
OBSERVED:				1						1
ESTIMATED:				6						6
BINARY	15:	11 10	72 WDF	JN 19	JL 31					
OBSERVED:				2	2					4
ESTIMATED:				7	14					21
BINARY	15:	11 11	72 WDF	MY 22	JN 5	JL 3	JL 31			
OBSERVED:				1	3	1	1			6
ESTIMATED:				3	13	4	8			28
BINARY	15:	11 13	72 WDF	JL 3						
OBSERVED:				1						1
ESTIMATED:				6						6
BINARY	15:	11 14	72 WDF	AP 10	MY 22	JN 5	JN 19	JL 17	JL 31	
OBSERVED:				1	2	1	2	1	1	8
ESTIMATED:				8	10	4	6	5	6	39
BINARY	15:	12 1	72 WDF	MY 8	JN 5	JN 19	AU 28			
OBSERVED:				1	2	3	1			7
ESTIMATED:				7	8	9	5			29

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

												TOTALS
BINARY 15: 12 2	72 WDF	MY 8	JL 3	SE 11								
OBSERVED:		1	1	1								3
ESTIMATED:		6	4	3								13
BINARY 15: 12 3	72 WDF	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 28			
OBSERVED:		3	3	1	2	2	1	1	1			14
ESTIMATED:		19	10	4	7	9	5	8	4			66
BINARY 15: 12 4	72 WDF	MY 8	MY 22	JN 5	JN 19	JL 3	JL 31	AU 14	OC 23			
OBSERVED:		1	2	4	7	7	1	3	1			26
ESTIMATED:		6	6	18	25	33	6	14	6			114
BINARY 15: 12 5		JN 5										
OBSERVED:		1										1
ESTIMATED:		4										4
BINARY 15: 12 7	72 WDF	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	OC 9	
OBSERVED:		4	2	1	3	2	1	1	3	1	1	19
ESTIMATED:		24	10	4	10	10	7	6	15	4	7	97
BINARY 15: 12 8	72 FWS	MY 8	JN 5	JN 19	JL 3	AU 14	SE 25					
OBSERVED:		1	1	1	1	1	1					6
ESTIMATED:		6	4	4	6	5	7					32
BINARY 15: 12 9	72 WDF	JN 19										
OBSERVED:		1										1
ESTIMATED:		3										3
BINARY 15: 12 10	72 WDF	MY 8	MY 22	JN 19	JL 3	JL 31						
OBSERVED:		1	1	1	4	3						10
ESTIMATED:		6	3	3	19	20						51

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG TYPE	AGENCY /AREA 1 2 3	DATA	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	15: 12 13		72 WDF	MY 8	MY 22	JN 5	JN 19	JL 3	JL 31	AU 14	SE 11	
		OBSERVED:		1	1	2	4	2	1	5	1	17
		ESTIMATED:		6	3	9	12	10	8	25	14	87
BINARY	15: 13 1		73 WDF	JN 19	JL 3	JL 31	AU 14	AU 28	SE 11	NO 6		
		OBSERVED:		1	2	2	1	1	2	1		10
		ESTIMATED:		3	10	16	5	4	5	7		50
BINARY	15: 13 2		72 WDF	JN 5	JN 19	JL 17	AU 28					
		OBSERVED:		1	4	2	1					8
		ESTIMATED:		4	16	12	5					37
BINARY	15: 13 4		72 WDF	MY 8	JN 5	JN 19	JL 3	AU 14				
		OBSERVED:		1	1	1	1	1				5
		ESTIMATED:		6	4	3	4	5				22
BINARY	15: 13 5		72 COOP	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	OC 9	
		OBSERVED:		1	4	1	2	1	2	1	1	13
		ESTIMATED:		6	17	4	10	5	16	5	7	70
BINARY	15: 13 6		73 WDF	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
		OBSERVED:		1	1	3	3	4	2	3	1	18
		ESTIMATED:		7	4	12	13	26	14	15	4	95
BINARY	15: 13 7		72 WDF	JL 3								
		OBSERVED:		1								1
		ESTIMATED:		6								6
BINARY	15: 13 8		73 WDF	AU 14								
		OBSERVED:		1								1
		ESTIMATED:		4								4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR   CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE / AGENCY / DATA 1 2 3	B.Y	ISSUED BY													TOTALS
BINARY 15: 13 9	72	WDF	JL 3												
OBSERVED:			2												2
ESTIMATED:			10												10
BINARY 15: 13 12	73	WDF	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 7	NO 6	
OBSERVED:			1	1	1	4	3	5	1	6	4	2	3	1	32
ESTIMATED:			7	7	4	13	15	30	6	29	18	5	21	7	162
BINARY 15: 13 13	73	WDF	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	NO 6			
OBSERVED:			4	2	3	7	2	11	6	1	1	1			38
ESTIMATED:			18	6	15	44	14	54	24	14	7	7			203
BINARY 15: 14 2	72	WDF	MY 22	OC 9											
OBSERVED:			1	1											2
ESTIMATED:			7	7											14
BINARY 15: 14 3	72	WDF	MY 8	JN 19											
OBSERVED:			1	1											2
ESTIMATED:			6	3											9
BINARY 15: 14 4	72	WDF	JN 5												
OBSERVED:			2												2
ESTIMATED:			8												8
BINARY 15: 14 5	72	WDF	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 31	AU 14					
OBSERVED:			1	2	1	2	2	4	1	1					14
ESTIMATED:			31	12	3	8	6	18	6	5					89
BINARY 15: 14 6	72	WDF	JN 19												
OBSERVED:			1												1
ESTIMATED:			3												3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	15: 14 11		MY 8							
	OBSERVED:		1							1
	ESTIMATED:		6							6
BINARY	15: 14 12	72 WDF	JN 19							
	OBSERVED:		1							1
	ESTIMATED:		3							3
BINARY	15: 14 15		MY 8							
	OBSERVED:		1							1
	ESTIMATED:		7							7
BINARY	15: 15 12	72 WDF	MY 22	JN 19						
	OBSERVED:		1	1						2
	ESTIMATED:		3	4						7
BINARY	15: 15 13	72 WDF	JN 19							
	OBSERVED:		1							1
	ESTIMATED:		3							3
BINARY	15: 15 14	72 WDF	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	
	OBSERVED:		2	2	1	3	2	3	1	14
	ESTIMATED:		10	9	3	13	12	22	5	74
COLOUR	BL: XY GN	73 CFSO	JL 17							
	OBSERVED:		1							1
	ESTIMATED:		7							7
COLOUR	BL: RD	73 CFSO	JL 17							
	OBSERVED:		1							1
	ESTIMATED:		7							7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE /AREA	B.Y AGENCY													TOTALS
COLOUR BL: RD GD	73 CFSO	JN 19	JL 3	SE 11										
OBSERVED:		1	1	1										3
ESTIMATED:		4	6	3										13
COLOUR BL: WH BL	72 CFSO	JL 3												
OBSERVED:		1												1
ESTIMATED:		6												6
COLOUR PK: BL	71 ODFW	JL 3	SE 11	SE 25										
OBSERVED:		1	1	2										4
ESTIMATED:		4	3	14										21
PIN LOST		MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	NO 6	
OBSERVED:		1	5	1	7	1	8	8	8	1	3	2	1	46
ESTIMATED:		6	23	4	26	6	51	50	39	4	19	14	7	249
NO PIN		AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
OBSERVED:		3	8	100	55	54	65	73	36	41	40	13	13	
ESTIMATED:		23	250	636	253	227	220	370	226	274	201	55	105	
		SE 25	OC 9	OC 23										
OBSERVED:		4	4	3										512
ESTIMATED:		33	28	54										2955
NO DATA		MY 22	JN 5	JL 3	JL 31									
OBSERVED:		1	2	1	5									9
ESTIMATED:		7	9	4	36									56

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TOTALS

TOTALS FOR SWTR	CHINOOK AP 10	AP 24	M: 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	TOTALS
OBSERVED:	6	22	204	211	264	363	353	234	181	257	106	60	
ESTIMATED:	47	534	1304	965	1096	1224	1765	1472	1217	1263	466	429	
	SE 25	OC 9	OC 23	NO 6									
OBSERVED:	26	30	10	7									2334
ESTIMATED:	211	209	132	58									12392

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED FOR BY	BIWEEKLY PERIODS ENDING:		TOTALS
FIN MK	AD/D		AGE 0.2	MY 8	JN 19	
	OBSERVED:			1	1	2
	ESTIMATED:			3	2	5
FIN MK	AD/D		AGE 0.3	JN 19		
	OBSERVED:			1		1
	ESTIMATED:			2		2
FIN MK	AD/D		AGE 8.0	MY 22		
	OBSERVED:			1		1
	ESTIMATED:			3		3
FIN MK	AD/LV		AGE 0.2	MY 22		
	OBSERVED:			1		1
	ESTIMATED:			3		3
FIN MK	AD/LV		AGE 0.3	MY 8	MY 22	
	OBSERVED:			1	2	3
	ESTIMATED:			2	5	7
FIN MK	AD/LV		AGE 8.0	JN 5		
	OBSERVED:			1		1
	ESTIMATED:			1		1
FIN MK	AD/LV/RV		AGE 0.2	JL 17		
	OBSERVED:			1		1
	ESTIMATED:			4		4
FIN MK	AD/LV/RV		AGE 0.3	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			7		7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE / AGENCY / DATA	B.Y				TOTALS
FIN MK AD/LV/RV	AGE 8.0	SE 11			
OBSERVED:		1			1
ESTIMATED:		3			3
FIN MK AD/RV	AGE 0.2	AP 24			
OBSERVED:		1			1
ESTIMATED:		2			2
FIN MK AD/RV	AGE 0.3	MY 22			
OBSERVED:		1			1
ESTIMATED:		3			3
FIN MK AD/RV	AGE 8.0	MY 22			
OBSERVED:		1			1
ESTIMATED:		3			3
FIN MK AD/RP	AGE 0.1	AU 28			
OBSERVED:		1			1
ESTIMATED:		4			4
FIN MK AD/RP	AGE 0.2	MY 22			
OBSERVED:		1			1
ESTIMATED:		3			3
FIN MK AD/RP	AGE 0.3	MY 8	JN 19	JL 17	
OBSERVED:		2	1	1	4
ESTIMATED:		4	2	4	10
FIN MK AD/RP	AGE 8.0	MY 22	JN 5		
OBSERVED:		2	1		3
ESTIMATED:		5	2		7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

					TOTALS
FIN MK D/RP	AGE 0.2	JN 5			
OBSERVED:		1			1
ESTIMATED:		1			1
FIN MK AD/D/RP	AGE 0.2	MY 8			
OBSERVED:		1			1
ESTIMATED:		3			3
FIN MK AD/D/RP	AGE 0.3	MY 8	JN 19	AU 14	
OBSERVED:		2	1	1	4
ESTIMATED:		4	2	4	10
FIN MK AD/D/RP	AGE 2.0	SE 11			
OBSERVED:		1			1
ESTIMATED:		3			3
FIN MK AD/D/RP	AGE 8.0	JN 19	JL 3		
OBSERVED:		2	1		3
ESTIMATED:		5	7		12
FIN MK AD/LV/LM	AGE 0.3	MY 22			
OBSERVED:		1			1
ESTIMATED:		3			3
FIN MK AD/LV/LM	AGE 8.0	MY 8			
OBSERVED:		1			1
ESTIMATED:		2			2
FIN MK AD/RP/LV	AGE 0.3	AU 14			
OBSERVED:		1			1
ESTIMATED:		4			4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
FIN MK	AD/RP/LM	AGE 8.0	MY 8						1
	OBSERVED:		1						3
	ESTIMATED:		3						
BINARY	1: 2 2	72 WDF	JL 3	JL 31					2
	OBSERVED:		1	1					15
	ESTIMATED:		7	8					
BINARY	1: 2 4	73 WDF	AU 28						1
	OBSERVED:		1						4
	ESTIMATED:		4						
BINARY	1: 2 6	73 WDF	JN 19	JL 3	JL 17	AU 28	SE 11	SE 25	9
	OBSERVED:		1	2	2	1	2	1	37
	ESTIMATED:		2	14	7	5	6	3	
BINARY	1: 2 8	72 WDF	JL 31						1
	OBSERVED:		1						8
	ESTIMATED:		8						
BINARY	1: 2 9	72 WDF	MY 22	AU 28					2
	OBSERVED:		1	1					7
	ESTIMATED:		3	4					
BINARY	1: 2 10	72 WDF	MY 8	SE 25					2
	OBSERVED:		1	1					11
	ESTIMATED:		2	9					
BINARY	1: 3 7	72 COOP	AP 24	MY 8	JL 3				4
	OBSERVED:		1	2	1				14
	ESTIMATED:		2	5	7				

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	1: 3 8		72 WDF	JL 31						
	OBSERVED:			1						1
	ESTIMATED:			2						2
BINARY	1: 6 7		73 WDF	JL 3	JL 17					
	OBSERVED:			1	1					2
	ESTIMATED:			7	4					11
BINARY	1: 6 10		73 WDF	SE 11						
	OBSERVED:			1						1
	ESTIMATED:			3						3
BINARY	1: 8 4		73 WDF	JL 17						
	OBSERVED:			1						1
	ESTIMATED:			6						6
BINARY	1: 11 5		73 WDF	MY 22	JL 31	SE 11				
	OBSERVED:			1	1	2				4
	ESTIMATED:			3	2	6				11
BINARY	1: 11 9		73 WDF	MY 8	AU 14					
	OBSERVED:			1	1					2
	ESTIMATED:			2	4					6
BINARY	1: 12 2		73 WDF	JL 3	JL 17	AU 14	AU 28	SE 11	OC 23	
	OBSERVED:			1	1	1	2	1	1	7
	ESTIMATED:			7	6	4	9	3	9	38
BINARY	1: 13 6			JL 3						
	OBSERVED:			1						1
	ESTIMATED:			7						7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	1: 13 8	73 WDF	SE 25								
	OBSERVED:		1								1
	ESTIMATED:		9								9
BINARY	1: 15 15	73 WDF	JL 31								
	OBSERVED:		2								2
	ESTIMATED:		5								5
BINARY	2: 8 1	72 CFSO	SE 11								
	OBSERVED:		1								1
	ESTIMATED:		3								3
BINARY	2: 11 1	72 CFSO	AU 28								
	OBSERVED:		1								1
	ESTIMATED:		5								5
BINARY	4: 1 3		JL 3								
	OBSERVED:		1								1
	ESTIMATED:		7								7
BINARY	5: 1 1	72 FWS	AP 24	MY 8	MY 22	JN 5	JL 3	JL 31	AU 14	AU 28	
	OBSERVED:		2	2	2	1	1	1	2	1	12
	ESTIMATED:		3	5	5	2	7	8	7	4	41
BINARY	5: 2 1	72 FWS	MY 8	MY 22	JL 31	AU 14					
	OBSERVED:		2	3	1	5					11
	ESTIMATED:		4	8	8	18					38
BINARY	5: 3 1	72 FWS	MY 8	MY 22	AU 14	AU 28	SE 25				
	OBSERVED:		6	2	2	2	1				13
	ESTIMATED:		16	5	8	9	3				41

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	ISSUED FOR BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	5: 3 10	73 FWS	JL 3												
	OBSERVED:		1												1
	ESTIMATED:		7												7
BINARY	5: 4 1	73 FWS	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28			
	OBSERVED:		1	6	2	1	1	2	2	1	3	1			20
	ESTIMATED:		2	14	5	2	2	14	7	8	12	4			70
BINARY	5: 4 8	73 FWS	AU 28												
	OBSERVED:		1												1
	ESTIMATED:		4												4
BINARY	5: 4 10	73 FWS	JN 5												
	OBSERVED:		1												1
	ESTIMATED:		2												2
BINARY	5: 5 1	73 FWS	MY 8	JN 5	JL 3	JL 17	JL 31	SE 11							
	OBSERVED:		1	1	2	2	1	2							9
	ESTIMATED:		3	2	14	7	8	6							40
BINARY	5: 6 1	73 FWS	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
	OBSERVED:		1	4	1	1	1	2	2	2	6	2	1	1	24
	ESTIMATED:		2	9	3	2	2	14	7	16	22	9	3	4	93
BINARY	5: 6 10	73 FWS	AU 28	OC 9											
	OBSERVED:		1	1											2
	ESTIMATED:		4	4											8
BINARY	5: 7 1	73 FWS	AU 28												
	OBSERVED:		1												1
	ESTIMATED:		4												4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	5:	8 1	73	FWS	JL 17	SE 11		
	OBSERVED:				1	1		2
	ESTIMATED:				4	3		7
BINARY	5:	8 8	73	FWS	JL 3			
	OBSERVED:				1			1
	ESTIMATED:				7			7
BINARY	5:	9 1	74	FWS	SE 11			
	OBSERVED:				1			1
	ESTIMATED:				3			3
BINARY	5:	10 7	73	FWS	AU 14			
	OBSERVED:				1			1
	ESTIMATED:				4			4
BINARY	5:	10 11	74	FWS	SE 11			
	OBSERVED:				1			1
	ESTIMATED:				3			3
BINARY	5:	11 1	74	FWS	OC 23			
	OBSERVED:				1			1
	ESTIMATED:				8			8
BINARY	5:	12 1	74	FWS	AU 14	AU 28	OC 9	
	OBSERVED:				3	1	1	5
	ESTIMATED:				11	4	2	17
BINARY	5:	12 14	74	FWS	SE 25			
	OBSERVED:				1			1
	ESTIMATED:				3			3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	5: 13 1	74	FWS	OC 23							
	OBSERVED:			1							1
	ESTIMATED:			9							9
BINARY	5: 14 1	74	FWS	OC 23							
	OBSERVED:			1							1
	ESTIMATED:			9							9
BINARY	5: 15 8	73	FWS	JL 31							
	OBSERVED:			1							1
	ESTIMATED:			2							2
BINARY	7: 10 10	73	ODFW	MY 22	JL 3						
	OBSERVED:			1	2						3
	ESTIMATED:			3	14						17
BINARY	7: 10 11	73	ODFW	JL 3	AU 14	SE 11					
	OBSERVED:			1	1	2					4
	ESTIMATED:			7	4	9					20
BINARY	7: 10 12	73	ODFW	JN 5	SE 11	OC 9					
	OBSERVED:			1	1	2					4
	ESTIMATED:			1	6	8					15
BINARY	7: 10 13	73	ODFW	MY 22	JL 3	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			1	6	1	2	5	1	1	17
	ESTIMATED:			3	41	4	9	26	9	4	96
BINARY	11: 1 1	73	UW	AU 28							
	OBSERVED:			1							1
	ESTIMATED:			4							4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	11:	1 3	73 UW	AP 24	MY 8	MY 22	JN 19	JL 17	JL 31	AU 14	SE 11	
OBSERVED:				1	3	2	2	2	2	1	1	14
ESTIMATED:				2	10	5	5	7	5	4	3	41
BINARY	11:	1 4	73 UW	AP 24	MY 8	MY 22	JN 19	JL 3	SE 25	OC 9		
OBSERVED:				2	2	1	3	2	1	1		12
ESTIMATED:				3	5	3	7	14	3	4		39
BINARY	11:	1 5	73 UW	MY 8	JN 19	AU 14	SE 25					
OBSERVED:				1	3	1	1					6
ESTIMATED:				3	7	4	3					17
BINARY	11:	1 6	73 UW	AP 24	MY 22	JN 5	JN 19	JL 3	JL 17	AU 14	AU 28	
OBSERVED:				1	1	2	1	1	1	1	1	9
ESTIMATED:				2	3	3	2	7	4	4	5	30
BINARY	11:	1 7	73 UW	AU 14	AU 28							
OBSERVED:				1	1							2
ESTIMATED:				4	4							8
BINARY	11:	1 8	73 UW	MY 8	MY 22	JN 19	JL 3	JL 31	AU 28	SE 25		
OBSERVED:				3	2	1	2	1	1	1		11
ESTIMATED:				6	6	2	14	8	5	3		44
BINARY	13:	1 1	73 WDF	JL 3	AU 28	SE 11						
OBSERVED:				2	1	1						4
ESTIMATED:				14	4	3						21
BINARY	13:	2 2		JL 3								
OBSERVED:				1								1
ESTIMATED:				7								7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	Period 1	Period 2	TOTALS
BINARY 15:		0 14	71	WDF	MY 8		
OBSERVED:					1		1
ESTIMATED:					2		2
BINARY 15:		0 15	71	WDF	MY 8		
OBSERVED:					1		1
ESTIMATED:					2		2
BINARY 15:		1 5	71	WDF	JL 3		
OBSERVED:					1		1
ESTIMATED:					7		7
BINARY 15:		1 9	71	WDF	AP 24		
OBSERVED:					1		1
ESTIMATED:					2		2
BINARY 15:		1 12	71	WDF	MY 22	SE 11	
OBSERVED:					1	1	2
ESTIMATED:					3	3	6
BINARY 15:		1 13	71	WDF	MY 22		
OBSERVED:					1		1
ESTIMATED:					3		3
BINARY 15:		2 6	71	WDF	JN 19		
OBSERVED:					1		1
ESTIMATED:					2		2
BINARY 15:		2 8	71	WDF	JL 3		
OBSERVED:					1		1
ESTIMATED:					7		7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE	DATA 1 2 3	B.Y	ISSUED BY				TOTALS
BINARY 15:	3 1	71	WDF	JN 19			
OBSERVED:				1			1
ESTIMATED:				2			2
BINARY 15:	3 2	71	WDF	MY 22			
OBSERVED:				1			1
ESTIMATED:				3			3
BINARY 15:	3 3	71	WDF	MY 22	JN 19		
OBSERVED:				1	1		2
ESTIMATED:				3	2		5
BINARY 15:	3 6	71	WDF	MY 8	JN 19		
OBSERVED:				1	1		2
ESTIMATED:				2	2		4
BINARY 15:	5 9	72	WDF	MY 8	JN 19	JL 3	
OBSERVED:				1	1	1	3
ESTIMATED:				2	2	7	11
BINARY 15:	5 13	71	WDF	MY 8			
OBSERVED:				1			1
ESTIMATED:				3			3
BINARY 15:	6 4	72	WDF	MY 22	OC 9		
OBSERVED:				1	1		2
ESTIMATED:				3	4		7
BINARY 15:	6 5	71	WDF	MY 22	SE 11		
OBSERVED:				1	1		2
ESTIMATED:				3	6		9

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE /AREA 1 2 3	AGENCY B.Y									TOTALS
BINARY 15: 6 15	71 WDF		MY 8							
		OBSERVED:	1							1
		ESTIMATED:	3							3
BINARY 15: 7 1	71 WDF		MY 8							
		OBSERVED:	1							1
		ESTIMATED:	2							2
BINARY 15: 7 4	71 WDF		MY 8							
		OBSERVED:	1							1
		ESTIMATED:	3							3
BINARY 15: 7 12	71 WDF		JL 3	AU 28						
		OBSERVED:	1	1						2
		ESTIMATED:	7	4						11
BINARY 15: 7 15	71 WDF		JL 17							
		OBSERVED:	1							1
		ESTIMATED:	6							6
BINARY 15: 8 2	71 WDF		MY 22							
		OBSERVED:	1							1
		ESTIMATED:	3							3
BINARY 15: 8 4	71 WDF		AU 14							
		OBSERVED:	2							2
		ESTIMATED:	7							7
BINARY 15: 8 7	72 WDF		MY 8	MY 22	JN 19	JL 31	AU 14	AU 28	OC 9	
		OBSERVED:	5	2	1	1	1	1	1	12
		ESTIMATED:	12	6	2	8	4	4	4	40

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	15: 8 12	72 WDF	MY 8	AU 14			
	OBSERVED:		1	1			2
	ESTIMATED:		2	4			6
BINARY	15: 8 15	72 WDF	MY 8	JN 19			
	OBSERVED:		2	1			3
	ESTIMATED:		6	2			8
BINARY	15: 9 4	72 WDF	MY 8	JL 17			
	OBSERVED:		1	1			2
	ESTIMATED:		2	4			6
BINARY	15: 9 5	72 WDF	MY 8	MY 22	AU 28	OC 9	
	OBSERVED:		2	1	1	1	5
	ESTIMATED:		6	3	4	2	15
BINARY	15: 10 10	72 WDF	MY 8	JL 17			
	OBSERVED:		2	2			4
	ESTIMATED:		6	12			18
BINARY	15: 10 11	72 WDF	SE 11				
	OBSERVED:		1				1
	ESTIMATED:		3				3
BINARY	15: 10 15	72 WDF	MY 8	MY 22	SE 25	OC 9	
	OBSERVED:		1	2	1	1	5
	ESTIMATED:		3	5	9	2	19
BINARY	15: 11 1	72 WDF	MY 8	MY 22	AU 14	SE 11	
	OBSERVED:		1	1	1	1	4
	ESTIMATED:		3	3	4	3	13

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	15:	11 2	72	WDF	MY 8				
	OBSERVED:				1				1
	ESTIMATED:				2				2
BINARY	15:	11 10	72	WDF	JN 5	AU 14			
	OBSERVED:				1	1			2
	ESTIMATED:				2	4			6
BINARY	15:	11 11	72	WDF	MY 22				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	15:	11 13	72	WDF	JN 19				
	OBSERVED:				1				1
	ESTIMATED:				2				2
BINARY	15:	11 15	72	COOP	AU 28				
	OBSERVED:				1				1
	ESTIMATED:				4				4
BINARY	15:	12 3	72	WDF	MY 8	JN 19	JL 17	AU 14	
	OBSERVED:				1	1	1	1	4
	ESTIMATED:				2	2	6	4	14
BINARY	15:	12 4	72	WDF	JL 31	AU 14	AU 28	SE 25	
	OBSERVED:				1	1	1	1	4
	ESTIMATED:				2	4	4	3	13
BINARY	15:	12 7	72	WDF	MY 8				
	OBSERVED:				2				2
	ESTIMATED:				6				6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG TYPE	DATA /AREA 1 2 3	B.Y	AGENCY ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	15: 12 9	72	WDF	MY 8				
OBSERVED:				1				1
ESTIMATED:				2				2
BINARY	15: 12 10	72	WDF	SE 25				
OBSERVED:				1				1
ESTIMATED:				3				3
BINARY	15: 12 13	72	WDF	MY 8	MY 22	JL 3	JL 17	
OBSERVED:				1	1	1	1	4
ESTIMATED:				3	3	7	4	17
BINARY	15: 12 15	72	WDF	MY 8				
OBSERVED:				2				2
ESTIMATED:				4				4
BINARY	15: 13 1	73	WDF	JN 19	JL 3			
OBSERVED:				1	1			2
ESTIMATED:				2	7			9
BINARY	15: 13 2	72	WDF	MY 8	MY 22	JN 19		
OBSERVED:				2	1	1		4
ESTIMATED:				4	3	2		9
BINARY	15: 13 5	72	COOP	JN 19	SE 11	SE 25		
OBSERVED:				1	1	1		3
ESTIMATED:				2	6	3		11
BINARY	15: 13 6	73	WDF	JL 17	AU 14			
OBSERVED:				1	2			3
ESTIMATED:				4	8			12

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:											TOTALS
BINARY	15:	13 12	73 WDF	AU 14	AU 28	SE 11									
OBSERVED:				1	1	1									3
ESTIMATED:				4	4	6									14
BINARY	15:	13 13	73 WDF	MY 8	JN 5	SE 11	SE 25	OC 9							
OBSERVED:				3	1	1	1	1							7
ESTIMATED:				8	2	3	3	4							20
BINARY	15:	14 3	72 WDF	MY 8	MY 22										
OBSERVED:				1	1										2
ESTIMATED:				2	3										5
BINARY	15:	14 5	72 WDF	MY 8	MY 22	JN 19									
OBSERVED:				1	2	1									4
ESTIMATED:				3	5	2									10
BINARY	15:	14 12	72 WDF	MY 8											
OBSERVED:				2											2
ESTIMATED:				5											5
BINARY	15:	15 12	72 WDF	MY 22											
OBSERVED:				1											1
ESTIMATED:				3											3
PIN LOST				MY 8	JN 19	JL 31	AU 28	SE 25	OC 9						
OBSERVED:				1	2	2	1	1	1						8
ESTIMATED:				2	5	10	4	9	2						32
NO PIN				AP 24	MY 8	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
OBSERVED:				9	27	5	3	9	12	3	6	4	4	6	88
ESTIMATED:				15	73	15	7	61	56	18	23	17	15	21	321

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR CHINOOK

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

NO DATA	JN 19	TOTALS
OBSERVED:	2	2
ESTIMATED:	5	5

TOTALS FOR WOTR CHINOOK

	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25
OBSERVED:	20	111	55	13	39	51	36	23	49	35	36	15
ESTIMATED:	35	280	156	22	85	354	159	126	188	149	137	75

	OC 9	OC 23	TOTALS
OBSERVED:	19	4	506
ESTIMATED:	65	35	1866

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFTR CHINOOK

TAG TYPE	AGENCY DATA /AREA 1 2 3	B.Y ISSUED BY	SE 11	TOTALS
BINARY 5:	4 1	73 FWS	SE 11	
OBSERVED:			1	1
ESTIMATED:			2	2
BINARY 11:	1 3	73 UW	SE 11	
OBSERVED:			1	1
ESTIMATED:			2	2
BINARY 15:	1 3	71 WDF	SE 11	
OBSERVED:			1	1
ESTIMATED:			2	2

TOTALS FOR JFTR CHINOOK

	SE 11	TOTALS
OBSERVED:	3	3
ESTIMATED:	6	6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	1: 2 2	72	WDF	AP 24	MY 8	MY 22	JN 5	JN 19	
	OBSERVED:			2	1	3	3	4	13
	ESTIMATED:			7	3	8	7	7	32
BINARY	1: 2 6	73	WDF	MY 22					
	OBSERVED:			1					1
	ESTIMATED:			3					3
BINARY	1: 3 2	72	WDF	JL 31					
	OBSERVED:			1					1
	ESTIMATED:			4					4
BINARY	1: 3 7	72	COOP	MY 22	JL 3	JL 17	AU 28		
	OBSERVED:			1	2	1	1		5
	ESTIMATED:			3	4	1	1		9
BINARY	1: 6 7	73	WDF	MY 22	JL 31				
	OBSERVED:			1	1				2
	ESTIMATED:			3	2				5
BINARY	1: 10 3	73	WDF	JN 19					
	OBSERVED:			2					2
	ESTIMATED:			4					4
BINARY	1: 10 4	73	WDF	MY 22					
	OBSERVED:			1					1
	ESTIMATED:			3					3
BINARY	1: 10 5	73	WDF	AU 14	SE 25				
	OBSERVED:			1	1				2
	ESTIMATED:			3	2				5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SErVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOOK

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y | ISSUED BY | FOR BIWEEKLY PERIODS ENDING: | TOTALS

BINARY 1: 11 6	73 WDF	AP 24	TOTALS
OBSERVED:		1	1
ESTIMATED:		3	3

BINARY 1: 12 10		SE 11	TOTALS
OBSERVED:		1	1
ESTIMATED:		2	2

BINARY 1: 13 5	74 WDF	AU 14	SE 25	TOTALS
OBSERVED:		1	4	5
ESTIMATED:		3	7	10

BINARY 1: 13 8	73 WDF	OC 9	TOTALS
OBSERVED:		1	1
ESTIMATED:		1	1

BINARY 1: 13 14	73 WDF	JL 17	TOTALS
OBSERVED:		1	1
ESTIMATED:		1	1

BINARY 1: 15 8	73 WDF	AU 14	TOTALS
OBSERVED:		1	1
ESTIMATED:		2	2

BINARY 2: 3 2	73 CFSO	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	TOTALS
OBSERVED:		7	7	15	5	4	3	2	2	1	2	1	2	51
ESTIMATED:		25	22	45	11	7	6	3	4	2	3	2	3	133

BINARY 2: 3 5		JL 17	TOTALS
OBSERVED:		1	1
ESTIMATED:		1	1

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	2: 4 1	72 CFSO	AP 24	MY 8	MY 22	JN 5	JN 19				
	OBSERVED:		2	1	2	3	1				9
	ESTIMATED:		6	3	6	7	2				24
BINARY	2: 6 2	73 CFSO	JL 3								
	OBSERVED:		1								1
	ESTIMATED:		2								2
BINARY	2: 7 1	72 CFSO	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17		
	OBSERVED:		1	3	6	2	1	3	3		19
	ESTIMATED:		4	9	18	5	2	5	5		48
BINARY	2: 7 5	74 CFSO	SE 25	OC 9							
	OBSERVED:		1	1							2
	ESTIMATED:		2	1							3
BINARY	2: 9 2		AU 14	SE 11							
	OBSERVED:		1	1							2
	ESTIMATED:		2	2							4
BINARY	2: 10 2	74 CFSO	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		1	20	20	9	24	15	16	16	121
	ESTIMATED:		2	31	47	26	39	27	29	20	221
BINARY	2: 11 2	73 CFSO	MY 8	MY 22	JN 5	JL 17	AU 28	OC 9			
	OBSERVED:		3	4	4	1	1	1			14
	ESTIMATED:		9	11	10	1	1	1			33

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:													TOTALS
BINARY	2: 12 2	73 CFSO		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
			OBSERVED:	1	14	4	3	1	12	29	15	14	20	15	6	
			ESTIMATED:	4	43	11	7	2	20	44	31	29	34	26	10	
				OC 9												
			OBSERVED:	2												136
			ESTIMATED:	2												263
BINARY	2: 14 2	74 CFSO		JL 3	JL 31	AU 28	SE 25	OC 9								
			OBSERVED:	1	1	1	1	1								5
			ESTIMATED:	2	4	1	2	1								10
BINARY	2: 15 1	73 CFSO		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
			OBSERVED:	33	73	60	58	24	24	18	10	2	5	4	8	
			ESTIMATED:	121	229	177	134	41	45	29	22	6	8	7	14	
				OC 9												
			OBSERVED:	2												321
			ESTIMATED:	2												835
BINARY	5: 1 1	72 FWS		MY 8	JN 5											
			OBSERVED:	1	1											2
			ESTIMATED:	3	2											5
BINARY	5: 2 1	72 FWS		JL 17												
			OBSERVED:	1												1
			ESTIMATED:	2												2
BINARY	5: 4 10	73 FWS		MY 8												
			OBSERVED:	1												1
			ESTIMATED:	3												3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	5: 5 10	72 FWS	JL 31				
	OBSERVED:		1				1
	ESTIMATED:		2				2
BINARY	5: 14 1	74 FWS	OC 9				
	OBSERVED:		1				1
	ESTIMATED:		1				1
BINARY	5: 15 12	74 FWS	JN 19				
	OBSERVED:		1				1
	ESTIMATED:		2				2
BINARY	7: 15 2		MY 8				
	OBSERVED:		1				1
	ESTIMATED:		3				3
BINARY	8: 3 8		MY 8				
	OBSERVED:		1				1
	ESTIMATED:		3				3
BINARY	8: 4 9		JL 17				
	OBSERVED:		1				1
	ESTIMATED:		1				1
BINARY	8: 4 12		SE 11	SE 25			
	OBSERVED:		1	1			2
	ESTIMATED:		2	2			4
BINARY	11: 1 1	73 UW	AP 24	MY 8	JL 3	JL 31	
	OBSERVED:		1	1	2	2	6
	ESTIMATED:		4	3	4	4	15

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	11:	1 2	73 UW	AP 24	JL 3					
	OBSERVED:			1	1					2
	ESTIMATED:			3	2					5
BINARY	11:	1 3	73 UW	AP 24	MY 22	JL 3				
	OBSERVED:			1	1	1				3
	ESTIMATED:			3	3	2				8
BINARY	11:	1 4	73 UW	JL 3	JL 17	JL 31	AU 28	SE 11		
	OBSERVED:			2	1	1	1	1		6
	ESTIMATED:			4	1	2	1	2		10
BINARY	11:	1 5	73 UW	AP 24	MY 8	MY 22	JN 5	JL 17		
	OBSERVED:			1	1	1	1	1		5
	ESTIMATED:			3	3	3	2	1		12
BINARY	11:	1 6	73 UW	AP 24	MY 8	MY 22	JL 31	AU 28		
	OBSERVED:			1	2	5	1	2		11
	ESTIMATED:			3	6	14	4	4		31
BINARY	11:	1 7	73 UW	AP 24	MY 22	JL 17				
	OBSERVED:			2	1	1				4
	ESTIMATED:			6	3	2				11
BINARY	11:	1 8	73 UW	AP 24	MY 8	MY 22	JN 5	JL 3	AU 28	
	OBSERVED:			1	1	2	1	2	1	8
	ESTIMATED:			3	3	5	2	4	1	18
BINARY	13:	1 4	73 WDF	JL 17	OC 9					
	OBSERVED:			1	1					2
	ESTIMATED:			1	1					2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY 13:	2 15	74	WDF	JL 17	SE 11	SE 25	OC 9	
OBSERVED:				1	1	1	3	6
ESTIMATED:				1	2	2	4	9
BINARY 13:	3 3	74	WDF	AU 28				
OBSERVED:				1				1
ESTIMATED:				1				1
BINARY 13:	4 1	74	WDF	SE 25				
OBSERVED:				1				1
ESTIMATED:				2				2
BINARY 15:	0 14	71	WDF	AP 24	JL 3			
OBSERVED:				1	2			3
ESTIMATED:				3	4			7
BINARY 15:	0 15	71	WDF	AP 24	MY 22	JL 3		
OBSERVED:				1	1	1		3
ESTIMATED:				4	3	2		9
BINARY 15:	1 1	71	WDF	JN 5	JN 19			
OBSERVED:				1	1			2
ESTIMATED:				2	2			4
BINARY 15:	1 2	71	WDF	JN 5				
OBSERVED:				1				1
ESTIMATED:				2				2
BINARY 15:	1 8	71	WDF	JN 19	JL 3			
OBSERVED:				1	1			2
ESTIMATED:				2	2			4

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	15:	1 11	71	WDF	MY 8			
	OBSERVED:				1			1
	ESTIMATED:				3			3
BINARY	15:	1 13	71	WDF	MY 22			
	OBSERVED:				1			1
	ESTIMATED:				3			3
BINARY	15:	2 1	71	WDF	MY 8	JN 19		
	OBSERVED:				1	2		3
	ESTIMATED:				3	4		7
BINARY	15:	2 7	71	WDF	JN 5			
	OBSERVED:				1			1
	ESTIMATED:				2			2
BINARY	15:	2 12	71	WDF	MY 8			
	OBSERVED:				1			1
	ESTIMATED:				3			3
BINARY	15:	3 1	71	WDF	MY 22			
	OBSERVED:				1			1
	ESTIMATED:				3			3
BINARY	15:	3 11	71	WDF	JN 19			
	OBSERVED:				1			1
	ESTIMATED:				2			2
BINARY	15:	5 0	71	WDF	MY 8	JN 5	JN 19	
	OBSERVED:				1	2	1	4
	ESTIMATED:				3	4	2	9

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	15:	5 9	72	WDF	AP 24						
	OBSERVED:				1						1
	ESTIMATED:				3						3
BINARY	15:	6 1	72	WDF	AU 28						
	OBSERVED:				1						1
	ESTIMATED:				2						2
BINARY	15:	6 4	72	WDF	AP 24	MY 22	JN 5	JN 19	JL 31		
	OBSERVED:				1	2	1	1	1		6
	ESTIMATED:				4	6	2	2	2		16
BINARY	15:	6 6	72	WDF	SE 25						
	OBSERVED:				1						1
	ESTIMATED:				2						2
BINARY	15:	7 15	71	WDF	AP 24	MY 22	JN 19	JL 3	SE 11		
	OBSERVED:				1	1	1	1	1		5
	ESTIMATED:				4	3	2	2	2		13
BINARY	15:	8 2	71	WDF	JL 17						
	OBSERVED:				1						1
	ESTIMATED:				1						1
BINARY	15:	8 7	72	WDF	MY 8	MY 22	JN 5	JN 19	JL 3	JL 31	
	OBSERVED:				1	2	1	1	3	1	9
	ESTIMATED:				3	6	2	2	5	4	22
BINARY	15:	8 12	72	WDF	MY 22						
	OBSERVED:				1						1
	ESTIMATED:				3						3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR   CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE / AREA / DATA	B.Y / ISSUED BY	Period 1	Period 2	Period 3	Period 4	Period 5	TOTALS
BINARY 15: 8 15	72 WDF	AP 24	MY 8	MY 22	JN 5	JL 3	
OBSERVED:		1	2	2	3	2	10
ESTIMATED:		3	6	5	7	4	25
BINARY 15: 9 3		MY 22					
OBSERVED:		1					1
ESTIMATED:		3					3
BINARY 15: 9 5	72 WDF	MY 22	JL 3	AU 14			
OBSERVED:		1	1	2			4
ESTIMATED:		3	2	4			9
BINARY 15: 9 6	72 WDF	JL 3					
OBSERVED:		2					2
ESTIMATED:		4					4
BINARY 15: 10 12	72 WDF	JL 3					
OBSERVED:		1					1
ESTIMATED:		2					2
BINARY 15: 10 15	72 WDF	JN 19					
OBSERVED:		1					1
ESTIMATED:		2					2
BINARY 15: 11 13	72 WDF	JL 3					
OBSERVED:		1					1
ESTIMATED:		2					2
BINARY 15: 12 13	72 WDF	SE 25					
OBSERVED:		1					1
ESTIMATED:		2					2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED .ECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOO.

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	15: 13 5	72 COOP	MY 22	JN 5	JN 19	AU 14	SE 25		
	OBSERVED:		3	3	1	1	1		9
	ESTIMATED:		8	7	2	3	2		22
BINARY	15: 13 9	72 WDF	MY 22						
	OBSERVED:		2						2
	ESTIMATED:		6						6
BINARY	15: 13 12	73 WDF	AP 24	JN 5	JL 3	JL 31	AU 14	SE 11	
	OBSERVED:		1	2	1	1	1	2	8
	ESTIMATED:		3	5	2	4	2	4	20
BINARY	15: 13 13	73 WDF	AP 24	MY 8	MY 22	JN 5	JL 3	SE 25	
	OBSERVED:		3	2	2	2	1	1	11
	ESTIMATED:		10	6	6	5	2	2	31
BINARY	15: 14 4	72 WDF	MY 8						
	OBSERVED:		1						1
	ESTIMATED:		3						3
BINARY	15: 15 4		JN 5						
	OBSERVED:		1						1
	ESTIMATED:		2						2
BINARY	15: 15 12	72 WDF	JN 19						
	OBSERVED:		1						1
	ESTIMATED:		2						2
BINARY	15: 15 14	72 WDF	MY 22						
	OBSERVED:		2						2
	ESTIMATED:		5						5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOOK

TAG TYPE / AGENCY /AREA / DATA 1 2 3 / B.Y ISSUED BY / FOR BIWEEKLY PERIODS ENDING:

TAG TYPE	B.Y / AGENCY													TOTALS
COLOUR BL:		MY 22												
OBSERVED:		1												1
ESTIMATED:		3												3
COLOUR BL: GN XY	71 CFSO	AU 28												
OBSERVED:		1												1
ESTIMATED:		2												2
COLOUR BL: LG BL	72 CFSO	MY 8												
OBSERVED:		1												1
ESTIMATED:		3												3
COLOUR BL: LG RD	72 CFSO	JN 5	JN 19	OC 9										
OBSERVED:		1	1	1										3
ESTIMATED:		2	2	1										5
COLOUR BL: LG YW	72 CFSO	MY 8	MY 22	JN 5	JL 17									
OBSERVED:		1	3	1	1									6
ESTIMATED:		3	8	2	1									14
COLOUR BL: OR LG	72 CFSO	JN 19												
OBSERVED:		1												1
ESTIMATED:		2												2
COLOUR BL: XY GN	73 CFSO	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
OBSERVED:		7	11	23	16	5	6	5	4	1	2	1	1	
ESTIMATED:		24	34	68	37	8	10	7	9	2	4	2	2	
		OC 9												
OBSERVED:		1												83
ESTIMATED:		1												208

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED FOR BIWEEKLY PERIODS ENDING: BY												TOTALS
COLOUR BL: PU	72 CFSO		JN 5												
OBSERVED:			1												1
ESTIMATED:			2												2
COLOUR BL: RD	73 CFSO		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11			
OBSERVED:			2	10	15	10	4	8	7	4	1	2			63
ESTIMATED:			7	31	43	23	7	14	10	7	1	3			146
COLOUR BL: RD GN	73 CFSO		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11			
OBSERVED:			3	2	4	3	2	3	2	1	1	1			22
ESTIMATED:			10	6	11	7	3	5	3	4	1	2			52
COLOUR BL: RD GD	73 CFSO		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	OC 9				
OBSERVED:			1	4	9	3	3	1	2	1	1				25
ESTIMATED:			3	12	27	7	5	2	3	2	1				62
COLOUR BL: CY	73 CFSO		AP 24	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
OBSERVED:			2	2	2	1	1	1	1	1	1	1			13
ESTIMATED:			7	6	5	2	2	1	4	3	1	2			33
COLOUR PK: BL	71 ODFW		JL 3												
OBSERVED:			1												1
ESTIMATED:			2												2
PIN LOST			AP 24	MY 8	MY 22	JN 5	JN 19	JL 17	JL 31	AU 14	AU 28	SE 25	OC 9		
OBSERVED:			2	4	3	4	2	9	1	2	2	5	3		37
ESTIMATED:			7	12	8	9	4	14	4	5	3	9	4		79
NO PIN			AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
OBSERVED:			61	102	28	17	20	9	14	5	4	3	3	7	273
ESTIMATED:			221	318	77	39	35	16	23	16	8	4	6	13	776

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

NO DATA	MY 22	JN 5	JL 17	TOTALS
OBSERVED:	1	2	1	4
ESTIMATED:	3	5	1	9

TOTALS FOR GSTR CHINOOK

	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	TOTALS
OBSERVED:	143	256	219	159	89	101	126	75	42	71	51	59	
ESTIMATED:	508	794	633	365	159	186	189	182	100	112	93	107	

	OC 9	TOTALS
OBSERVED:	35	1426
ESTIMATED:	41	3469

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NN   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	1:	2 6	73 WDF	SE 18			
	OBSERVED:			1			1
	ESTIMATED:			2			2
BINARY	1:	6 4	73 WDF	JN 26	JL 17		
	OBSERVED:			1	1		2
	ESTIMATED:			6	4		10
BINARY	1:	6 5	73 WDF	AU 21			
	OBSERVED:			1			1
	ESTIMATED:			7			7
BINARY	2:	3 2	73 CFSO	JL 10	JL 31	AU 14	
	OBSERVED:			1	1	1	3
	ESTIMATED:			8	5	13	26
BINARY	2:	6 6	74 CFSO	SE 4			
	OBSERVED:			1			1
	ESTIMATED:			5			5
BINARY	2:	10 2	74 CFSO	SE 4	SE 11		
	OBSERVED:			1	1		2
	ESTIMATED:			5	4		9
BINARY	7:	11 15	74 ODFW	SE 4			
	OBSERVED:			1			1
	ESTIMATED:			5			5
BINARY	13:	2 15	74 WDF	SE 18			
	OBSERVED:			1			1
	ESTIMATED:			2			2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:	TOTALS
BINARY	15:	3 1	71	WDF	SE 4	
	OBSERVED:				1	1
	ESTIMATED:				5	5
BINARY	15:	7 15	71	WDF	SE 11	
	OBSERVED:				1	1
	ESTIMATED:				4	4
BINARY	15:	12 3	72	WDF	JL 24	
	OBSERVED:				1	1
	ESTIMATED:				9	9
NO PIN					SE 11	
	OBSERVED:				1	1
	ESTIMATED:				4	4

TOTALS FOR NN CHINOOK

	JN 26	JL 10	JL 17	JL 24	JL 31	AU 14	AU 21	SE 4	SE 11	SE 18	TOTALS
OBSERVED:	1	1	1	1	1	1	1	4	3	2	16
ESTIMATED:	6	8	4	9	5	13	7	20	12	4	88

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	1:	2 2	72	WDF	JN 12	JL 10	JL 17		
	OBSERVED:				1	1	1		3
	ESTIMATED:				1	3	3		7
BINARY	1:	2 4	73	WDF	JL 24				
	OBSERVED:				1				1
	ESTIMATED:				8				8
BINARY	1:	2 5	73	WDF	SE 4				
	OBSERVED:				1				1
	ESTIMATED:				2				2
BINARY	1:	2 6	73	WDF	SE 4				
	OBSERVED:				1				1
	ESTIMATED:				2				2
BINARY	1:	2 8	72	WDF	AU 14				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	1:	6 4	73	WDF	JL 10				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	1:	6 5	73	WDF	JL 10				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	1:	6 7	73	WDF	JL 3	JL 10	AU 14	AU 21	
	OBSERVED:				1	2	1	1	5
	ESTIMATED:				2	5	3	3	13

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MAPKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	1:	6 8	73	WDF	JL 3	AU 21	SE 4		
	OBSERVED:				1	1	1		3
	ESTIMATED:				2	3	2		7
BINARY	1:	11 5	73	WDF	JL 3	JL 10	JL 17		
	OBSERVED:				1	1	1		3
	ESTIMATED:				2	3	3		8
BINARY	1:	11 6	73	WDF	JL 3	JL 10	AU 14		
	OBSERVED:				2	1	1		4
	ESTIMATED:				3	3	3		9
BINARY	1:	13 5	74	WDF	JL 17	AU 21	SE 11		
	OBSERVED:				2	1	1		4
	ESTIMATED:				7	3	4		14
BINARY	1:	13 8	73	WDF	JL 3	AU 14	AU 21		
	OBSERVED:				1	3	1		5
	ESTIMATED:				2	8	3		13
BINARY	1:	15 9	73	WDF	JL 10	JL 24			
	OBSERVED:				2	1			3
	ESTIMATED:				5	8			13
BINARY	1:	15 15	73	WDF	JL 17				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	2:	3 2	73	CFSO	JL 3	JL 10	JL 17	JL 24	
	OBSERVED:				2	3	5	1	11
	ESTIMATED:				3	8	17	8	36

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:								TOTALS
BINARY	2: 4 3	74 CFSO	JL 10	JL 17	JL 24	AU 14	AU 28	SE 4	SE 11		
	OBSERVED:		2	4	2	4	1	2	2		17
	ESTIMATED:		5	14	17	10	5	4	8		63
BINARY	2: 5 1	72 CFSO	AU 21								
	OBSERVED:		1								1
	ESTIMATED:		3								3
BINARY	2: 6 6	74 CFSO	JL 17	AU 14	SE 4						
	OBSERVED:		1	1	1						3
	ESTIMATED:		3	3	2						8
BINARY	2: 7 5	74 CFSO	JL 24								
	OBSERVED:		1								1
	ESTIMATED:		8								8
BINARY	2: 8 1	72 CFSO	JL 10								
	OBSERVED:		1								1
	ESTIMATED:		3								3
BINARY	2: 8 6	73 CFSO	JL 24								
	OBSERVED:		1								1
	ESTIMATED:		8								8
BINARY	2: 9 6	74 CFSO	JL 24								
	OBSERVED:		1								1
	ESTIMATED:		8								8
BINARY	2: 10 2	74 CFSO	JL 10	JL 17	JL 24	AU 14	AU 21	AU 28	SE 4	SE 11	
	OBSERVED:		23	18	7	19	5	1	3	2	78
	ESTIMATED:		60	61	58	50	14	5	5	8	261

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:							TOTALS
BINARY	2: 11 2	73 CFSO	JL 10	JL 17						
	OBSERVED:		1	1						2
	ESTIMATED:		3	3						6
BINARY	2: 12 2	73 CFSO	JL 10	JL 17	JL 24	AU 14	AU 21			
	OBSERVED:		2	5	1	2	2			12
	ESTIMATED:		5	17	8	5	5			40
BINARY	2: 14 2	74 CFSO	JL 10							
	OBSERVED:		4							4
	ESTIMATED:		10							10
BINARY	2: 15 1	73 CFSO	JL 3	JL 10	JL 24	AU 14	AU 28	SE 4	SE 11	
	OBSERVED:		1	2	1	1	1	1	1	8
	ESTIMATED:		2	5	8	3	5	2	4	29
BINARY	5: 2 10	73 FWS	JL 24							
	OBSERVED:		1							1
	ESTIMATED:		8							8
BINARY	5: 5 1	73 FWS	JL 17	AU 14						
	OBSERVED:		1	1						2
	ESTIMATED:		3	3						6
BINARY	5: 6 1	73 FWS	AU 21							
	OBSERVED:		1							1
	ESTIMATED:		3							3
BINARY	5: 6 10	73 FWS	AU 14	SE 4						
	OBSERVED:		1	1						2
	ESTIMATED:		3	2						5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:	TOTALS
BINARY	5:	9 1	74	FWS	AU 14	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	5:	10 1	74	FWS	JL 17	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	5:	11 1	74	FWS	AU 21	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	5:	12 1	74	FWS	JL 17	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	5:	14 1	74	FWS	AU 14	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	7:	10 10	73	ODFW	JL 3	
	OBSERVED:				1	1
	ESTIMATED:				2	2
BINARY	7:	10 11	73	ODFW	JL 3	
	OBSERVED:				1	1
	ESTIMATED:				2	2
BINARY	7:	10 13	73	ODFW	JL 24	
	OBSERVED:				1	1
	ESTIMATED:				8	8

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	7: 10 15	74 ODFW	AU 14			
	OBSERVED:		1			1
	ESTIMATED:		3			3
BINARY	7: 11 11	74 ODFW	JL 17			
	OBSERVED:		1			1
	ESTIMATED:		3			3
BINARY	7: 11 13	74 ODFW	JL 17			
	OBSERVED:		1			1
	ESTIMATED:		3			3
BINARY	11: 1 2	73 UW	JL 10	JL 24	AU 14	
	OBSERVED:		3	1	1	5
	ESTIMATED:		8	8	3	19
BINARY	11: 1 5	73 UW	JL 3	AU 14		
	OBSERVED:		1	1		2
	ESTIMATED:		2	3		5
BINARY	11: 1 8	73 UW	JL 10	JL 17		
	OBSERVED:		1	1		2
	ESTIMATED:		3	3		6
BINARY	13: 1 4	73 WDF	SE 4			
	OBSERVED:		1			1
	ESTIMATED:		2			2
BINARY	13: 1 8	73 WDF	AU 14			
	OBSERVED:		1			1
	ESTIMATED:		3			3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:	TOTALS
BINARY	13:	2 15	74	WDF	AU 14	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	13:	3 6	74	WDF	JL 24	
	OBSERVED:				1	1
	ESTIMATED:				8	8
BINARY	15:	5 11	72	WDF	AU 21	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	15:	6 5	71	WDF	JL 17	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	15:	7 12	71	WDF	JL 10	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	15:	7 15	71	WDF	JN 5	
	OBSERVED:				1	1
	ESTIMATED:				2	2
BINARY	15:	11 12	72	WDF	JL 10	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	15:	12 3	72	WDF	JL 10	
	OBSERVED:				1	1
	ESTIMATED:				3	3

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR	WEEKLY PERIODS ENDING:			TOTALS
BINARY	15:	12 13	72	WDF		JL 17			
					OBSERVED:	1			1
					ESTIMATED:	3			3
BINARY	15:	13 6	73	WDF		JL 17			
					OBSERVED:	1			1
					ESTIMATED:	3			3
BINARY	15:	13 12	73	WDF		JL 24			
					OBSERVED:	1			1
					ESTIMATED:	8			8
BINARY	15:	13 13	73	WDF		JL 3	JL 10	AU 14	
					OBSERVED:	2	1	2	5
					ESTIMATED:	3	3	5	11
COLOUR	BL:	GN BL	70	CFSO		AU 14	AU 21		
					OBSERVED:	1	1		2
					ESTIMATED:	3	3		6
COLOUR	BL:	OR LG	72	CFSO		AU 14			
					OBSERVED:	1			1
					ESTIMATED:	3			3
COLOUR	BL:	XY GN	73	CFSO		JL 10	JL 17	AU 21	
					OBSERVED:	2	1	2	5
					ESTIMATED:	5	3	5	13
COLOUR	BL:	PU	72	CFSO		AU 14			
					OBSERVED:	1			1
					ESTIMATED:	3			3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN CHINOOK

TAG TYPE AGENCY /AREA DATA 1 2 3 B.Y ISSUED BY FOR WEEKLY PERIODS ENDING:

TAG TYPE	B.Y ISSUED BY													TOTALS
COLOUR BL: RD	73 CFSO	JL 24	AU 14	AU 21										
OBSERVED:		2	1	1										4
ESTIMATED:		17	3	3										23
COLOUR BL: RD GN	73 CFSO	JL 10	AU 21											
OBSERVED:		1	1											2
ESTIMATED:		3	3											6
COLOUR BL: RD GD	73 CFSO	JL 10	JL 17	JL 24										
OBSERVED:		2	1	2										5
ESTIMATED:		5	3	17										25
COLOUR BL: CY	73 CFSO	JL 17	JL 24	AU 14										
OBSERVED:		2	1	1										4
ESTIMATED:		7	8	3										18
PIN LOST		JL 3	JL 10	JL 17	AU 14	SE 4								
OBSERVED:		1	3	3	1	1								9
ESTIMATED:		2	8	10	3	2								25
NO PIN		JN 26	JL 10	JL 17	JL 24	AU 14	AU 21	SE 4	SE 11					
OBSERVED:		1	10	10	2	2	5	4	3					37
ESTIMATED:		1	26	34	17	5	14	7	12					116
NO DATA		JL 17												
OBSERVED:		1												1
ESTIMATED:		3												3

TOTALS FOR CN CHINOOK

	JN 5	JN 12	JN 26	JL 3	JL 10	JL 17	JL 24	AU 14	AU 21	AU 28	SE 4	SE 11	
OBSERVED:	1	1	1	15	73	66	29	52	25	3	17	9	292
ESTIMATED:	2	1	1	27	194	218	238	143	71	15	32	36	978

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWVN CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	WEEKLY PERIODS ENDING:	TOTALS
BINARY	1: 6 7	73 WDF	AU 14	
	OBSERVED:		1	1
	ESTIMATED:		11	11
BINARY	1: 13 8	73 WDF	JL 10	
	OBSERVED:		1	1
	ESTIMATED:		2	2
BINARY	2: 3 2	73 CFSO	JL 10	
	OBSERVED:		1	1
	ESTIMATED:		2	2
BINARY	2: 10 2	74 CFSO	JL 10	
	OBSERVED:		4	4
	ESTIMATED:		6	6
BINARY	2: 12 6	74 CFSO	AU 14	
	OBSERVED:		1	1
	ESTIMATED:		11	11
BINARY	2: 14 2	74 CFSO	JL 10	
	OBSERVED:		1	1
	ESTIMATED:		2	2
BINARY	2: 15 1	73 CFSO	JL 10	
	OBSERVED:		1	1
	ESTIMATED:		2	2
BINARY	7: 12 10	74 ODFW	JL 17	
	OBSERVED:		1	1
	ESTIMATED:		30	30

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWVN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY 13:	1 4		73	WDF	JL 17				
OBSERVED:					1				1
ESTIMATED:					30				30
BINARY 15:	12 10		72	WDF	JL 31				
OBSERVED:					1				1
ESTIMATED:					3				3
PIN LOST					JL 10				
OBSERVED:					1				1
ESTIMATED:					2				2
NO PIN					JL 10				
OBSERVED:					2				2
ESTIMATED:					3				3

TOTALS FOR NWVN CHINOOK

	JL 10	JL 17	JL 31	AU 14	TOTALS
OBSERVED:	11	2	1	2	16
ESTIMATED:	19	60	3	22	104

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWVN   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:					TOTALS
BINARY	1: 11 5		73	WDF	JN 12					
	OBSERVED:				1					1
	ESTIMATED:				7					7
BINARY	1: 11 6		73	WDF	JN 5					
	OBSERVED:				1					1
	ESTIMATED:				13					13
BINARY	1: 13 5		74	WDF	JL 10					
	OBSERVED:				1					1
	ESTIMATED:				4					4
BINARY	1: 13 8		73	WDF	JN 19	JN 26	JL 3	JL 10	JL 17	
	OBSERVED:				1	1	1	1	3	7
	ESTIMATED:				4	13	24	4	11	56
BINARY	1: 13 10		73	WDF	JL 10	JL 17				
	OBSERVED:				1	1				2
	ESTIMATED:				4	4				8
BINARY	1: 15 9		73	WDF	JN 19	JL 10				
	OBSERVED:				1	1				2
	ESTIMATED:				4	4				8
BINARY	2: 6 2		73	CFSO	JL 10					
	OBSERVED:				1					1
	ESTIMATED:				4					4
BINARY	2: 8 2				JN 12					
	OBSERVED:				1					1
	ESTIMATED:				7					7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWVN CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:	TOTALS
BINARY	2: 9 6	74 CFSO	JN 26	
	OBSERVED:		1	1
	ESTIMATED:		13	13
BINARY	5: 2 14	74 FWS	JN 19	
	OBSERVED:		1	1
	ESTIMATED:		4	4
BINARY	5: 3 10	73 FWS	JL 3	
	OBSERVED:		1	1
	ESTIMATED:		24	24
BINARY	5: 4 1	73 FWS	JL 17	
	OBSERVED:		1	1
	ESTIMATED:		4	4
BINARY	5: 5 1	73 FWS	JN 12	
	OBSERVED:		1	1
	ESTIMATED:		7	7
BINARY	5: 10 10	74 FWS	JN 26	
	OBSERVED:		1	1
	ESTIMATED:		13	13
BINARY	5: 10 11	74 FWS	JL 10	
	OBSERVED:		1	1
	ESTIMATED:		4	4
BINARY	5: 11 1	74 FWS	JL 10	
	OBSERVED:		1	1
	ESTIMATED:		4	4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWVN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR	WEEKLY PERIODS ENDING:		TOTALS
BINARY	5:	12 1	74	FWS		JN 12		
	OBSERVED:					1		1
	ESTIMATED:					7		7
BINARY	5:	13 1	74	FWS		JL 17		
	OBSERVED:					1		1
	ESTIMATED:					4		4
BINARY	11:	1 1	73	UW		JN 12	JL 3	
	OBSERVED:					1	1	2
	ESTIMATED:					7	24	31
BINARY	11:	1 2	73	UW		JL 3		
	OBSERVED:					1		1
	ESTIMATED:					24		24
BINARY	11:	1 3	73	UW		JN 19	JL 17	
	OBSERVED:					1	1	2
	ESTIMATED:					4	4	8
BINARY	11:	1 5	73	UW		JL 3		
	OBSERVED:					1		1
	ESTIMATED:					24		24
BINARY	11:	1 6	73	UW		JN 19	JL 17	
	OBSERVED:					1	1	2
	ESTIMATED:					4	4	8
BINARY	11:	2 1	74	UW		JL 24		
	OBSERVED:					1		1
	ESTIMATED:					10		10

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWVN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:	TOTALS
BINARY	13:	1 1	73	WDF	JL 17	
	OBSERVED:				1	1
	ESTIMATED:				4	4
BINARY	15:	1 1	71	WDF	JN 19	
	OBSERVED:				1	1
	ESTIMATED:				4	4
BINARY	15:	3 1	71	WDF	JN 12	
	OBSERVED:				1	1
	ESTIMATED:				7	7
BINARY	15:	7 12	71	WDF	JN 26	
	OBSERVED:				1	1
	ESTIMATED:				13	13
BINARY	15:	8 7	72	WDF	JL 10	
	OBSERVED:				1	1
	ESTIMATED:				4	4
BINARY	15:	9 6	72	WDF	JN 5	
	OBSERVED:				1	1
	ESTIMATED:				13	13
BINARY	15:	11 13	72	WDF	JL 17	
	OBSERVED:				1	1
	ESTIMATED:				4	4
BINARY	15:	12 10	72	WDF	JL 3	
	OBSERVED:				1	1
	ESTIMATED:				24	24

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWVN   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	15:	13 1	73	WDF	JN 19				
OBSERVED:					1				1
ESTIMATED:					4				4
BINARY	15:	13 6	73	WDF	JL 24				
OBSERVED:					1				1
ESTIMATED:					10				10
BINARY	15:	13 12	73	WDF	JL 17				
OBSERVED:					1				1
ESTIMATED:					4				4
BINARY	15:	13 13	73	WDF	JL 17				
OBSERVED:					2				2
ESTIMATED:					7				7
BINARY	15:	15 14	72	WDF	JN 12				
OBSERVED:					1				1
ESTIMATED:					7				7
COLOUR	BL:	PU	72	CFSO	AU 7				
OBSERVED:					1				1
ESTIMATED:					8				8
PIN LOST					JN 12	JN 19			
OBSERVED:					1	1			2
ESTIMATED:					7	4			11
NO PIN					JN 12	JL 3	JL 10	JL 17	
OBSERVED:					3	1	1	3	8
ESTIMATED:					22	24	4	11	61

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWVN CHINOOK

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y | ISSUED BY | FOR WEEKLY PERIODS ENDING: | TOTALS

TOTALS FOR SWVN CHINOOK	JN 5	JN 12	JN 19	JN 26	JL 3	JL 10	JL 17	JL 24	AU 7	TOTALS
OBSERVED:	2	11	8	4	7	9	16	2	1	60
ESTIMATED:	26	78	32	52	168	36	61	20	8	481

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

```
CATCH REGION: JFN         CHINOOK

 TAG  AGENCY  DATA  B.Y ISSUED  FOR  WEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3      BY
                                                                        TOTALS

BINARY  1:  1 13    72 WDF     JN 26
        OBSERVED:                  1                                         1
        ESTIMATED:                 2                                         2

BINARY  1:  2  2    72 WDF     JN 26
        OBSERVED:                  1                                         1
        ESTIMATED:                 2                                         2

BINARY  1:  2  4    73 WDF     SE 25
        OBSERVED:                  1                                         1
        ESTIMATED:                 4                                         4

BINARY  1:  6 10    73 WDF     JN 26
        OBSERVED:                  1                                         1
        ESTIMATED:                 2                                         2

BINARY  1: 11  9    73 WDF     JN 26
        OBSERVED:                  1                                         1
        ESTIMATED:                 2                                         2

BINARY  1: 13  5    74 WDF      AU 7   AU 14   AU 28    OC 9
        OBSERVED:                  1       2       2       2                 7
        ESTIMATED:                 4      12       5       7                28

BINARY  1: 13 10    73 WDF     SE 25
        OBSERVED:                  1                                         1
        ESTIMATED:                 4                                         4

BINARY  1: 14  4    74 WDF     AU 28   SE 18   OC 16
        OBSERVED:                  1       1       1                         3
        ESTIMATED:                 3       7       2                        12
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:	TOTALS
BINARY	1: 14 5	74	WDF	SE 11	
	OBSERVED:			1	1
	ESTIMATED:			6	6
BINARY	1: 15 9	73	WDF	OC 2	
	OBSERVED:			1	1
	ESTIMATED:			4	4
BINARY	1: 15 15	73	WDF	AU 14	
	OBSERVED:			1	1
	ESTIMATED:			6	6
BINARY	2: 4 6	73	CFSO	OC 9	
	OBSERVED:			1	1
	ESTIMATED:			3	3
BINARY	2: 5 1	72	CFSO	OC 2	
	OBSERVED:			1	1
	ESTIMATED:			4	4
BINARY	2: 8 1	72	CFSO	OC 16	
	OBSERVED:			1	1
	ESTIMATED:			2	2
BINARY	2: 12 2	73	CFSO	AU 14	
	OBSERVED:			1	1
	ESTIMATED:			6	6
BINARY	5: 2 10	73	FWS	SE 11	
	OBSERVED:			1	1
	ESTIMATED:			6	6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	5: 2 12	74	FWS	AU 14			
	OBSERVED:			1			1
	ESTIMATED:			6			6
BINARY	5: 2 15	74	FWS	OC 2			
	OBSERVED:			1			1
	ESTIMATED:			4			4
BINARY	5: 8 14	74	FWS	AU 14			
	OBSERVED:			1			1
	ESTIMATED:			6			6
BINARY	5: 9 1	74	FWS	AU 14			
	OBSERVED:			1			1
	ESTIMATED:			6			6
BINARY	5: 10 1	74	FWS	SE 18			
	OBSERVED:			1			1
	ESTIMATED:			7			7
BINARY	5: 10 12	74	FWS	JN 26			
	OBSERVED:			1			1
	ESTIMATED:			2			2
BINARY	5: 11 1	74	FWS	SE 25			
	OBSERVED:			1			1
	ESTIMATED:			4			4
BINARY	5: 12 1	74	FWS	JL 31	SE 18	OC 16	
	OBSERVED:			1	1	1	3
	ESTIMATED:			2	7	2	11

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	5: 13 1	74 FWS	AU 14				
	OBSERVED:		1				1
	ESTIMATED:		6				6
BINARY	5: 13 3	73 FWS	OC 2				
	OBSERVED:		1				1
	ESTIMATED:		4				4
BINARY	5: 14 1	74 FWS	JL 31	AU 7	AU 28	SE 11	
	OBSERVED:		1	3	1	1	6
	ESTIMATED:		2	13	3	6	24
BINARY	5: 14 15	74 FWS	AU 28				
	OBSERVED:		1				1
	ESTIMATED:		3				3
BINARY	5: 15 1	74 FWS	AU 28	SE 4			
	OBSERVED:		1	1			2
	ESTIMATED:		3	2			5
BINARY	7: 11 9	74 ODFW	JL 31				
	OBSERVED:		1				1
	ESTIMATED:		2				2
BINARY	7: 11 12	74 ODFW	AU 7				
	OBSERVED:		1				1
	ESTIMATED:		4				4
BINARY	7: 12 9	74 ODFW	SE 18				
	OBSERVED:		1				1
	ESTIMATED:		7				7

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	9:	3 12	74 ODFW	SE 4			
	OBSERVED:			1			1
	ESTIMATED:			2			2
BINARY	11:	1 3	73 UW	JL 31	AU 28	SE 18	
	OBSERVED:			1	1	1	3
	ESTIMATED:			2	3	7	12
BINARY	11:	1 4	73 UW	AU 28	SE 25		
	OBSERVED:			1	1		2
	ESTIMATED:			3	4		7
BINARY	11:	1 5	73 UW	JL 31	SE 18		
	OBSERVED:			1	1		2
	ESTIMATED:			2	7		9
BINARY	11:	1 6	73 UW	AU 14	SE 25		
	OBSERVED:			1	1		2
	ESTIMATED:			6	4		10
BINARY	11:	1 7	73 UW	JN 26			
	OBSERVED:			1			1
	ESTIMATED:			2			2
BINARY	11:	2 1	74 UW	JN 26	SE 25		
	OBSERVED:			1	1		2
	ESTIMATED:			2	4		6
BINARY	11:	2 2	74 UW	AU 28			
	OBSERVED:			1			1
	ESTIMATED:			3			3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	11:	2 4	74	UW	AU 7				
	OBSERVED:				1				1
	ESTIMATED:				4				4
BINARY	13:	1 4	73	WDF	JL 31	SE 4	SE 18	OC 9	
	OBSERVED:				1	1	1	1	4
	ESTIMATED:				2	2	7	3	14
BINARY	13:	1 8	73	WDF	SE 25				
	OBSERVED:				1				1
	ESTIMATED:				4				4
BINARY	13:	2 15	74	WDF	SE 11	SE 18	SE 25		
	OBSERVED:				1	1	2		4
	ESTIMATED:				6	7	7		20
BINARY	13:	3 3	74	WDF	OC 9				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	13:	3 6	74	WDF	SE 25				
	OBSERVED:				1				1
	ESTIMATED:				4				4
BINARY	13:	4 9	74	WDF	AU 7				
	OBSERVED:				1				1
	ESTIMATED:				4				4
BINARY	14:	2 1	74	FWS	JL 31				
	OBSERVED:				1				1
	ESTIMATED:				2				2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:		TOTALS
BINARY	14:	6 2	74	FWS	OC 2		
	OBSERVED:				1		1
	ESTIMATED:				4		4
BINARY	15:	0 15	71	WDF	AU 7		
	OBSERVED:				1		1
	ESTIMATED:				4		4
BINARY	15:	5 2	71	WDF	SE 1:		
	OBSERVED:				1		1
	ESTIMATED:				6		6
BINARY	15:	7 12	71	WDF	AU 14		
	OBSERVED:				1		1
	ESTIMATED:				6		6
BINARY	15:	9 4	72	WDF	SE 25		
	OBSERVED:				1		1
	ESTIMATED:				4		4
BINARY	15:	9 6	72	WDF	JL 31	AU 7	
	OBSERVED:				1	1	2
	ESTIMATED:				2	4	6
BINARY	15:	12 13	72	WDF	SE 11		
	OBSERVED:				1		1
	ESTIMATED:				6		6
BINARY	15:	13 5	72	COOP	SE 4		
	OBSERVED:				1		1
	ESTIMATED:				2		2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN CHINOOK

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y | ISSUED BY | FOR WEEKLY PERIODS ENDING: | TOTALS

BINARY 15: 13 6 — 73 WDF

	JN 26	TOTALS
OBSERVED:	1	1
ESTIMATED:	2	2

BINARY 15: 13 9 — 72 WDF

	AU 14	TOTALS
OBSERVED:	1	1
ESTIMATED:	6	6

BINARY 15: 13 12 — 73 WDF

	SE 18	TOTALS
OBSERVED:	1	1
ESTIMATED:	7	7

BINARY 15: 13 13 — 73 WDF

	JN 26	AU 14	AU 28	SE 4	SE 11	OC 9	TOTALS
OBSERVED:	1	1	1	1	1	1	6
ESTIMATED:	2	6	3	2	6	3	22

BINARY 15: 15 14 — 72 WDF

	AU 7	TOTALS
OBSERVED:	1	1
ESTIMATED:	4	4

PIN LOST

	JL 31	AU 7	AU 14	SE 25	OC 9	TOTALS
OBSERVED:	1	1	1	2	1	6
ESTIMATED:	2	4	6	7	3	22

NO PIN

	JN 26	JL 31	AU 14	AU 21	SE 4	SE 11	SE 18	SE 25	OC 2	OC 16	TOTALS
OBSERVED:	1	2	1	1	2	1	2	4	1	1	16
ESTIMATED:	2	4	6	18	4	6	14	14	4	2	74

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR WEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TOTALS FOR JFN CHINOOK	JN 26	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	TOTALS
OBSERVED:	10	11	11	14	1	10	7	8	11	17	6	7	
ESTIMATED:	20	22	45	84	18	29	14	48	77	64	24	22	

	OC 16	TOTALS
OBSERVED:	4	117
ESTIMATED:	8	475

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR	WEEKLY PERIODS ENDING:					TOTALS
BINARY	1: 2 2	72	WDF		JL 24					
	OBSERVED:				1					1
	ESTIMATED:				4					4
BINARY	1: 2 6	73	WDF		JL 31	SE 11				
	OBSERVED:				1	1				2
	ESTIMATED:				4	3				7
BINARY	1: 6 8	73	WDF		AU 7					
	OBSERVED:				1					1
	ESTIMATED:				4					4
BINARY	1: 11 5	73	WDF		AU 7					
	OBSERVED:				1					1
	ESTIMATED:				4					4
BINARY	1: 13 5	74	WDF		JL 24	SE 4				
	OBSERVED:				1	1				2
	ESTIMATED:				4	2				6
BINARY	1: 13 8	73	WDF		JL 24	JL 31	AU 7	AU 14	SE 4	
	OBSERVED:				1	1	1	1	1	5
	ESTIMATED:				4	4	4	3	2	17
BINARY	1: 13 10	73	WDF		AU 21	AU 28				
	OBSERVED:				1	1				2
	ESTIMATED:				3	2				5
BINARY	1: 15 9	73	WDF		JL 31					
	OBSERVED:				1					1
	ESTIMATED:				4					4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:												TOTALS
BINARY	2: 3 2	73 CFSO	JL 17	AU 14	AU 28	SE 4	OC 2								
	OBSERVED:		1	2	1	1	1								6
	ESTIMAT		14	6	2	2	3								27
BINARY	2: 4 3	74 CFSO	JL 17	JL 24	SE 4										
	OBSERVED:		1	1	1										3
	ESTIMATED:		14	4	2										20
BINARY	2: 5 1	72 CFSO	AU 7	SE 11											
	OBSERVED:		1	2											3
	ESTIMATED:		4	6											10
BINARY	2: 6 6	74 CFSO	AU 28												
	OBSERVED:		1												1
	ESTIMATED:		2												2
BINARY	2: 7 1	72 CFSO	JL 31	AU 7	AU 14	AU 28	SE 4								
	OBSERVED:		1	1	1	2	1								6
	ESTIMATED:		4	4	3	4	2								17
BINARY	2: 7 5	74 CFSO	AU 21	SE 4	SE 18	SE 25	OC 2								
	OBSERVED:		1	1	1	1	2								6
	ESTIMATED:		3	2	7	4	6								22
BINARY	2: 10 2	74 CFSO	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	
	OBSERVED:		3	30	9	26	17	4	19	34	9	3	7	5	
	ESTIMATED:		41	108	37	103	51	13	36	58	29	20	31	14	
			OC 16	OC 23	OC 30										
	OBSERVED:		6	1	4										177
	ESTIMATED:		20	3	11										575

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:										TOTALS
BINARY	2: 11 2		73	CFSO	AU 7										
	OBSERVED:				1										1
	ESTIMATED:				4										4
BINARY	2: 12 2		73	CFSO	JL 17	JL 24	JL 31	AU 7	AU 14	AU 28	SE 4	SE 18	SE 25	OC 2	
	OBSERVED:				1	8	1	9	4	3	2	2	1	1	32
	ESTIMATED:				14	29	4	36	12	6	3	13	4	3	124
BINARY	2: 14 2		74	CFSO	JL 24	JL 31	AU 7	AU 14	AU 28	SE 4	OC 16				
	OBSERVED:				2	1	5	2	1	2	1				14
	ESTIMATED:				7	4	20	6	2	3	3				45
BINARY	2: 15 1		73	CFSO	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 25	
	OBSERVED:				1	3	1	3	2	1	4	4	3	1	23
	ESTIMATED:				14	11	4	12	6	3	7	7	10	4	78
BINARY	5: 3 10		73	FWS	SE 11										
	OBSERVED:				1										1
	ESTIMATED:				3										3
BINARY	5: 4 14		74	FWS	AU 21										
	OBSERVED:				1										1
	ESTIMATED:				3										3
BINARY	5: 5 1		73	FWS	AU 28										
	OBSERVED:				1										1
	ESTIMATED:				2										2
BINARY	5: 10 1		74	FWS	AU 21										
	OBSERVED:				1										1
	ESTIMATED:				3										3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:		TOTALS
BINARY	5:	12 1	74	FWS	AU 21		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	5:	12 15	74	FWS	AU 21		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	5:	13 1	74	FWS	AU 21		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	7:	10 13	73	ODFW	JL 24	AU 28	
	OBSERVED:				1	1	2
	ESTIMATED:				4	2	6
BINARY	7:	10 14	73	ORAF	JL 24		
	OBSERVED:				1		1
	ESTIMATED:				4		4
BINARY	11:	1 3	73	UW	SE 4		
	OBSERVED:				1		1
	ESTIMATED:				2		2
BINARY	11:	1 4	73	UW	AU 7		
	OBSERVED:				1		1
	ESTIMATED:				4		4
BINARY	11:	1 5	73	UW	SE 4	SE 25	
	OBSERVED:				1	1	2
	ESTIMATED:				2	4	6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN CHINOOK

TAG TYPE AGENCY /AREA DATA 1 2 3 B.Y ISSUED BY FOR WEEKLY PERIODS ENDING:

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY					TOTALS
BINARY	11:	1 6	73 UW	AU 21				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	11:	1 8	73 UW	AU 7	SE 11			
	OBSERVED:			1	1			2
	ESTIMATED:			4	3			7
BINARY	11:	2 5	74 UW	SE 11				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	13:	1 4	73 WDF	OC 23				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	13:	1 8	73 WDF	JL 24				
	OBSERVED:			1				1
	ESTIMATED:			4				4
BINARY	13:	2 15	74 WDF	JL 31	AU 28	SE 25	OC 16	
	OBSERVED:			1	1	2	2	6
	ESTIMATED:			4	2	9	7	22
BINARY	14:	6 1	74 FWS	SE 4				
	OBSERVED:			1				1
	ESTIMATED:			2				2
BINARY	14:	6 2	74 FWS	AU 28				
	OBSERVED:			1				1
	ESTIMATED:			2				2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR	WEEKLY PERIODS ENDING:		TOTALS
BINARY	15:	1 13	71	WDF		AU 21		
					OBSERVED:	1		1
					ESTIMATED:	3		3
BINARY	15:	2 7	71	WDF		AU 7		
					OBSERVED:	1		1
					ESTIMATED:	4		4
BINARY	15:	5 0	71	WDF		AU 21		
					OBSERVED:	1		1
					ESTIMATED:	3		3
BINARY	15:	8 15	72	WDF		JL 31	SE 4	
					OBSERVED:	1	1	2
					ESTIMATED:	4	2	6
BINARY	15:	9 5	72	WDF		JL 24		
					OBSERVED:	1		1
					ESTIMATED:	4		4
BINARY	15:	10 14	72	WDF		SE 11		
					OBSERVED:	1		1
					ESTIMATED:	3		3
BINARY	15:	12 1	72	WDF		JL 31		
					OBSERVED:	1		1
					ESTIMATED:	4		4
BINARY	15:	13 12	73	WDF		SE 4		
					OBSERVED:	1		1
					ESTIMATED:	2		2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:					TOTALS
BINARY	15: 13 13	73 WDF	JL 31	AU 21	SE 25			
	OBSERVED:		1	1	1			3
	ESTIMATED:		4	3	4			11
BINARY	15: 15 14	72 WDF	JL 24					
	OBSERVED:		1					1
	ESTIMATED:		4					4
COLOUR	BL: BR BL	71 CFSO	JL 24					
	OBSERVED:		1					1
	ESTIMATED:		4					4
COLOUR	BL: GN BL	70 CFSO	AU 28					
	OBSERVED:		1					1
	ESTIMATED:		2					2
COLOUR	BL: LG RD	72 CFSO	AU 14	SE 4				
	OBSERVED:		2	1				3
	ESTIMATED:		6	2				8
COLOUR	BL: LG YW	72 CFSO	JL 24	AU 14	AU 28			
	OBSERVED:		1	1	3			5
	ESTIMATED:		4	3	6			13
COLOUR	BL: OR LG	72 CFSO	JL 31	AU 21	AU 28			
	OBSERVED:		1	1	2			4
	ESTIMATED:		4	3	4			11
COLOUR	BL: XY GN	73 CFSO	JL 24	JL 31	AU 7	AU 14	AU 28	
	OBSERVED:		1	2	1	2	3	9
	ESTIMATED:		4	8	4	6	6	28

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:												TOTALS
COLOUR BL: PU			72 CFSO	AU 21	SE 4											
OBSERVED:				2	1											3
ESTIMATED:				6	2											8
COLOUR BL: RD			73 CFSO	JL 17	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	OC 23					
OBSERVED:				1	3	2	1	1	1	1	1					11
ESTIMATED:				14	9	6	2	2	3	7	3					46
COLOUR BL: RD GN			73 CFSO	JL 24	JL 31	SE 11	OC 2									
OBSERVED:				2	1	2	1									6
ESTIMATED:				7	4	6	3									20
COLOUR BL: RD GD			73 CFSO	JL 24	AU 28	SE 11	SE 18									
OBSERVED:				2	1	1	2									6
ESTIMATED:				7	2	3	13									25
COLOUR BL: CY			73 CFSO	JL 31	SE 4											
OBSERVED:				1	1											2
ESTIMATED:				4	2											6
PIN LOST				JL 24	JL 31	AU 14	AU 21	SE 11								
OBSERVED:				1	2	6	1	1								11
ESTIMATED:				4	8	18	3	3								36
NO PIN				JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	OC 2	OC 30	
OBSERVED:				2	2	3	2	3	6	7	7	3	2	1	3	41
ESTIMATED:				27	7	12	8	9	19	13	12	10	13	3	8	141
NO DATA				JL 31	AU 28											
OBSERVED:				2	11											13
ESTIMATED:				8	21											29

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN   CHINOOK

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y | ISSUED BY | FOR WEEKLY PERIODS ENDING: | TOTALS

TOTALS FOR JSN   CHINOOK

	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2
OBSERVED:	10	62	32	55	46	28	65	64	27	11	14	11
ESTIMATED:	138	228	129	219	138	86	125	113	85	73	60	32

	OC 16	OC 23	OC 30	TOTALS
OBSERVED:	9	3	7	444
ESTIMATED:	30	9	19	1484

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	WEEKLY PERIODS ENDING:			TOTALS
BINARY	1: 13 5		74	WDF	OC 23			
	OBSERVED:				1			1
	ESTIMATED:				1			1
BINARY	2: 7 5		74	CFSO	OC 23			
	OBSERVED:				1			1
	ESTIMATED:				1			1
BINARY	2: 10 2		74	CFSO	OC 23			
	OBSERVED:				4			4
	ESTIMATED:				5			5
BINARY	2: 12 2		73	CFSO	SE 11	OC 23		
	OBSERVED:				1	2		3
	ESTIMATED:				3	3		6
BINARY	5: 14 1		74	FWS	SE 11			
	OBSERVED:				1			1
	ESTIMATED:				3			3
NO PIN					AU 21	OC 23		
	OBSERVED:				1	1		2
	ESTIMATED:				25	1		26
TOTALS FOR GSN				CHINOOK				
					AU 21	SE 11	OC 23	
	OBSERVED:				1	2	9	12
	ESTIMATED:				25	6	11	42

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1974

CATCH REGION: FGN   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR	WEEKLY PERIODS ENDING:							TOTALS
BINARY	1: 13 8	73	WDF		SE 4							
				OBSERVED:	1							1
				ESTIMATED:	3							3
BINARY	1: 13 15	73	WDF		AU 7							
				OBSERVED:	1							1
				ESTIMATED:	5							5
BINARY	2: 7 1	72	CFSO		SE 4							
				OBSERVED:	1							1
				ESTIMATED:	3							3
BINARY	2: 15 1	73	CFSO		SE 4							
				OBSERVED:	2							2
				ESTIMATED:	6							6
BINARY	13: 2 15	74	WDF		JL 31							
				OBSERVED:	1							1
				ESTIMATED:	3							3
BINARY	15: 13 12	73	WDF		AU 28							
				OBSERVED:	1							1
				ESTIMATED:	3							3
NO PIN					JN 12	JN 26	JL 3	JL 24	JL 31	AU 21	SE 4	
				OBSERVED:	1	3	1	1	4	1	2	13
				ESTIMATED:	5	9	4	3	13	4	6	44
NO DATA					AU 28							
				OBSERVED:	4							4
				ESTIMATED:	12							12

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: FGN CHINOOK

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y | ISSUED BY | FOR WEEKLY PERIODS ENDING: | TOTALS

TOTALS FOR FGN CHINOOK	JN 12	JN 26	JL 3	JL 24	JL 31	AU 7	AU 21	AU 28	SE 4	TOTALS
OBSERVED:	1	3	1	1	5	1	1	5	6	24
ESTIMATED:	5	9	4	3	16	5	4	15	18	79

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CSPT CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	JL 31	SE 11	TOTALS
BINARY	2: 10 2		74 CFSO			
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	11: 1 2		73 UW			
	OBSERVED:				1	1
	ESTIMATED:				-	-

TOTALS FOR CSPT CHINOOK

	JL 31	SE 11	TOTALS
OBSERVED:	1	1	2
ESTIMATED:	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WSPT CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	1:	11 9	73 WDF	JL 3				
	OBSERVED:			1				1
	ESTIMATED:			-				-
BINARY	1:	13 5	74 WDF	JL 17				
	OBSERVED:			1				1
	ESTIMATED:			-				-
BINARY	1:	13 8	73 WDF	SE 11				
	OBSERVED:			1				1
	ESTIMATED:			-				-
BINARY	1:	15 8	73 WDF	JL 31				
	OBSERVED:			1				1
	ESTIMATED:			-				-
BINARY	2:	2 3	73 CFSO	JL 31	SE 11			
	OBSERVED:			1	1			2
	ESTIMATED:			-	-			-
BINARY	2:	4 6	73 CFSO	SE 11				
	OBSERVED:			3				3
	ESTIMATED:			-				-
BINARY	2:	5 1	72 CFSO	JL 31	SE 11	SE 25	OC 9	
	OBSERVED:			2	7	1	1	11
	ESTIMATED:			-	-	-	-	-
BINARY	2:	5 6	73 CFSO	AU 28				
	OBSERVED:			1				1
	ESTIMATED:			-				-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WSPT   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	2: 6 2		73	CFSO	AU 28	SE 11	OC 9		
	OBSERVED:				1	4	1		6
	ESTIMATED:				-	-	-		-
BINARY	2: 6 6		74	CFSO	JL 31	SE 11	SE 25	OC 9	
	OBSERVED:				2	5	5	1	13
	ESTIMATED:				-	-	-	-	-
BINARY	2: 8 1		72	CFSO	SE 11	SE 25	OC 9		
	OBSERVED:				5	2	2		9
	ESTIMATED:				-	-	-		-
BINARY	2: 9 6		74	CFSO	OC 9				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	2: 10 2		74	CFSO	JL 31				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	2: 11 1		72	CFSO	JL 31	SE 11	OC 9		
	OBSERVED:				1	4	2		7
	ESTIMATED:				-	-	-		-
BINARY	2: 12 6		74	CFSO	SE 11				
	OBSERVED:				2				2
	ESTIMATED:				-				-
BINARY	2: 14 2		74	CFSO	AU 14				
	OBSERVED:				1				1
	ESTIMATED:				-				-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WSPT CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	2: 15 1		73 CFSO	SE 11		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	5: 4 1		73 FWS	JL 17	AU 14	
	OBSERVED:			1	1	2
	ESTIMATED:			-	-	-
BINARY	5: 11 1		74 FWS	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	7: 11 15		74 ODFW	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	11: 1 8		73 UW	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	13: 1 4		73 WDF	SE 11		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15: 8 2		71 WDF	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15: 8 4		71 WDF	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WSPT CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:	TOTALS
BINARY	15:	12 2	72	WDF	SE 11	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	15:	13 12	73	WDF	JL 31	
	OBSERVED:				2	2
	ESTIMATED:				-	-
BINARY	15:	13 13	73	WDF	OC 9	
	OBSERVED:				1	1
	ESTIMATED:				-	-
COLOUR	BL:	WH BL	72	CFSO	SE 11	
	OBSERVED:				1	1
	ESTIMATED:				-	-
NO PIN					SE 11	
	OBSERVED:				1	1
	ESTIMATED:				-	-

TOTALS FOR WSPT CHINOOK

	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	TOTALS
OBSERVED:	1	2	12	5	2	37	8	9	76
ESTIMATED:	-	-	-	-	-	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:									TOTALS
BINARY	1:	2 2	72	WDF	JA 31	AP 10	AP 24	MY 22	JN 5	JL 3	JL 17	NO 20	DE 25	
	OBSERVED:				1	1	1	1	5	1	1	1	1	13
	ESTIMATED:				-	-	-	-	-	-	-	-	-	-
BINARY	1:	2 5	73	WDF	JL 31									
	OBSERVED:				1									1
	ESTIMATED:				-									-
BINARY	1:	2 10	72	WDF	MY 8	JN 5								
	OBSERVED:				1	1								2
	ESTIMATED:				-	-								-
BINARY	1:	3 7	72	COOP	AP 10	JL 31	AU 14	SE 25						
	OBSERVED:				1	1	1	1						4
	ESTIMATED:				-	-	-	-						-
BINARY	1:	3 9	72	WDF	MY 8	MY 22	JL 17							
	OBSERVED:				1	1	1							3
	ESTIMATED:				-	-	-							-
BINARY	1:	6 2	73	WDF	SE 11									
	OBSERVED:				1									1
	ESTIMATED:				-									-
BINARY	1:	6 7	73	WDF	MY 22									
	OBSERVED:				1									1
	ESTIMATED:				-									-
BINARY	1:	6 8	73	WDF	AU 14	AU 28								
	OBSERVED:				1	1								2
	ESTIMATED:				-	-								-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	1: 8 4	73 WDF	DE 25							2
	OBSERVED:		2							
	ESTIMATED:		-							-
BINARY	1: 10 3	73 WDF	AU 14							1
	OBSERVED:		1							
	ESTIMATED:		-							-
BINARY	1: 10 4	73 WDF	AU 14	DE 31						2
	OBSERVED:		1	1						
	ESTIMATED:		-	-						-
BINARY	1: 10 5	73 WDF	AU 28							1
	OBSERVED:		1							
	ESTIMATED:		-							-
BINARY	1: 11 5	73 WDF	MY 22	OC 9						2
	OBSERVED:		1	1						
	ESTIMATED:		-	-						-
BINARY	1: 11 9	73 WDF	JL 3	JL 31	SE 11	SE 25	OC 9	NO 6	DE 31	7
	OBSERVED:		1	1	1	1	1	1	1	
	ESTIMATED:		-	-	-	-	-	-	-	-
BINARY	1: 11 11	73 WDF	MY 8	JL 17	AU 28	SE 25				5
	OBSERVED:		1	1	2	1				
	ESTIMATED:		-	-	-	-				-
BINARY	1: 12 9	73 WDF	MY 22							1
	OBSERVED:		1							
	ESTIMATED:		-							-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT   CHINOOK

```
TAG    AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE   /AREA  1  2  3     BY
                                                                                                   TOTALS

BINARY  1: 12 15    73 WDF     AU 14
        OBSERVED:                  1                                                                    1
        ESTIMATED:                 -                                                                    -

BINARY  1: 13  5    74 WDF     JN 5   JN 19  JL 17  JL 31  AU 14  AU 28  SE 11  SE 25  OC 9  OC 23  NO 6  NO 20
        OBSERVED:                 2      1      8      8      7     11     11     14     7      2     8      3
        ESTIMATED:                -      -      -      -      -      -      -      -     -      -     -      -

                               DE 25  DE 31
        OBSERVED:                 6      1
        ESTIMATED:                -      -                                                             89
                                                                                                        -

BINARY  1: 13  8    73 WDF     MY 8   MY 22  JN 5   JL 17  JL 31  AU 14  SE 11  SE 25  DE 31
        OBSERVED:                 1      5      1      1      1      2      1      1      1              14
        ESTIMATED:                -      -      -      -      -      -      -      -      -               -

BINARY  1: 13  9    73 WDF     AP 10
        OBSERVED:                 1                                                                     1
        ESTIMATED:                -                                                                     -

BINARY  1: 13 10    73 WDF     JA 31  MR 27  AP 10  MY 22  JL 31  AU 28  SE 11  SE 25  DE 25
        OBSERVED:                 1      1      1      1      3      1      1      1      1              11
        ESTIMATED:                -      -      -      -      -      -      -      -      -               -

BINARY  1: 13 14    73 WDF     JN 5   JL 3   JL 17  JL 31  AU 14
        OBSERVED:                 1      1      1      2      1                                           6
        ESTIMATED:                -      -      -      -      -                                           -

BINARY  1: 13 15    73 WDF     NO 6
        OBSERVED:                 1                                                                     1
        ESTIMATED:                -                                                                     -
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	1: 14 4	74 WDF	JL 31	AU 28	DE 25						
	OBSERVED:		1	1	1						3
	ESTIMATED:		-	-	-						-
BINARY	1: 14 5	74 WDF	DE 31								
	OBSERVED:		1								1
	ESTIMATED:		-								-
BINARY	1: 14 10	73 WDF	AU 28								
	OBSERVED:		2								2
	ESTIMATED:		-								-
BINARY	1: 14 12	74 COOP	MR 27								
	OBSERVED:		1								1
	ESTIMATED:		-								-
BINARY	1: 14 14	74 COOP	SE 25								
	OBSERVED:		1								1
	ESTIMATED:		-								-
BINARY	1: 15 8	73 WDF	AU 28	SE 11	OC 9	DE 25					
	OBSERVED:		1	1	1	2					5
	ESTIMATED:		-	-	-	-					-
BINARY	1: 15 9	73 WDF	JN 5	JL 31	AU 28	OC 9	OC 23	NO 6	NO 20	DE 25	
	OBSERVED:		1	2	3	1	1	1	2	2	13
	ESTIMATED:		-	-	-	-	-	-	-	-	-
BINARY	1: 15 15	73 WDF	JN 5								
	OBSERVED:		1								1
	ESTIMATED:		-								-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	2:	2 3	73	CFSO	SE 25												
	OBSERVED:				1												1
	ESTIMATED:				-												-
BINARY	2:	3 1	71	CFSO	JL 17												
	OBSERVED:				1												1
	ESTIMATED:				-												-
BINARY	2:	3 2	73	CFSO	AP 10	AP 24	MY 8	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:				3	1	5	1	1	8	9	6	11	4	5	2	
	ESTIMATED:				-	-	-	-	-	-	-	-	-	-	-	-	
					DE 25												
	OBSERVED:				2												58
	ESTIMATED:				-												-
BINARY	2:	4 1	72	CFSO	JN 5	JN 19	JL 3										
	OBSERVED:				1	1	2										4
	ESTIMATED:				-	-	-										-
BINARY	2:	4 3	74	CFSO	JL 3	AU 14	AU 28	SE 11	OC 9	NO 6							
	OBSERVED:				1	3	2	8	1	1							16
	ESTIMATED:				-	-	-	-	-	-							-
BINARY	2:	5 1	72	CFSO	SE 25												
	OBSERVED:				1												1
	ESTIMATED:				-												-
BINARY	2:	6 6	74	CFSO	SE 11												
	OBSERVED:				1												1
	ESTIMATED:				-												-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY		BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	2: 7 1	72 CFSO		JA 31	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 28	SE 25				
			OBSERVED:	1	1	2	2	3	1	4	3	1				18
			ESTIMATED:	-	-	-	-	-	-	-	-	-				-
BINARY	2: 7 5	74 CFSO		JN 5	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	NO 6	DE 25	
			OBSERVED:	1	5	3	6	14	6	10	7	3	3	1	3	62
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	-
BINARY	2: 10 2	74 CFSO		AP 10	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
			OBSERVED:	1	5	3	9	10	69	110	99	158	94	115	53	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9	OC 23	NO 6	NO 20	DE 25	DE 31							
			OBSERVED:	36	23	9	12	35	5							846
			ESTIMATED:	-	-	-	-	-	-							-
BINARY	2: 11 1	72 CFSO		NO 6												
			OBSERVED:	1												1
			ESTIMATED:	-												-
BINARY	2: 11 2	73 CFSO		JN 5	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11						
			OBSERVED:	2	1	1	1	2	2	1						10
			ESTIMATED:	-	-	-	-	-	-	-						-
BINARY	2: 12 2	73 CFSO		MR 27	AP 10	AP 24	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
			OBSERVED:	2	1	2	12	3	2	29	32	23	43	27	25	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				SE 25	OC 9	OC 23	NO 6	NO 20	DE 25	DE 31						
			OBSERVED:	15	7	4	6	2	6	4						245
			ESTIMATED:	-	-	-	-	-	-	-						-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	2: 14 2	74 CFSO	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	
	OBSERVED:		1	1	2	14	29	25	33	19	18	4	3	5	
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
			NO 6	DE 25	DE 31										
	OBSERVED:		1	7	1										163
	ESTIMATED:		-	-	-										-
BINARY	2: 15 1	73 CFSO	JA 31	MR 27	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	
	OBSERVED:		1	1	5	13	9	17	16	14	17	32	27	23	
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
			AU 28	SE 11	SE 25	OC 9	OC 23	NO 6	NO 20	DE 25					
	OBSERVED:		17	11	8	3	1	2	1	3					221
	ESTIMATED:		-	-	-	-	-	-	-	-					-
BINARY	2: 15 10	75 CFSO	NO 20	DE 25	DE 31										
	OBSERVED:		1	1	1										3
	ESTIMATED:		-	-	-										-
BINARY	2: 15 14	75 CFSO	DE 25												
	OBSERVED:		1												1
	ESTIMATED:		-												-
BINARY	5: 2 1	72 FWS	JN 19												
	OBSERVED:		2												2
	ESTIMATED:		-												-
BINARY	5: 3 1	72 FWS	MY 8												
	OBSERVED:		1												1
	ESTIMATED:		-												-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:	TOTALS
BINARY	5:	3 10	73	FWS	JL 17	1
	OBSERVED:				1	
	ESTIMATED:				-	-
BINARY	5:	4 10	73	FWS	JN 5	1
	OBSERVED:				1	
	ESTIMATED:				-	-
BINARY	5:	6 1	73	FWS	AU 14	1
	OBSERVED:				1	
	ESTIMATED:				-	-
BINARY	5:	6 10	73	FWS	SE 25	1
	OBSERVED:				1	
	ESTIMATED:				-	-
BINARY	5:	7 12	74	FWS	JN 5	1
	OBSERVED:				1	
	ESTIMATED:				-	-
BINARY	5:	8 4	73	FWS	AU 28	1
	OBSERVED:				1	
	ESTIMATED:				-	-
BINARY	5:	8 12	74	FWS	MY 8	1
	OBSERVED:				1	
	ESTIMATED:				-	-
BINARY	5:	9 1	74	FWS	SE 25	1
	OBSERVED:				1	
	ESTIMATED:				-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	5: 10 11	74 FWS	JL 17			
	OBSERVED:		1			1
	ESTIMATED:		-			-
BINARY	5: 11 1	74 FWS	SE 11	SE 25		
	OBSERVED:		1	1		2
	ESTIMATED:		-	-		-
BINARY	5: 12 1	74 FWS	OC 9	OC 23	NO 6	
	OBSERVED:		1	1	2	4
	ESTIMATED:		-	-	-	-
BINARY	5: 12 14	74 FWS	AU 28			
	OBSERVED:		1			1
	ESTIMATED:		-			-
BINARY	5: 13 1	74 FWS	OC 9			
	OBSERVED:		1			1
	ESTIMATED:		-			-
BINARY	5: 14 1	74 FWS	AU 14	DE 31		
	OBSERVED:		1	1		2
	ESTIMATED:		-	-		-
BINARY	5: 15 1	74 FWS	AU 14			
	OBSERVED:		1			1
	ESTIMATED:		-			-
BINARY	7: 12 9	74 ODFW	AU 14			
	OBSERVED:		1			1
	ESTIMATED:		-			-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	8:	/ 2	75	CFSR	DE 25												
OBSERVED:					2												2
ESTIMATED:					-												-
BINARY	11:	1 1	73	UW	MY 22	JL 3	SE 25										
OBSERVED:					1	1	2										4
ESTIMATED:					-	-	-										-
BINARY	11:	1 2	73	UW	MY 8	JL 17	AU 28	OC 9									
OBSERVED:					1	1	1	1									4
ESTIMATED:					-	-	-	-									-
BINARY	11:	1 3	73	UW	MY 8	MY 22	JN 5	JN 19	JL 17	AU 28							
OBSERVED:					1	2	2	1	1	1							8
ESTIMATED:					-	-	-	-	-	-							-
BINARY	11:	1 4	73	UW	MR 13	JN 5	JL 3	JL 31	OC 9	DE 31							
OBSERVED:					1	1	1	1	1	1							6
ESTIMATED:					-	-	-	-	-	-							-
BINARY	11:	1 5	73	UW	AP 24	MY 22	JN 5	JL 3	JL 17	JL 31	AU 14	SE 25	OC 9	NO 6	NO 20	DE 25	
OBSERVED:					2	3	2	1	2	2	3	1	1	1	1	2	21
ESTIMATED:					-	-	-	-	-	-	-	-	-	-	-	-	-
BINARY	11:	1 6	73	UW	MY 8	MY 22	JN 5	JL 17	JL 31	AU 14	AU 28	DE 31					
OBSERVED:					1	2	1	1	1	2	1	1					10
ESTIMATED:					-	-	-	-	-	-	-	-					-
BINARY	11:	1 7	73	UW	AP 24	JN 5	JL 3	JL 17	JL 31	AU 14	SE 25						
OBSERVED:					2	1	1	2	1	1	1						9
ESTIMATED:					-	-	-	-	-	-	-						-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	11:	1 8	73 UW	AP 24	MY 22	JN 5	JL 3	JL 17	JL 31	OC 9	
	OBSERVED:			3	1	1	1	1	3	2	12
	ESTIMATED:			-	-	-	-	-	-	-	-
BINARY	11:	2 1	74 UW	JL 31	AU 28	SE 11	SE 25	OC 9	DE 25		
	OBSERVED:			1	1	1	1	1	3		8
	ESTIMATED:			-	-	-	-	-	-		-
BINARY	11:	2 2	74 UW	SE 11	NO 6	DE 25					
	OBSERVED:			1	1	1					3
	ESTIMATED:			-	-	-					-
BINARY	11:	2 3	74 UW	SE 11							
	OBSERVED:			1							1
	ESTIMATED:			-							-
BINARY	11:	2 4	74 UW	SE 25							
	OBSERVED:			1							1
	ESTIMATED:			-							-
BINARY	11:	2 5	74 UW	SE 25	NO 6						
	OBSERVED:			1	1						2
	ESTIMATED:			-	-						-
BINARY	11:	2 6	74 UW	AU 14	SE 25						
	OBSERVED:			1	1						2
	ESTIMATED:			-	-						-
BINARY	11:	2 7	74 UW	OC 9							
	OBSERVED:			1							1
	ESTIMATED:			-							-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE / DATA	B.Y / AGENCY													TOTALS
BINARY 11: 2 8	74 UW	JN 19	NO 6											
OBSERVED:		1	1											2
ESTIMATED:		-	-											-
BINARY 11: 2 9	74 UW	AU 28												
OBSERVED:		1												1
ESTIMATED:		-												-
BINARY 13: 1 4	73 WDF	MY 8	MY 22	JN 19	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	NO 6	
OBSERVED:		2	1	2	3	1	8	2	9	4	4	1	2	
ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
		DE 25												
OBSERVED:		9												48
ESTIMATED:		-												-
BINARY 13: 1 8	73 WDF	JA 31	JL 31	AU 28	SE 11	SE 25	NO 20							
OBSERVED:		1	1	1	2	1	1							7
ESTIMATED:		-	-	-	-	-	-							-
BINARY 13: 2 6	74 WDF	AU 14	DE 25											
OBSERVED:		1	1											2
ESTIMATED:		-	-											-
BINARY 13: 2 9	74 WDF	DE 25												
OBSERVED:		1												1
ESTIMATED:		-												-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

```
CATCH REGION: GSPT          CHINOOK

 TAG  AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3      BY

                                                                                                              TOTALS

BINARY 13:  2 15    74 WDF       JN 5   JN 19   JL 3   JL 17   JL 31   AU 14   AU 28   SE 11   SE 25   OC 9   OC 23   NO 6
         OBSERVED:                  1       1      1       4       4       8       5       8       8      2       5      3
         ESTIMATED:                 -       -      -       -       -       -       -       -       -      -       -      -

                                NO 20   DE 25
         OBSERVED:                  2      10                                                                             62
         ESTIMATED:                 -       -                                                                              -

BINARY 13:  3  1    74 WDF      JL 31   SE 11
         OBSERVED:                  1       1                                                                              2
         ESTIMATED:                 -       -                                                                              -

BINARY 13:  3  3    74 WDF       JL 3   AU 14   AU 28   SE 11   OC 9   DE 25
         OBSERVED:                  1       1       1       3      2       1                                               9
         ESTIMATED:                 -       -       -       -      -       -                                               -

BINARY 13:  3  5    74 WDF      AU 28   SE 11
         OBSERVED:                  1       1                                                                              2
         ESTIMATED:                 -       -                                                                              -

BINARY 13:  3  7    74 WDF      SE 25
         OBSERVED:                  1                                                                                      1
         ESTIMATED:                 -                                                                                      -

BINARY 13:  3  8    74 WDF      AU 14   SE 11
         OBSERVED:                  1       1                                                                              2
         ESTIMATED:                 -       -                                                                              -

BINARY 13:  3 12    74 WDF      AU 28
         OBSERVED:                  1                                                                                      1
         ESTIMATED:                 -                                                                                      -
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	13:	4 1	74	WDF	AU 14	SE 11	DE 25		
	OBSERVED:				1	1	1		3
	ESTIMATED:				-	-	-		-
BINARY	13:	5 5	74	WDF	OC 23				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	14:	6 2	74	FWS	JL 3				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	15:	0 8	71	WDF	JL 17				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	15:	0 15	71	WDF	AP 10	JL 17	AU 14		
	OBSERVED:				1	1	1		3
	ESTIMATED:				-	-	-		-
BINARY	15:	1 1	71	WDF	AP 24	JN 19	JL 31	SE 11	
	OBSERVED:				1	2	1	1	5
	ESTIMATED:				-	-	-	-	-
BINARY	15:	1 2	71	WDF	JN 5				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	15:	1 8	71	WDF	JN 19	JL 31	AU 14		
	OBSERVED:				1	1	1		3
	ESTIMATED:				-	-	-		-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	15:	1 13	71	WDF	DE 25					
	OBSERVED:				1					1
	ESTIMATED:				-					-
BINARY	15:	2 3	71	WDF	AU 14					
	OBSERVED:				1					1
	ESTIMATED:				-					-
BINARY	15:	3 1	71	WDF	AP 24					
	OBSERVED:				1					1
	ESTIMATED:				-					-
BINARY	15:	5 0	71	WDF	MR 13	JN 5	JL 3	JL 31	AU 14	
	OBSERVED:				1	1	1	1	1	5
	ESTIMATED:				-	-	-	-	-	-
BINARY	15:	5 9	72	WDF	MY 22					
	OBSERVED:				1					1
	ESTIMATED:				-					-
BINARY	15:	5 12	72	WDF	AP 24					
	OBSERVED:				1					1
	ESTIMATED:				-					-
BINARY	15:	5 13	71	WDF	MY 8					
	OBSERVED:				1					1
	ESTIMATED:				-					-
BINARY	15:	6 4	72	WDF	JL 3	JL 31	OC 9			
	OBSERVED:				1	1	1			3
	ESTIMATED:				-	-	-			-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE /AREA 1 2 3	B.Y ISSUED BY						TOTALS
BINARY 15: 6 5	71 WDF	JA 31					1
OBSERVED:		1					
ESTIMATED:		-					-
BINARY 15: 6 6	72 WDF	JL 3	OC 23				2
OBSERVED:		1	1				
ESTIMATED:		-	-				-
BINARY 15: 7 1	71 WDF	MR 13					1
OBSERVED:		1					
ESTIMATED:		-					-
BINARY 15: 8 7	72 WDF	AP 24	MY 8	JN 19	JL 17	AU 28	5
OBSERVED:		1	1	1	1	1	
ESTIMATED:		-	-	-	-	-	-
BINARY 15: 8 12	72 WDF	MY 22	JL 17				3
OBSERVED:		1	2				
ESTIMATED:		-	-				-
BINARY 15: 8 15	72 WDF	AP 10	AP 24	JN 5	JL 3		4
OBSERVED:		1	1	1	1		
ESTIMATED:		-	-	-	-		-
BINARY 15: 9 1	73 WDF	FE 28	JN 5				2
OBSERVED:		1	1				
ESTIMATED:		-	-				-
BINARY 15: 9 4	72 WDF	MY 22					1
OBSERVED:		1					
ESTIMATED:		-					-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE AGENCY /AREA DATA 1 2 3 B.Y BY ISSUED FOR BIWEEKLY PERIODS ENDING:

TAG	AGENCY DATA	B.Y				TOTALS
BINARY 15: 9 5	72 WDF		AP 10			
OBSERVED:			1			1
ESTIMATED:			-			-
BINARY 15: 9 6	72 WDF		AP 10	AP 24	JL 31	
OBSERVED:			2	1	1	4
ESTIMATED:			-	-	-	-
BINARY 15: 9 12	72 WDF		JN 5			
OBSERVED:			1			1
ESTIMATED:			-			-
BINARY 15: 10 15	72 WDF		AP 24			
OBSERVED:			1			1
ESTIMATED:			-			-
BINARY 15: 11 12	72 WDF		JN 19			
OBSERVED:			1			1
ESTIMATED:			-			-
BINARY 15: 12 14	72 WDF		AU 28			
OBSERVED:			1			1
ESTIMATED:			-			-
BINARY 15: 13 2	72 WDF		JA 31	AU 14		
OBSERVED:			1	1		2
ESTIMATED:			-	-		-
BINARY 15: 13 4	72 WDF		SE 25			
OBSERVED:			1			1
ESTIMATED:			-			-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG AGENCY DATA TYPE /AREA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:												TOTALS
BINARY 15: 1[illegible] 5	72 COOP	AP 10	MY 8	MY 22	JL 3	JL 17	JL 31	AU 14	NO 20	DE 25				
OBSERVED:		1	2	2	2	2	2	1	1	1				14
ESTIMATED:		-	-	-	-	-	-	-	-	-				-
BINARY 15: 13 6	73 WDF	DE 25												
OBSERVED:		1												1
ESTIMATED:		-												-
BINARY 15: 13 9	72 WDF	JN 5												
OBSERVED:		1												1
ESTIMATED:		-												-
BINARY 15: 13 12	73 WDF	JA 31	FE 28	AP 10	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11	OC 23	
OBSERVED:		1	1	2	3	3	3	1	3	1	1	2	1	
ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
		NO 6	DE 25	DE 31										
OBSERVED:		1	2	1										26
ESTIMATED:		-	-	-										-
BINARY 15: 13 13	73 WDF	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25	
OBSERVED:		1	2	2	1	2	2	4	4	3	2	6	1	
ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
		OC 9	OC 23	NO 20	DE 25	DE 31								
OBSERVED:		1	2	2	3	2								40
ESTIMATED:		-	-	-	-	-								-
BINARY 15: 14 4	72 WDF	MY 8												
OBSERVED:		1												1
ESTIMATED:		-												-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE /AREA	DATA 1 2 3	AGENCY B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY 15:	14 5	72 WDF	JN 5							
	OBSERVED:		1							1
	ESTIMATED:		-							-
BINARY 15:	15 12	72 WDF	MY 22							
	OBSERVED:		1							1
	ESTIMATED:		-							-
BINARY 15:	15 13	72 WDF	MY 22							
	OBSERVED:		1							1
	ESTIMATED:		-							-
BINARY 15:	15 14	72 WDF	AP 10	AP 24	MY 8	MY 22	JL 17	JL 31	DE 25	
	OBSERVED:		1	1	1	1	1	3	1	9
	ESTIMATED:		-	-	-	-	-	-	-	-
COLOUR BL:	BR BL	71 CFSO	AU 28							
	OBSERVED:		1							1
	ESTIMATED:		-							-
COLOUR BL:	BR GN	71 CFSO	SE 11							
	OBSERVED:		1							1
	ESTIMATED:		-							-
COLOUR BL:	GN BL	70 CFSO	JL 3	JL 31						
	OBSERVED:		1	1						2
	ESTIMATED:		-	-						-
COLOUR BL:	LG BL	72 CFSO	AU 28							
	OBSERVED:		1							1
	ESTIMATED:		-							-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE /AREA; AGENCY DATA 1 2 3; B.Y; ISSUED BY; FOR BIWEEKLY PERIODS ENDING:

TAG AGENCY DATA	B.Y ISSUED BY	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
COLOUR BL: LG OR	72 CFSO	JL 3												1
OBSERVED:		1												
ESTIMATED:		-												-
COLOUR BL: LG RD	72 CFSO	JN 19	AU 14											3
OBSERVED:		1	2											
ESTIMATED:		-	-											-
COLOUR BL: LG YW	72 CFSO	MY 22	JN 19	JL 3	JL 31	AU 28	SE 11	OC 9						10
OBSERVED:		1	1	1	1	4	1	1						
ESTIMATED:		-	-	-	-	-	-	-						-
COLOUR BL: XY GN	73 CFSO	FE 28	MR 27	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	
OBSERVED:		1	1	1	1	2	2	4	5	7	5	1	11	
ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
		AU 28	SE 11	DE 31										48
OBSERVED:		3	3	1										
ESTIMATED:		-	-	-										-
COLOUR BL: PU	72 CFSO	AP 10	JN 5	AU 28	SE 11									4
OBSERVED:		1	1	1	1									
ESTIMATED:		-	-	-	-									-
COLOUR BL: RD	73 CFSO	AP 10	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	40
OBSERVED:		1	7	2	2	1	3	6	6	6	3	1	2	
ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	-
COLOUR BL: RD GN	73 CFSO	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	DE 25	28
OBSERVED:		1	2	1	5	5	6	1	1	1	2	1	2	
ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT CHINOOK

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

TAG	AGENCY														TOTALS
COLOUR BL: RD GU	73 CFSO	AP 10	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
OBSERVED:		1	1	1	1	2	3	3	6	1	1	1	3	24
ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	-
COLOUR BL: WH BL	72 CFSO	JL 3												
OBSERVED:		1												1
ESTIMATED:		-												-
COLOUR BL: CY	73 CFSO	FE 28	MY 8	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28					
OBSERVED:		1	2	1	3	1	1	1	3					13
ESTIMATED:		-	-	-	-	-	-	-	-					-
COLOUR YW: YW	71 NMFS	JN 5												
OBSERVED:		1												1
ESTIMATED:		-												-
PIN LOST		AU 14	DE 25											
OBSERVED:		1	1											2
ESTIMATED:		-	-											-
NO PIN		AU 14												
OBSERVED:		1												1
ESTIMATED:		-												-

TOTALS FOR GSPT CHINOOK

													TOTALS
	JA 31	FE 28	MR 13	MR 27	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	
OBSERVED:	8	4	3	6	28	35	65	60	81	63	196	283	
ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	NO 6	NO 20	DE 25	DE 31		
OBSERVED:	262	365	242	252	143	88	51	44	29	116	23		2447
ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR & CTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1:	2 8	72	WDF	JL 31			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	1:	6 7	73	WDF	JL 31			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	2:	3 2	73	CFSO	JL 3			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	2:	15 1	73	CFSO	SE 11			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	11:	1 2	73	UW	JL 3			
	OBSERVED:				1			1
	ESTIMATED:				-			-
NO PIN					JL 31	SE 11		
	OBSERVED:				1	1		2
	ESTIMATED:				-	-		-

TOTALS FOR NTR & CTR   CHINOOK

	JL 3	JL 31	SE 11	TOTALS
OBSERVED:	2	3	2	7
ESTIMATED:	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR & NWTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING: AU 28	TOTALS
BINARY	2:	5 1	72	CFSO	AU 28	
	OBSERVED:				2	2
	ESTIMATED:				-	-
NO PIN					AU 28	
	OBSERVED:				3	3
	ESTIMATED:				-	-

TOTALS FOR CTR & NWTR   CHINOOK

	AU 28	TOTALS
OBSERVED:	5	5
ESTIMATED:	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:	TOTALS
FIN MK	AD/LV/RV		AGE 0.3	JL 17	
	OBSERVED:			1	1
	ESTIMATED:			-	-
FIN MK	AD/LP		AGE 8.0	JL 31	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1:	7 10		JL 3	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	5:	2 1	72 FWS	JL 31	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	5:	3 1	72 FWS	MY 22	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	5:	4 1	73 FWS	SE 25	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	5:	4 8	73 FWS	MY 8	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	5:	5 1	73 FWS	JL 3	
	OBSERVED:			1	1
	ESTIMATED:			-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	7:	10 13	73 ODFW	JN 19		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	11:	1 3	73 UW	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	8 7	72 WDF	JN 19		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	10 15	72 WDF	JL 3		
	OBSERVED:			2		2
	ESTIMATED:			-		-
BINARY	15:	13 4	72 WDF	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	14 3	72 WDF	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	15 13	72 WDF	AU 28		
	OBSERVED:			1		1
	ESTIMATED:			-		-
PIN LOST				JL 17	SE 25	
	OBSERVED:			1	1	2
	ESTIMATED:			-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:								TOTALS
NO PIN				MY 8	JL 3	JL 31					
OBSERVED:				1	1	1						3
ESTIMATED:				-	-	-						-

TOTALS FOR NWTR & SWTR CHINOOK	MY 8	MY 22	JN 19	JL 3	JL 17	JL 31	AU 28	SE 25	TOTALS
OBSERVED:	2	1	2	7	2	4	1	2	21
ESTIMATED:	-	-	-	-	-	-	-	-	-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:	TOTALS
FIN MK	AD/D		AGE 0.2		JN 5	
	OBSERVED:				1	1
	ESTIMATED:				-	-
FIN MK	AD/LV		AGE 0.3		JN 5	
	OBSERVED:				1	1
	ESTIMATED:				-	-
FIN MK	AD/LV		AGE 8.0		JN 19	
	OBSERVED:				1	1
	ESTIMATED:				-	-
FIN MK	AD/RP		AGE 8.0		JN 19	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	1:	2 10	72	WDF	JN 5	
	OBSERVED:				2	2
	ESTIMATED:				-	-
BINARY	1:	12 2	73	WDF	JL 17	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	2:	5 6	73	CFSO	AU 28	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	5:	1 1	72	FWS	JN 19	
	OBSERVED:				1	1
	ESTIMATED:				-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	5:	2 1	72	FWS	JN 5	AU 14		
	OBSERVED:				2	3		5
	ESTIMATED:				-	-		-
BINARY	5:	3 1	72	FWS	JN 5	AU 28		
	OBSERVED:				1	1		2
	ESTIMATED:				-	-		-
BINARY	5:	4 1	73	FWS	JN 5	JN 19	AU 14	
	OBSERVED:				4	1	2	7
	ESTIMATED:				-	-	-	-
BINARY	5:	5 1	73	FWS	JL 17	AU 14		
	OBSERVED:				2	1		3
	ESTIMATED:				-	-		-
BINARY	7:	10 10	73	ODFW	AU 14			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	7:	10 13	73	ODFW	JN 5			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	11:	1 1	73	UW	JN 5			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	11:	1 3	73	UW	JN 19	AU 14		
	OBSERVED:				1	2		3
	ESTIMATED:				-	-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	11:	1 4	73 UW	JN 19	AU 14	
	OBSERVED:			1	1	2
	ESTIMATED:			-	-	-
BINARY	11:	1 5	73 UW	JN 5		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	11:	1 6	73 UW	JL 17	AU 14	
	OBSERVED:			1	1	2
	ESTIMATED:			-	-	-
BINARY	11:	1 7	73 UW	JN 5		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	13:	1 3		AU 14		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	0 15	71 WDF	JN 5		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	5 12	72 WDF	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	6 7	71 WDF	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	15: 6 11	71	WDF	JN 5		
OBSERVED:				1		1
ESTIMATED:				-		-
BINARY	15: 7 1	71	WDF	JL 17		
OBSERVED:				1		1
ESTIMATED:				-		-
BINARY	15: 8 7	72	WDF	JN 19	JL 17	
OBSERVED:				1	1	2
ESTIMATED:				-	-	-
BINARY	15: 8 11	72	WDF	JN 5		
OBSERVED:				1		1
ESTIMATED:				-		-
BINARY	15: 9 5	72	WDF	JN 5		
OBSERVED:				1		1
ESTIMATED:				-		-
BINARY	15: 10 11	72	WDF	JN 5		
OBSERVED:				1		1
ESTIMATED:				-		-
BINARY	15: 10 12	72	WDF	JN 5		
OBSERVED:				1		1
ESTIMATED:				-		-
BINARY	15: 11 1	72	WDF	AU 14		
OBSERVED:				1		1
ESTIMATED:				-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR CHINOOK

TAG TYPE /AREA	AGENCY DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:			TOTALS
BINARY 15:	11 10	72 WDF	JN 19	JL 17		
OBSERVED:			1	1		2
ESTIMATED:			-	-		-
BINARY 15:	12 4	72 WDF	JN 5	JN 19		
OBSERVED:			1	1		2
ESTIMATED:			-	-		-
BINARY 15:	12 8	72 FWS	JN 5			
OBSERVED:			2			2
ESTIMATED:			-			-
BINARY 15:	13 6	73 WDF	AU 14			
OBSERVED:			1			1
ESTIMATED:			-			-
BINARY 15:	13 12	73 WDF	JN 19			
OBSERVED:			1			1
ESTIMATED:			-			-
BINARY 15:	14 5	72 WDF	JN 5			
OBSERVED:			1			1
ESTIMATED:			-			-
PIN LOST			AU 14			
OBSERVED:			1			1
ESTIMATED:			-			-
NO PIN			AU 14	AU 28	SE 11	
OBSERVED:			4	3	1	8
ESTIMATED:			-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TOTALS FOR NW/SW/WOTR CHINOOK	JN 5	JN 19	JL 17	AU 14	AU 28	SE 11	TOTALS
OBSERVED:	25	10	7	21	5	1	69
ESTIMATED:	-	-	-	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & WOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING: JN 19	TOTALS
BINARY	5:	1 1	72 FWS	JN 19	
	OBSERVED:			2	2
	ESTIMATED:			-	-
BINARY	5:	3 1	72 FWS	JN 19	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	11:	1 8	73 UW	JN 19	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	15:	0 14	71 WDF	JN 19	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	15:	5 13	71 WDF	JN 19	
	OBSERVED:			1	1
	ESTIMATED:			-	-

TOTALS FOR NWTR & WOTR CHINOOK

	JN 19	TOTALS
OBSERVED:	6	6
ESTIMATED:	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
FIN MK	AD/LV		AGE 8.0	MY 8	AU 14	
	OBSERVED:			1	1	2
	ESTIMATED:			-	-	-
FIN MK	AD/LV/RV		AGE 0.3	MY 8		
	OBSERVED:			1		1
	ESTIMATED:			-		-
FIN MK	AD/RV		AGE 0.2	MY 8		
	OBSERVED:			1		1
	ESTIMATED:			-		-
FIN MK	AD/RV		AGE 0.3	MY 8		
	OBSERVED:			1		1
	ESTIMATED:			-		-
FIN MK	AD/LP		AGE 0.0	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			-		-
FIN MK	AD/LP		AGE 0.3	MY 8		
	OBSERVED:			1		1
	ESTIMATED:			-		-
FIN MK	AD/RP		AGE 0.3	MY 22		
	OBSERVED:			1		1
	ESTIMATED:			-		-
FIN MK	AD/RM		AGE 0.3	MY 8		
	OBSERVED:			1		1
	ESTIMATED:			-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
FIN MK	AD/D/RP	AGE 8.0	MY 22		
	OBSERVED:		1		1
	ESTIMATED:		-		-
FIN MK	AD/LV/LM	AGE 8.0	MY 8		
	OBSERVED:		1		1
	ESTIMATED:		-		-
BINARY	1: 2 2	72 WDF	AU 14		
	OBSERVED:		1		1
	ESTIMATED:		-		-
BINARY	1: 2 5	73 WDF	OC 9		
	OBSERVED:		1		1
	ESTIMATED:		-		-
BINARY	1: 2 6	73 WDF	SE 11		
	OBSERVED:		1		1
	ESTIMATED:		-		-
BINARY	1: 3 7	72 COOP	MY 8	AU 14	
	OBSERVED:		1	1	2
	ESTIMATED:		-	-	-
BINARY	1: 3 8	72 WDF	MY 22		
	OBSERVED:		1		1
	ESTIMATED:		-		-
BINARY	1: 6 7	73 WDF	JL 31		
	OBSERVED:		1		1
	ESTIMATED:		-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	1:	6 8	73 WDF	AU 28					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	1:	11 5	73 WDF	AU 14					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	1:	11 7	73 WDF	AU 14					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	1:	13 8	73 WDF	JN 5					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	2:	7 1	72 CFSO	MY 8					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	2:	15 1	73 CFSO	MY 8					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	5:	1 1	72 FWS	MY 8	MY 22	JN 19	JL 31	AU 14	
	OBSERVED:			2	1	2	1	4	10
	ESTIMATED:			-	-	-	-	-	-
BINARY	5:	2 1	72 FWS	MY 8	JN 5	JL 3	JL 31		
	OBSERVED:			3	1	1	1		6
	ESTIMATED:			-	-	-	-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	5:	3 1	72	FWS	MY 8	MY 22	JN 5	JL 31	AU 14	AU 28	
	OBSERVED:				3	2	1	1	1	1	9
	ESTIMATED:				-	-	-	-	-	-	-
BINARY	5:	3 6	73	FWS	SE 11						
	OBSERVED:				1						1
	ESTIMATED:				-						-
BINARY	5:	4 1	73	FWS	MY 8	MY 22	JN 5	JL 17	JL 31	AU 14	
	OBSERVED:				3	2	1	1	4	3	14
	ESTIMATED:				-	-	-	-	-	-	-
BINARY	5:	5 1	73	FWS	MY 8	MY 22	JL 3	JL 31			
	OBSERVED:				1	1	1	1			4
	ESTIMATED:				-	-	-	-			-
BINARY	5:	6 1	73	FWS	MY 8	MY 22	AU 14				
	OBSERVED:				2	1	2				5
	ESTIMATED:				-	-	-				-
BINARY	5:	8 1	73	FWS	MY 8	JN 19					
	OBSERVED:				1	1					2
	ESTIMATED:				-	-					-
BINARY	5:	10 7	73	FWS	MY 22	AU 14					
	OBSERVED:				1	1					2
	ESTIMATED:				-	-					-
BINARY	5:	13 6	73	FWS	JN 19						
	OBSERVED:				1						1
	ESTIMATED:				-						-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	5: 14 6	73	FWS	MY 8					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	7: 10 13	73	ODFW	MY 8	JN 5	JN 19	AU 14	SE 11	
	OBSERVED:			1	1	1	1	1	5
	ESTIMATED:			-	-	-	-	-	-
BINARY	11: 1 3	73	UW	JN 5	JN 19	JL 3	JL 17	JL 31	
	OBSERVED:			1	1	1	1	2	6
	ESTIMATED:			-	-	-	-	-	-
BINARY	11: 1 4	73	UW	MY 22	JN 19				
	OBSERVED:			1	1				2
	ESTIMATED:			-	-				-
BINARY	11: 1 5	73	UW	MY 8	JN 5	JL 31	AU 14		
	OBSERVED:			1	1	1	1		4
	ESTIMATED:			-	-	-	-		-
BINARY	11: 1 6	73	UW	JL 31	AU 14				
	OBSERVED:			1	1				2
	ESTIMATED:			-	-				-
BINARY	11: 1 7	73	UW	JL 31	AU 14				
	OBSERVED:			1	1				2
	ESTIMATED:			-	-				-
BINARY	11: 1 8	73	UW	MY 22	JN 5	JN 19	JL 17	AU 14	
	OBSERVED:			1	1	1	1	1	5
	ESTIMATED:			-	-	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	14:	15 12			MY 8		
		OBSERVED:			1		1
		ESTIMATED:			-		-
BINARY	15:	0 15	71	WDF	JL 31		
		OBSERVED:			1		1
		ESTIMATED:			-		-
BINARY	15:	1 2	71	WDF	JL 31		
		OBSERVED:			1		1
		ESTIMATED:			-		-
BINARY	15:	1 5	71	WDF	MY 8		
		OBSERVED:			1		1
		ESTIMATED:			-		-
BINARY	15:	1 13	71	WDF	AU 14		
		OBSERVED:			1		1
		ESTIMATED:			-		-
BINARY	15:	3 2	71	WDF	MY 22	JL 3	
		OBSERVED:			1	1	2
		ESTIMATED:			-	-	-
BINARY	15:	3 8	71	WDF	JN 19		
		OBSERVED:			1		1
		ESTIMATED:			-		-
BINARY	15:	5 0	71	WDF	MY 8	MY 22	
		OBSERVED:			1	1	2
		ESTIMATED:			-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	15:	5 9	72	WDF	JL 31	AU 14					
OBSERVED:					1	1					2
ESTIMATED:					-	-					-
BINARY	15:	6 4	72	WDF	JL 31						
OBSERVED:					1						1
ESTIMATED:					-						-
BINARY	15:	7 15	71	WDF	JN 19						
OBSERVED:					1						1
ESTIMATED:					-						-
BINARY	15:	8 7	72	WDF	MY 8	MY 22	JN 5	JN 19	JL 17	JL 31	
OBSERVED:					1	2	1	1	1	1	7
ESTIMATED:					-	-	-	-	-	-	-
BINARY	15:	8 12	72	WDF	MY 8						
OBSERVED:					1						1
ESTIMATED:					-						-
BINARY	15:	8 15	72	WDF	JN 19						
OBSERVED:					1						1
ESTIMATED:					-						-
BINARY	15:	9 4	72	WDF	MY 8						
OBSERVED:					3						3
ESTIMATED:					-						-
BINARY	15:	9 5	72	WDF	MY 8	JL 31	SE 11				
OBSERVED:					1	1	1				3
ESTIMATED:					-	-	-				-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WDTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	15:	9 6	72 WDF	MY 8	MY 22	
	OBSERVED:			2	1	3
	ESTIMATED:			-	-	-
BINARY	15:	9 7	72 WDF	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	10 10	72 WDF	MY 8	JL 3	
	OBSERVED:			2	1	3
	ESTIMATED:			-	-	-
BINARY	15:	10 11	72 WDF	MY 22		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	11 1	72 WDF	MY 22		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	11 9	72 WDF	JN 19		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	11 11	72 WDF	JN 5		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	15:	11 15	72 COOP	JL 17		
	OBSERVED:			1		1
	ESTIMATED:			-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR CHINOOK

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE / DATA	B.Y	ISSUED BY				TOTALS
BINARY 15: 12 1	72	WDF	AU 14			
OBSERVED:			2			2
ESTIMATED:			-			-
BINARY 15: 12 3	72	WDF	MY 22			
OBSERVED:			1			1
ESTIMATED:			-			-
BINARY 15: 12 4	72	WDF	AP 24	MY 8	JN 19	
OBSERVED:			1	1	1	3
ESTIMATED:			-	-	-	-
BINARY 15: 12 7	72	WDF	MY 22			
OBSERVED:			1			1
ESTIMATED:			-			-
BINARY 15: 12 10	72	WDF	AP 24	AU 14		
OBSERVED:			1	1		2
ESTIMATED:			-	-		-
BINARY 15: 12 13	72	WDF	MY 22			
OBSERVED:			1			1
ESTIMATED:			-			-
BINARY 15: 13 1	73	WDF	JL 31			
OBSERVED:			1			1
ESTIMATED:			-			-
BINARY 15: 13 2	72	WDF	JN 5			
OBSERVED:			1			1
ESTIMATED:			-			-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WDTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	15:	13 6	73	WDF	MY 22	JL 31		
	OBSERVED:				1	1		2
	ESTIMATED:				-	-		-
BINARY	15:	13 7	72	WDF	JL 17			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	15:	13 12	73	WDF	MY 8	JL 31		
	OBSERVED:				1	1		2
	ESTIMATED:				-	-		-
BINARY	15:	13 13	73	WDF	MY 22			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	15:	14 3	72	WDF	MY 22			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	15:	14 5	72	WDF	MY 8	MY 22	AU 14	
	OBSERVED:				1	2	1	4
	ESTIMATED:				-	-	-	-
BINARY	15:	14 12	72	WDF	MY 8			
	OBSERVED:				2			2
	ESTIMATED:				-			-
BINARY	15:	15 12	72	WDF	MY 8			
	OBSERVED:				1			1
	ESTIMATED:				-			-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR CHINOOK

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y | ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

TAG TYPE / DATA	B.Y	ISSUED BY		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	TOTALS
BINARY 15: 15 13	72	WDF	OBSERVED:				1									1
			ESTIMATED:				-									-
BINARY 15: 15 14	72	WDF	OBSERVED:				1									1
			ESTIMATED:				-									-
PIN LOST			OBSERVED:			2						2				4
			ESTIMATED:			-						-				-
NO PIN			OBSERVED:	2	28	6	1	2	2	2	2	8				53
			ESTIMATED:	-	-	-	-	-	-	-	-	-				-
NO DATA			OBSERVED:		1											1
			ESTIMATED:		-											-
TOTALS FOR SWTR & WOTR CHINOOK			OBSERVED:	4	76	36	14	16	8	8	25	38	2	4	1	232
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR & JFTR CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	AP 10	AP 17	TOTALS
BINARY	5:	6 1	73	FWS			
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	11:	1 7	73	UW			
	OBSERVED:					1	1
	ESTIMATED:					-	-
BINARY	15:	1 8	71	WDF			
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	15:	7 12	71	WDF			
	OBSERVED:				1		1
	ESTIMATED:				-		-
PIN LOST							
	OBSERVED:				1		1
	ESTIMATED:				-		-
NO PIN							
	OBSERVED:				1		1
	ESTIMATED:				-		-

TOTALS FOR WOTR & JFTR CHINOOK

	AP 10	AP 17	TOTALS
OBSERVED:	5	1	6
ESTIMATED:	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & NWVN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING: JL 3	TOTALS
BINARY	2:	11 1	72 CFSO		1
	OBSERVED:			1	-
	ESTIMATED:			-	
BINARY	5:	3 1	72 FWS		1
	OBSERVED:			1	-
	ESTIMATED:			-	
BINARY	5:	4 1	73 FWS		1
	OBSERVED:			1	-
	ESTIMATED:			-	
BINARY	15:	10 14	72 WDF		1
	OBSERVED:			1	-
	ESTIMATED:			-	
BINARY	15:	11 1	72 WDF		1
	OBSERVED:			1	-
	ESTIMATED:			-	
BINARY	15:	15 14	72 WDF		1
	OBSERVED:			1	-
	ESTIMATED:			-	
NO PIN					2
	OBSERVED:			2	-
	ESTIMATED:			-	
TOTALS FOR NWTR & NWVN CHINOOK				JL 3	8
	OBSERVED:			8	-
	ESTIMATED:			-	

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR & GSN   CHINOOK

```
 TAG  AGENCY  DATA  B.Y ISSUED  FOR  WEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3      BY
                                                                  TOTALS

BINARY  1:  2  2    72 WDF     JN 19
        OBSERVED:                 1                                    1
        ESTIMATED:                -                                    -

BINARY  1: 15  8    73 WDF     SE 11
        OBSERVED:                 1                                    1
        ESTIMATED:                -                                    -

BINARY  2:  7  1    72 CFSO    JN 19
        OBSERVED:                 1                                    1
        ESTIMATED:                -                                    -

BINARY  2: 10  2    74 CFSO    SE 11
        OBSERVED:                 2                                    2
        ESTIMATED:                -                                    -

BINARY  2: 12  2    73 CFSO    SE 11
        OBSERVED:                 2                                    2
        ESTIMATED:                -                                    -

BINARY  2: 15  1    73 CFSO    JN 19   SE 11
        OBSERVED:                 5       1                            6
        ESTIMATED:                -       -                            -

BINARY  8:  5 12               SE 11
        OBSERVED:                 1                                    1
        ESTIMATED:                -                                    -

BINARY 11:  1  8    73 UW      JN 19
        OBSERVED:                 1                                    1
        ESTIMATED:                -                                    -
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR & GSN   CHINOOK

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY		JN 19	SE 11	TOTALS
BINARY 15:	2 1	71 WDF				
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY 15:	8 15	72 WDF				
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY 15:	13 5	72 COOP				
	OBSERVED:			1		1
	ESTIMATED:			-		-
COLOUR BL:	XY GN	73 CFSO				
	OBSERVED:			1		1
	ESTIMATED:			-		-
COLOUR BL:	RD	73 CFSO				
	OBSERVED:			1		1
	ESTIMATED:			-		-
COLOUR BL:	RD GD	73 CFSO				
	OBSERVED:			1		1
	ESTIMATED:			-		-
NO PIN						
	OBSERVED:			1		1
	ESTIMATED:			-		-

TOTALS FOR GSTR & GSN   CHINOOK

	JN 19	SE 11	TOTALS
OBSERVED:	15	7	22
ESTIMATED:	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN & CN   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:		TOTALS
BINARY	1:	2 6	73	WDF	JL 24		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	1:	12 9	73	WDF	JL 24		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	1:	13 5	74	WDF	JL 24		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	1:	15 9	73	WDF	JL 10		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	2:	3 2	73	CFSO	JL 24		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	2:	4 11	75	CFSO	JL 24		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	2:	7 1	72	CFSO	JL 24		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	2:	10 2	74	CFSO	JL 10	JL 24	
	OBSERVED:				1	7	8
	ESTIMATED:				-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN & CN CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY		WEEKLY PERIODS ENDING:		TOTALS
BINARY	2:	12 2	73	CFSO		JL 10		
	OBSERVED:					2		2
	ESTIMATED:					-		-
BINARY	2:	14 2	74	CFSO		JL 24		
	OBSERVED:					1		1
	ESTIMATED:					-		-
BINARY	2:	15 1	73	CFSO		JL 10	JL 24	
	OBSERVED:					3	2	5
	ESTIMATED:					-	-	-
BINARY	5:	5 1	73	FWS		JL 24		
	OBSERVED:					1		1
	ESTIMATED:					-		-
BINARY	11:	1 2	73	UW		JL 10	JL 24	
	OBSERVED:					1	1	2
	ESTIMATED:					-	-	-
BINARY	13:	1 4	73	WDF		JL 24		
	OBSERVED:					3		3
	ESTIMATED:					-		-
COLOUR	BL:	RD	73	CFSO		JL 24		
	OBSERVED:					1		1
	ESTIMATED:					-		-
COLOUR	BL:	RD GD	73	CFSO		JL 10	JL 24	
	OBSERVED:					1	1	2
	ESTIMATED:					-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN & CN   CHINOOK

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING: JL 10	TOTALS
NO PIN						
OBSERVED:					4	4
ESTIMATED:					-	-

TOTALS FOR JSN & CN   CHINOOK

	JL 10	JL 24	TOTALS
OBSERVED:	13	23	36
ESTIMATED:	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1:	5 3	73 WDF	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	1:	5 4	73 WDF	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	1:	7 9	73 WDF	AU 14			
	OBSERVED:			1			1
	ESTIMATED:			4			4
BINARY	1:	9 3	73 WDF	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	1:	9 7	73 WDF	SE 11			
	OBSERVED:			2			2
	ESTIMATED:			11			11
BINARY	1:	12 10	73 WDF	AU 14			
	OBSERVED:			1			1
	ESTIMATED:			4			4
BINARY	1:	12 12	73 WDF	JL 17	JL 31	AU 28	
	OBSERVED:			4	2	2	8
	ESTIMATED:			13	8	10	31
BINARY	1:	13 13	73 WDF	JL 31			
	OBSERVED:			1			1
	ESTIMATED:			4			4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1: 15 7	73	WDF	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	1: 15 12	73	WDF	JL 31			
	OBSERVED:			1			1
	ESTIMATED:			4			4
BINARY	1: 15 14	73	WDF	JL 31	SE 11		
	OBSERVED:			1	1		2
	ESTIMATED:			4	7		11
BINARY	2: 2 4	73	CFSO	JL 17	AU 14	SE 11	
	OBSERVED:			1	1	1	3
	ESTIMATED:			3	4	7	14
BINARY	2: 9 2	73	CFSO	JL 17	JL 31	AU 14	
	OBSERVED:			4	3	2	9
	ESTIMATED:			13	13	7	33
BINARY	2: 9 5	73	CFSO	SE 11			
	OBSERVED:			1			1
	ESTIMATED:			7			7
BINARY	4: 1 7	73	ADFG	AU 14			
	OBSERVED:			2			2
	ESTIMATED:			10			10
BINARY	8: 4 5	73	CFSR	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			3			3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	8:	4 8	73 CFSR	JL 17		
	OBSERVED:			1		1
	ESTIMATED:			3		3
BINARY	8:	4 12	73 CFSR	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			4		4
BINARY	8:	4 14	73 CFSR	JL 17		
	OBSERVED:			1		1
	ESTIMATED:			3		3
BINARY	8:	5 5	73 CFSR	JL 17		
	OBSERVED:			1		1
	ESTIMATED:			3		3
BINARY	8:	5 8	73 CFSR	JL 17		
	OBSERVED:			1		1
	ESTIMATED:			3		3
BINARY	8:	5 15	73 CFSR	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			4		4
BINARY	13:	1 3	73 WDF	JL 3	JL 17	
	OBSERVED:			1	1	2
	ESTIMATED:			7	3	10
BINARY	14:	7 2	73 FWS	SE 11		
	OBSERVED:			1		1
	ESTIMATED:			4		4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NTR COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	TOTALS
PIN LOST	JL 3	JL 17	AU 14					
OBSERVED:	1	1	1					3
ESTIMATED:	7	3	4					14
NO PIN	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
OBSERVED:	11	23	17	14	17	2	1	85
ESTIMATED:	44	77	71	57	87	15	14	365
TOTALS FOR NTR COHO	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
OBSERVED:	13	43	27	22	19	8	1	133
ESTIMATED:	58	139	112	90	97	51	14	561

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1: 3 13	73	WDF	JL 3	JL 31	AU 14	
	OBSERVED:			1	1	1	3
	ESTIMATED:			6	3	3	12
BINARY	1: 4 15	73	WDF	AU 14			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	1: 5 1	73	WDF	JL 31			
	OBSERVED:			1			1
	ESTIMATED:			2			2
BINARY	1: 5 3	73	WDF	JL 3	JL 17	AU 14	
	OBSERVED:			1	1	1	3
	ESTIMATED:			4	4	3	11
BINARY	1: 5 4	73	WDF	JL 31	AU 28		
	OBSERVED:			1	1		2
	ESTIMATED:			3	3		6
BINARY	1: 5 5	73	WDF	JL 17	AU 28		
	OBSERVED:			1	1		2
	ESTIMATED:			4	3		7
BINARY	1: 6 15	73	WDF	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			4			4
BINARY	1: 7 1	73	WDF	JL 31			
	OBSERVED:			1			1
	ESTIMATED:			3			3

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1:	7 2	73 WDF	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	1:	7 3	73 WDF	JL 31	AU 14		
	OBSERVED:			1	1		2
	ESTIMATED:			2	3		5
BINARY	1:	7 4	73 WDF	JL 3	JL 17	AU 28	
	OBSERVED:			1	1	1	3
	ESTIMATED:			4	4	3	11
BINARY	1:	7 6	73 WDF	AU 14			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	1:	7 7	73 WDF	JL 3	JL 31	AU 28	
	OBSERVED:			1	1	1	3
	ESTIMATED:			6	3	14	23
BINARY	1:	7 8	73 WDF	JL 17	AU 14		
	OBSERVED:			1	1		2
	ESTIMATED:			3	6		9
BINARY	1:	7 9	73 WDF	JL 3			
	OBSERVED:			1			1
	ESTIMATED:			6			6
BINARY	1:	7 10	73 WDF	JL 3	JL 31	AU 14	
	OBSERVED:			1	1	1	3
	ESTIMATED:			6	3	3	12

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	1: 7 11	73 WDF	JL 3		1
	OBSERVED:		1		6
	ESTIMATED:		6		
BINARY	1: 7 12	73 WDF	JL 17	JL 31	2
	OBSERVED:		1	1	6
	ESTIMATED:		4	2	
BINARY	1: 7 13	73 WDF	JL 3	JL 17	2
	OBSERVED:		1	1	10
	ESTIMATED:		6	4	
BINARY	1: 7 14	73 WDF	AU 14		1
	OBSERVED:		1		3
	ESTIMATED:		3		
BINARY	1: 7 15	73 WDF	JL 3	JL 17	2
	OBSERVED:		1	1	9
	ESTIMATED:		6	3	
BINARY	1: 8 1	73 WDF	JL 31		1
	OBSERVED:		1		3
	ESTIMATED:		3		
BINARY	1: 8 3	73 WDF	AU 14		1
	OBSERVED:		1		3
	ESTIMATED:		3		
BINARY	1: 8 6	73 WDF	JL 17	JL 31	3
	OBSERVED:		1	2	9
	ESTIMATED:		4	5	

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	1: 8 8	73	WDF	AU 14				
	OBSERVED:			2				2
	ESTIMATED:			5				5
BINARY	1: 8 15	73	WDF	JL 17	JL 31	AU 14		
	OBSERVED:			1	1	1		3
	ESTIMATED:			3	3	3		9
BINARY	1: 9 1	73	WDF	JL 17	AU 28			
	OBSERVED:			1	1			2
	ESTIMATED:			3	3			6
BINARY	1: 9 3	73	WDF	JL 3	JL 17	AU 14	SE 11	
	OBSERVED:			3	1	1	1	6
	ESTIMATED:			15	4	3	11	33
BINARY	1: 9 4	73	WDF	JL 17				
	OBSERVED:			1				1
	ESTIMATED:			4				4
BINARY	1: 9 5	73	WDF	JL 3	JL 17	JL 31		
	OBSERVED:			3	1	2		6
	ESTIMATED:			17	3	5		25
BINARY	1: 9 6	73	WDF	JL 17	JL 31			
	OBSERVED:			2	1			3
	ESTIMATED:			7	2			9
BINARY	1: 9 7	73	WDF	JL 17	JL 31			
	OBSERVED:			1	1			2
	ESTIMATED:			4	3			7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	1: 9 8		73 WDF	JL 31						
	OBSERVED:			1						1
	ESTIMATED:			2						2
BINARY	1: 9 9		73 WDF	JN 19	JL 31	AU 14	AU 28			
	OBSERVED:			1	1	1	1			4
	ESTIMATED:			3	3	3	3			12
BINARY	1: 12 10		73 WDF	JL 3	JL 17					
	OBSERVED:			1	2					3
	ESTIMATED:			6	5					11
BINARY	1: 12 11		73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			2	1	6	6	1	1	17
	ESTIMATED:			6	6	17	15	3	3	50
BINARY	1: 12 12		73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28		
	OBSERVED:			5	2	9	2	1		19
	ESTIMATED:			22	7	23	9	3		64
BINARY	1: 13 1		73 WDF	JL 3	JL 17	JL 31	AU 14			
	OBSERVED:			1	1	1	1			4
	ESTIMATED:			6	3	2	3			14
BINARY	1: 13 2		73 WDF	JL 3	JL 17	JL 31				
	OBSERVED:			2	3	6				11
	ESTIMATED:			10	11	15				36
BINARY	1: 13 3		73 WDF	JL 3	JL 17	JL 31				
	OBSERVED:			3	3	1				7
	ESTIMATED:			17	11	3				31

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	1:	13 6	73	WDF	JN 19	JL 17				
	OBSERVED:				1	1				2
	ESTIMATED:				3	3				6
BINARY	1:	13 7	73	WDF	JL 17	JL 31	AU 14			
	OBSERVED:				2	3	3			8
	ESTIMATED:				5	7	8			20
BINARY	1:	13 12	73	WDF	JL 17	AU 28				
	OBSERVED:				1	1				2
	ESTIMATED:				4	14				18
BINARY	1:	13 13	73	WDF	JN 19	JL 3	JL 17	JL 31	AU 14	
	OBSERVED:				1	3	3	1	1	9
	ESTIMATED:				3	17	12	3	3	38
BINARY	1:	14 1	73	WDF	JN 19	JL 3	JL 17	JL 31	AU 14	
	OBSERVED:				1	1	1	3	1	7
	ESTIMATED:				3	4	3	7	3	20
BINARY	1:	14 2	73	WDF	JL 17	JL 31				
	OBSERVED:				2	2				4
	ESTIMATED:				7	5				12
BINARY	1:	14 7	73	WDF	JN 19	JL 3	JL 17	JL 31	AU 14	
	OBSERVED:				1	1	2	1	1	6
	ESTIMATED:				3	6	8	3	3	23
BINARY	1:	14 9	73	WDF	JL 3	JL 17	JL 31			
	OBSERVED:				2	2	1			5
	ESTIMATED:				10	7	2			19

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR   COHO

```
 TAG  AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3      BY
                                                                                   TOTALS

BINARY  1: 15  2    73 COOP     JL 3   JL 17   JL 31
        OBSERVED:                  1       1       1                                    3
        ESTIMATED:                 6       4       3                                   13

BINARY  1: 15  4    73 WDF     AU 14   AU 28
        OBSERVED:                  1       1                                            2
        ESTIMATED:                 3       3                                            6

BINARY  1: 15  5    73 WDF      JL 3   JL 17   JL 31   AU 14   AU 28
        OBSERVED:                  1       1       1       1       1                    5
        ESTIMATED:                 4       4       2       3       3                   16

BINARY  1: 15  6    73 WDF     JL 17   JL 31   AU 14
        OBSERVED:                  2       1       1                                    4
        ESTIMATED:                 7       2       3                                   12

BINARY  1: 15  7    73 WDF      JL 3   JL 17   JL 31   AU 28
        OBSERVED:                  1       2       3       4                           10
        ESTIMATED:                 6       7       7      12                           32

BINARY  1: 15 12    73 WDF      JL 3   JL 17   AU 14   AU 28
        OBSERVED:                  1       4       1       2                            8
        ESTIMATED:                 6      15       3       6                           30

BINARY  1: 15 13    73 WDF     JL 31
        OBSERVED:                  1                                                    1
        ESTIMATED:                 3                                                    3

BINARY  1: 15 14    73 WDF     JL 17   AU 14   AU 28
        OBSERVED:                  1       1       3                                    5
        ESTIMATED:                 3       3      20                                   26
```

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	2:	2 4	73 CFSO	JL 3	JL 17	JL 31	AU 14	AU 28			
	OBSERVED:			4	12	6	6	1			29
	ESTIMATED:			16	37	15	15	14			97
BINARY	2:	4 5	73 CFSO	JL 17	JL 31	AU 14	AU 28				
	OBSERVED:			2	2	1	1				6
	ESTIMATED:			5	5	3	14				27
BINARY	2:	6 5	73 CFSO	AU 14							
	OBSERVED:			1							1
	ESTIMATED:			3							3
BINARY	2:	8 5	73 CFSO	JL 3	JL 31						
	OBSERVED:			1	1						2
	ESTIMATED:			4	3						7
BINARY	2:	9 2	73 CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:			30	62	125	105	52	29	6	409
	ESTIMATED:			83	300	389	268	151	199	67	1457
BINARY	2:	9 5	73 CFSO	JL 3	JL 17	AU 28					
	OBSERVED:			1	4	2					7
	ESTIMATED:			6	15	6					27
BINARY	2:	10 5	73 CFSO	JL 3	JL 17	JL 31	AU 14	AU 28			
	OBSERVED:			1	4	6	2	1			14
	ESTIMATED:			6	12	15	5	3			41
BINARY	2:	10 6	73 CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28		
	OBSERVED:			1	12	15	16	5	3		52
	ESTIMATED:			3	62	52	40	13	9		179

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR   COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	2: 14 5	73 CFSO	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:		1	1	1	1	4
	ESTIMATED:		4	3	3	3	13
BINARY	2: 15 1		JN 19				
	OBSERVED:		1				1
	ESTIMATED:		3				3
BINARY	2: 15 5	73 CFSO	JL 3	JL 17	AU 28		
	OBSERVED:		1	1	1		3
	ESTIMATED:		6	3	3		12
BINARY	4: 2 13	73 ADFG	JL 31				
	OBSERVED:		1				1
	ESTIMATED:		3				3
BINARY	4: 2 14	73 ADFG	JL 3				
	OBSERVED:		1				1
	ESTIMATED:		6				6
BINARY	8: 1 10	72 CFSR	JL 17				
	OBSERVED:		1				1
	ESTIMATED:		3				3
BINARY	8: 2 3	73 CFSR	JL 17	JL 31	AU 14		
	OBSERVED:		1	2	1		4
	ESTIMATED:		3	5	3		11
BINARY	8: 2 5	73 CFSR	JL 3	JL 17	JL 31		
	OBSERVED:		2	1	1		4
	ESTIMATED:		8	3	3		14

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	8:	2 6	73	CFSR	AU 14					
	OBSERVED:				2					2
	ESTIMATED:				5					5
BINARY	8:	2 8	73	CFSR	JN 19	JL 17	JL 31			
	OBSERVED:				1	1	2			4
	ESTIMATED:				3	4	5			12
BINARY	8:	2 9	73	CFSR	JL 17	JL 31	AU 14			
	OBSERVED:				2	2	1			5
	ESTIMATED:				7	5	3			15
BINARY	8:	2 10	73	CFSR	JL 17					
	OBSERVED:				1					1
	ESTIMATED:				3					3
BINARY	8:	2 11	73	CFSR	JL 17	JL 31	AU 14			
	OBSERVED:				2	1	1			4
	ESTIMATED:				7	3	3			13
BINARY	8:	2 12	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:				1	2	4	3	1	11
	ESTIMATED:				4	5	10	11	3	33
BINARY	8:	2 13	73	CFSR	JL 31					
	OBSERVED:				2					2
	ESTIMATED:				5					5
BINARY	8:	2 14	73	CFSR	JL 3	JL 31				
	OBSERVED:				4	1				5
	ESTIMATED:				19	3				22

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	8:	2 15	73	CFSR	JL 17	JL 31	AU 14		
	OBSERVED:				2	11	6		19
	ESTIMATED:				5	29	15		49
BINARY	8:	3 1	73	CFSR	AU 14				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	8:	3 2	73	CFSR	JL 3	JL 17	AU 14		
	OBSERVED:				3	2	1		6
	ESTIMATED:				15	5	3		23
BINARY	8:	3 3	73	CFSR	JL 3	JL 17			
	OBSERVED:				1	2			3
	ESTIMATED:				6	5			11
BINARY	8:	3 4	73	CFSR	JN 19	JL 3	JL 31	AU 14	
	OBSERVED:				1	1	1	1	4
	ESTIMATED:				3	6	3	3	15
BINARY	8:	3 5	73	CFSR	JL 31	AU 14	AU 28		
	OBSERVED:				1	1	1		3
	ESTIMATED:				3	6	3		12
BINARY	8:	3 6	73	CFSR	JL 31	AU 28			
	OBSERVED:				2	1			3
	ESTIMATED:				5	14			19
BINARY	8:	3 8	73	CFSR	JL 17				
	OBSERVED:				2				2
	ESTIMATED:				5				5

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	8: 3 9	73	CFSR	JL 17	AU 14			
	OBSERVED:			1	2			3
	ESTIMATED:			4	9			13
BINARY	8: 3 10	73	CFSR	JL 3				
	OBSERVED:			1				1
	ESTIMATED:			6				6
BINARY	8: 3 11	73	CFSR	JN 19	JL 17	JL 31	AU 28	
	OBSERVED:			1	4	2	1	8
	ESTIMATED:			3	12	5	3	23
BINARY	8: 3 12	73	CFSR	JN 19	JL 3	JL 17		
	OBSERVED:			1	1	2		4
	ESTIMATED:			3	4	5		12
BINARY	8: 3 13	73	CFSR	JN 19				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	8: 3 14	73	CFSR	JL 3	JL 31			
	OBSERVED:			1	2			3
	ESTIMATED:			4	5			9
BINARY	8: 3 15	73	CFSR	JL 31				
	OBSERVED:			2				2
	ESTIMATED:			5				5
BINARY	8: 4 1	73	CFSR	JL 17	JL 31			
	OBSERVED:			1	2			3
	ESTIMATED:			3	5			8

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	8:	4 2	73	CFSR	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28		
	OBSERVED:				1	2	2	3	2	1		11
	ESTIMATED:				3	11	5	7	5	14		45
BINARY	8:	4 3	73	CFSR	JL 3	JL 17	JL 31	AU 28				
	OBSERVED:				1	1	4	2				8
	ESTIMATED:				4	3	10	6				23
BINARY	8:	4 4	73	CFSR	AU 14							
	OBSERVED:				1							1
	ESTIMATED:				3							3
BINARY	8:	4 5	73	CFSR	JL 3	JL 17	JL 31	AU 14				
	OBSERVED:				1	3	3	1				8
	ESTIMATED:				6	9	7	3				25
BINARY	8:	4 6	73	CFSR	JN 19	JL 3	JL 17	JL 31	AU 28			
	OBSERVED:				2	1	1	3	1			8
	ESTIMATED:				6	6	3	8	3			26
BINARY	8:	4 7	73	CFSR	JN 19	JL 3	JL 17	AU 14				
	OBSERVED:				1	1	2	1				5
	ESTIMATED:				3	4	5	3				15
BINARY	8:	4 8	73	CFSR	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:				3	3	4	8	1	2	1	22
	ESTIMATED:				8	14	12	21	3	17	11	86
BINARY	8:	4 9	73	CFSR	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28		
	OBSERVED:				1	5	2	7	2	2		19
	ESTIMATED:				3	25	5	18	5	28		84

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	8: 4 11		73 CFSR	JN 19	JL 3	JL 17	JL 31	AU 28	
	OBSERVED:			1	4	7	2	4	18
	ESTIMATED:			3	19	21	5	34	82
BINARY	8: 4 12		73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			3	6	3	2	1	15
	ESTIMATED:			17	20	7	5	3	52
BINARY	8: 4 13		73 CFSR	JL 3	JL 17	AU 14	AU 28		
	OBSERVED:			2	2	1	1		6
	ESTIMATED:			10	5	3	3		21
BINARY	8: 4 14		73 CFSR	JN 19	JL 3	JL 17	JL 31	AU 14	
	OBSERVED:			2	4	4	3	1	14
	ESTIMATED:			6	21	15	8	3	53
BINARY	8: 4 15		73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			1	7	7	1	1	17
	ESTIMATED:			6	21	17	3	3	50
BINARY	8: 5 1		73 CFSR	JN 19	JL 3	JL 17	JL 31	AU 14	
	OBSERVED:			1	1	1	1	1	5
	ESTIMATED:			3	6	3	3	3	18
BINARY	8: 5 2		73 CFSR	JL 17	JL 31	AU 14			
	OBSERVED:			1	4	3			8
	ESTIMATED:			4	10	8			22
BINARY	8: 5 3		73 CFSR	JL 3	JL 17	JL 31	AU 14		
	OBSERVED:			1	2	3	3		9
	ESTIMATED:			4	7	8	8		27

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	8:	5 4	73 CFSR	JL 17	JL 31			
	OBSERVED:			1	2			3
	ESTIMATED:			4	5			9
BINARY	8:	5 5	73 CFSR	JL 3	JL 31			
	OBSERVED:			1	3			4
	ESTIMATED:			6	7			13
BINARY	8:	5 6	73 CFSR	JL 3	JL 17	JL 31	AU 28	
	OBSERVED:			1	1	4	2	8
	ESTIMATED:			6	4	10	17	37
BINARY	8:	5 7	73 CFSR	JL 3	AU 14			
	OBSERVED:			1	2			3
	ESTIMATED:			4	9			13
BINARY	8:	5 8	73 CFSR	JL 17	JL 31	AU 14		
	OBSERVED:			1	5	3		9
	ESTIMATED:			3	12	8		23
BINARY	8:	5 9	73 CFSR	JL 3	JL 17	JL 31		
	OBSERVED:			1	2	2		5
	ESTIMATED:			6	5	5		16
BINARY	8:	5 11	73 CFSR	JL 3	JL 17	AU 28		
	OBSERVED:			1	2	1		4
	ESTIMATED:			4	5	14		23
BINARY	8:	5 12	73 CFSR	JN 19	JL 17	JL 31		
	OBSERVED:			1	3	3		7
	ESTIMATED:			3	9	7		19

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR   COHO

```
 TAG  AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3      BY
                                                                                              TOTALS

BINARY  8:  5 13    73 CFSR     JL 3
        OBSERVED:                  1                                                              1
        ESTIMATED:                 6                                                              6

BINARY  8:  5 14    73 CFSR     JL 3    JL 17
        OBSERVED:                  1        1                                                     2
        ESTIMATED:                 6        3                                                     9

BINARY  8:  5 15    73 CFSR    JN 19    JL 17    JL 31    AU 14
        OBSERVED:                  1        1        3        1                                   6
        ESTIMATED:                 3        4        8        3                                  18

BINARY  8:  6  1    73 CFSR    JN 19     JL 3    JL 17    JL 31    AU 14    AU 28
        OBSERVED:                  1        2        4        3        3        1                14
        ESTIMATED:                 3       11       15        7       11       14                61

BINARY  8:  6  3    73 CFSR    JL 17    JL 31    AU 14    AU 28
        OBSERVED:                  2        3        4        1                                  10
        ESTIMATED:                 5        7       14       14                                  40

BINARY  8:  6  4    73 CFSR    JL 17    JL 31    AU 28
        OBSERVED:                  3        1        1                                            5
        ESTIMATED:                11        3        3                                           17

BINARY  8:  6  6    73 CFSR     JL 3    JL 17    AU 14    AU 28
        OBSERVED:                  1        1        1        1                                   4
        ESTIMATED:                 6        3        3       14                                  26

BINARY 13:  1  2    73 WDF     JL 31
        OBSERVED:                  1                                                              1
        ESTIMATED:                 3                                                              3
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:					TOTALS
BINARY 13: 1 3			73 WDF	JL 3	JL 17	AU 28			
OBSERVED:				2	2	1			5
ESTIMATED:				11	5	3			19
BINARY 13: 1 7			73 WDF	JL 17					
OBSERVED:				3					3
ESTIMATED:				9					9
BINARY 13: 2 12			74 WDF	AU 28					
OBSERVED:				1					1
ESTIMATED:				3					3
BINARY 13: 2 13			73 WDF	JL 3					
OBSERVED:				5					5
ESTIMATED:				26					26
BINARY 14: 7 2			73 FWS	JN 19	JL 3	JL 17	JL 31	AU 14	
OBSERVED:				1	1	2	1	1	6
ESTIMATED:				3	4	7	3	3	20
BINARY 14: 9 2			73 FWS	JN 19	JL 3	JL 17	JL 31	AU 28	
OBSERVED:				2	1	3	2	3	11
ESTIMATED:				6	6	9	5	9	35
BINARY 14: 10 2			73 FWS	JL 3	JL 17	JL 31			
OBSERVED:				1	2	1			4
ESTIMATED:				6	7	3			16
BINARY 14: 15 1			73 FWS	JL 3	AU 14				
OBSERVED:				1	1				2
ESTIMATED:				6	3				9

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR COHO

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

								TOTALS
PIN LOST	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28		
OBSERVED:	5	3	17	15	4	3		47
ESTIMATED:	14	12	54	39	14	43		176
NO PIN	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
OBSERVED:	14	70	81	85	60	27	6	343
ESTIMATED:	39	329	255	215	180	137	67	1222
NO DATA	JL 31							
OBSERVED:	1							1
ESTIMATED:	2							2

TOTALS FOR CTR COHO

	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	TOTALS
OBSERVED:	81	261	428	421	217	120	14	1542
ESTIMATED:	231	1294	1359	1070	651	749	156	5510

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR   COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY		BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	1: 3 13	73 WDF		JL 3	JL 31	AU 28			
			OBSERVED:	1	1	1			3
			ESTIMATED:	8	2	2			12
BINARY	1: 4 15	73 WDF		JN 19	JL 3	JL 17	JL 31	AU 28	
			OBSERVED:	2	1	1	1	3	8
			ESTIMATED:	5	8	3	11	9	36
BINARY	1: 5 1	73 WDF		JL 3	JL 17				
			OBSERVED:	1	1				2
			ESTIMATED:	11	15				26
BINARY	1: 5 2	73 WDF		JN 19					
			OBSERVED:	1					1
			ESTIMATED:	2					2
BINARY	1: 5 3	73 WDF		JL 3	JL 17	AU 14	AU 28	SE 11	
			OBSERVED:	3	1	1	1	1	7
			ESTIMATED:	29	3	6	2	12	52
BINARY	1: 5 4	73 WDF		JL 3					
			OBSERVED:	1					1
			ESTIMATED:	11					11
BINARY	1: 5 5	73 WDF		JN 19	JL 3	AU 28			
			OBSERVED:	1	1	1			3
			ESTIMATED:	2	8	4			14
BINARY	1: 7 1	73 WDF		AU 28	SE 11				
			OBSERVED:	1	1				2
			ESTIMATED:	2	4				6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	1: 7 2		73 WDF	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:			1	1	1	1			4
	ESTIMATED:			11	6	4	12			33
BINARY	1: 7 3		73 WDF	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:			1	1	1	2			5
	ESTIMATED:			2	6	2	16			26
BINARY	1: 7 4		73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			2	1	1	1	1	2	8
	ESTIMATED:			5	8	3	2	6	9	33
BINARY	1: 7 5		73 WDF	AU 28	SE 11					
	OBSERVED:			1	1					2
	ESTIMATED:			2	4					6
BINARY	1: 7 6		73 WDF	JL 3						
	OBSERVED:			3						3
	ESTIMATED:			26						26
BINARY	1: 7 7		73 WDF	JN 19	JL 3	AU 28				
	OBSERVED:			1	1	1				3
	ESTIMATED:			2	8	4				14
BINARY	1: 7 8		73 WDF	JN 19						
	OBSERVED:			2						2
	ESTIMATED:			5						5
BINARY	1: 7 9		73 WDF	JN 19	JL 3	AU 28				
	OBSERVED:			1	4	2				7
	ESTIMATED:			2	36	9				47

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR   COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1: 7 10	73 WDF	JL 17	AU 14	AU 28	
	OBSERVED:		3	1	2	6
	ESTIMATED:		9	6	6	21
BINARY	1: 7 11	73 WDF	JN 19	AU 28		
	OBSERVED:		1	3		4
	ESTIMATED:		2	7		9
BINARY	1: 7 12	73 WDF	JN 19	JL 31		
	OBSERVED:		1	2		3
	ESTIMATED:		2	13		15
BINARY	1: 7 13	73 WDF	JL 3	AU 28		
	OBSERVED:		1	2		3
	ESTIMATED:		11	6		17
BINARY	1: 7 14	73 WDF	JN 19	JL 3	JL 17	
	OBSERVED:		2	1	1	4
	ESTIMATED:		5	8	3	16
BINARY	1: 7 15	73 WDF	JN 19	JL 17		
	OBSERVED:		1	3		4
	ESTIMATED:		2	21		23
BINARY	1: 8 1	73 WDF	JL 3	JL 17	SE 11	
	OBSERVED:		3	2	1	6
	ESTIMATED:		26	18	4	48
BINARY	1: 8 2	73 WDF	JL 17	AU 28		
	OBSERVED:		1	2		3
	ESTIMATED:		3	6		9

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	1: 8 3		73 WDF	JN 19	JL 17	AU 28	SE 11		
	OBSERVED:			3	1	1	2		7
	ESTIMATED:			7	15	4	16		42
BINARY	1: 8 6		73 WDF	JL 17	JL 31				
	OBSERVED:			1	1				2
	ESTIMATED:			15	2				17
BINARY	1: 8 7		73 WDF	JN 19	JL 17	JL 31	AU 28		
	OBSERVED:			1	1	1	1		4
	ESTIMATED:			2	3	11	4		20
BINARY	1: 8 8		73 WDF	JN 19	JL 17	JL 31			
	OBSERVED:			2	1	1			4
	ESTIMATED:			5	3	11			19
BINARY	1: 8 15		73 WDF	JN 19	JL 3	AU 28			
	OBSERVED:			2	4	1			7
	ESTIMATED:			5	36	4			45
BINARY	1: 9 1		73 WDF	JL 3	JL 31	SE 11			
	OBSERVED:			2	1	1			4
	ESTIMATED:			19	2	4			25
BINARY	1: 9 2		73 WDF	JL 17					
	OBSERVED:			2					2
	ESTIMATED:			6					6
BINARY	1: 9 3		73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			1	4	2	2	2	11
	ESTIMATED:			11	24	3	13	5	56

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MAPKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	1: 9 4	73 WDF	JN 19	JL 17	JL 31	AU 28				
	OBSERVED:		4	1	2	2				9
	ESTIMATED:		10	3	3	9				25
BINARY	.. 9 5	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11		
	OBSERVED:		1	2	3	1	2	1		10
	ESTIMATED:		2	19	21	2	9	4		57
BINARY	1: 9 6	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28			
	OBSERVED:		1	1	2	3	3			10
	ESTIMATED:		2	11	6	14	13			46
BINARY	1: 9 7	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28			
	OBSERVED:		1	2	2	1	1			7
	ESTIMATED:		8	18	13	6	2			47
BINARY	1: 9 8	73 WDF	JN 19	JL 17	SE 11	OC 9				
	OBSERVED:		1	1	1	1				4
	ESTIMATED:		2	3	12	-				17
BINARY	1: 9 9	73 WDF	JL 3	JL 17	AU 28					
	OBSERVED:		1	2	1					4
	ESTIMATED:		8	6	4					18
BINARY	1: 12 10	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11		
	OBSERVED:		2	4	3	3	4	1		17
	ESTIMATED:		5	36	21	5	15	12		94
BINARY	1: 12 11	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:		3	1	3	1	1	1	1	11
	ESTIMATED:		7	8	21	11	6	2	4	59

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY								TOTALS
BINARY	1: 12 12	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28			
	OBSERVED:		10	5	3	4	4			26
	ESTIMATED:		24	47	9	25	11			116
BINARY	1: 13 1	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28		
	OBSERVED:		3	1	3	2	2	1		12
	ESTIMATED:		7	8	21	13	13	4		66
BINARY	1: 13 2	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28		
	OBSERVED:		5	5	7	2	1	4		24
	ESTIMATED:		12	47	32	3	6	15		115
BINARY	1: 13 3	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11	OC 9	
	OBSERVED:		2	6	4	2	4	2	2	22
	ESTIMATED:		5	55	47	22	15	24	23	191
BINARY	1: 13 6	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11		
	OBSERVED:		2	3	3	2	2	1		13
	ESTIMATED:		5	32	21	13	6	4		81
BINARY	1: 13 7	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11		
	OBSERVED:		5	1	4	1	1	1		13
	ESTIMATED:		12	8	36	6	2	12		76
BINARY	1: 13 12	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14			
	OBSERVED:		3	2	4	2	1			12
	ESTIMATED:		7	15	11	13	6			52
BINARY	1: 13 13	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11		
	OBSERVED:		3	5	3	3	2	1		17
	ESTIMATED:		7	39	33	14	6	12		111

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	1: 14 1	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28			
	OBSERVED:		2	7	5	5	4			23
	ESTIMATED:		5	65	39	27	11			147
BINARY	1: 14 2	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	OC 9	
	OBSERVED:		2	1	3	1	2	1	1	11
	ESTIMATED:		5	8	9	6	5	12	-	45
BINARY	1: 14 7	73 WDF	JN 19	JL 17	JL 31	AU 28				
	OBSERVED:		2	2	2	1				7
	ESTIMATED:		5	6	13	4				28
BINARY	1: 14 8	73 WDF	JN 19	AU 28						
	OBSERVED:		1	1						2
	ESTIMATED:		2	2						4
BINARY	1: 14 9	73 WDF	JN 19	JL 3	JL 31	AU 28	SE 11			
	OBSERVED:		2	4	2	1	3			12
	ESTIMATED:		5	36	3	2	28			74
BINARY	1: 15 2	73 COOP	JL 3							
	OBSERVED:		2							2
	ESTIMATED:		19							19
BINARY	1: 15 4	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28			
	OBSERVED:		2	3	7	1	4			17
	ESTIMATED:		5	26	44	6	9			90
BINARY	1: 15 5	73 WDF	JN 19	JL 3	JL 31	AU 28	SE 11			
	OBSERVED:		1	2	2	1	2			8
	ESTIMATED:		2	19	3	4	24			52

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	1: 15 6		73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11	OC 9		
	OBSERVED:			1	1	3	1	2	1	1		10
	ESTIMATED:			2	11	21	2	6	4	23		69
BINARY	1: 15 7		73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
	OBSERVED:			1	1	3	2	2	8	7	3	27
	ESTIMATED:			2	8	9	3	13	29	43	68	175
BINARY	1: 15 10		73 WDF	JN 19	JL 17	AU 28						
	OBSERVED:			1	1	2						4
	ESTIMATED:			2	3	5						10
BINARY	1: 15 12		73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28	OC 9			
	OBSERVED:			6	4	5	1	5	1			22
	ESTIMATED:			15	36	26	2	19	23			121
BINARY	1: 15 13		73 WDF	JN 19	JL 3	JL 17						
	OBSERVED:			1	1	2						4
	ESTIMATED:			2	8	6						16
BINARY	1: 15 14		73 WDF	JL 17	JL 31	AU 14	AU 28	SE 11				
	OBSERVED:			2	2	1	13	2				20
	ESTIMATED:			18	3	6	43	24				94
BINARY	2: 2 4		73 CFSO	JN 19	JL 17	JL 31	AU 28					
	OBSERVED:			7	2	1	1					11
	ESTIMATED:			17	6	11	4					38
BINARY	2: 4 5		73 CFSO	JN 19	JL 17	JL 31	AU 28					
	OBSERVED:			2	1	1	1					5
	ESTIMATED:			5	3	2	2					12

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR   COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	2: 5 5	73	CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28			
	OBSERVED:			1	1	1	1	1	1			6
	ESTIMATED:			2	8	3	11	6	2			32
BINARY	2: 6 5	73	CFSO	JL 17	SE 11							
	OBSERVED:			2	1							3
	ESTIMATED:			18	4							22
BINARY	2: 7 2	73	CFSO	JN 19								
	OBSERVED:			1								1
	ESTIMATED:			2								2
BINARY	2: 8 2	73	CFSO	JN 19	AU 28							
	OBSERVED:			1	2							3
	ESTIMATED:			2	6							8
BINARY	2: 8 5	73	CFSO	JL 3								
	OBSERVED:			2								2
	ESTIMATED:			19								19
BINARY	2: 9 2	73	CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
	OBSERVED:			24	13	23	18	3	21	9	1	112
	ESTIMATED:			59	111	137	75	19	72	67	-	540
BINARY	2: 9 5	73	CFSO	JL 3	AU 14	AU 28	OC 9					
	OBSERVED:			4	1	3	1					9
	ESTIMATED:			40	6	9	23					78
BINARY	2: 10 5	73	CFSO	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11			
	OBSERVED:			1	3	5	4	5	3			21
	ESTIMATED:			2	29	50	16	18	28			143

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR   COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	2: 10 6	73 CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:		13	30	34	26	2	14	5	124
	ESTIMATED:		32	260	239	144	13	45	35	768
BINARY	2: 14 5	73 CFSO	JN 19	JL 17	JL 31	SE 11				
	OBSERVED:		3	1	1	1				6
	ESTIMATED:		7	15	2	4				28
BINARY	2: 15 2	73 CFSO	JN 19	JL 17	JL 31					
	OBSERVED:		2	2	1					5
	ESTIMATED:		5	6	2					13
BINARY	2: 15 5	73 CFSO	AU 28							
	OBSERVED:		1							1
	ESTIMATED:		4							4
BINARY	7: 1 11	73 ODFW	AU 28							
	OBSERVED:		1							1
	ESTIMATED:		4							4
BINARY	8: 2 2	73 CFSR	JN 19							
	OBSERVED:		1							1
	ESTIMATED:		2							2
BINARY	8: 2 7	73 CFSR	JN 19	AU 14						
	OBSERVED:		1	1						2
	ESTIMATED:		2	6						8
BINARY	8: 2 8	73 CFSR	JN 19							
	OBSERVED:		2							2
	ESTIMATED:		5							5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY					TOTALS
BINARY	8:	2 10	73 CFSR	JL 31	AU 28			
	OBSERVED:			1	1			2
	ESTIMATED:			2	2			4
BINARY	8:	2 11	73 CFSR	JL 3				
	OBSERVED:			1				1
	ESTIMATED:			11				11
BINARY	8:	2 12	73 CFSR	AU 28	SE 11			
	OBSERVED:			1	1			2
	ESTIMATED:			2	12			14
BINARY	8:	2 13	73 CFSR	JN 19				
	OBSERVED:			1				1
	ESTIMATED:			2				2
BINARY	8:	2 14	73 CFSR	JN 19	AU 28			
	OBSERVED:			1	1			2
	ESTIMATED:			2	4			6
BINARY	8:	2 15	73 CFSR	JN 19	JL 3	JL 17	JL 31	
	OBSERVED:			1	1	1	2	5
	ESTIMATED:			2	11	3	3	19
BINARY	8:	3 1	73 CFSR	JL 3	JL 31			
	OBSERVED:			1	1			2
	ESTIMATED:			11	2			13
BINARY	8:	3 2	73 CFSR	JN 19	AU 28			
	OBSERVED:			1	1			2
	ESTIMATED:			2	4			6

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED FOR BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	8:	3 5	73 CFSR	JL 31	SE 11	
	OBSERVED:			1	1	2
	ESTIMATED:			2	12	14
BINARY	8:	3 6	73 CFSR	JN 19	AU 28	
	OBSERVED:			1	1	2
	ESTIMATED:			2	4	6
BINARY	8:	3 7	73 CFSR	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			11		11
BINARY	8:	3 8	73 CFSR	JN 19	JL 31	
	OBSERVED:			1	1	2
	ESTIMATED:			2	11	13
BINARY	8:	3 9	73 CFSR	JL 17	AU 28	
	OBSERVED:			1	1	2
	ESTIMATED:			3	2	5
BINARY	8:	3 10	73 CFSR	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			6		6
BINARY	8:	3 12	73 CFSR	JL 31	SE 11	
	OBSERVED:			1	2	3
	ESTIMATED:			2	16	18
BINARY	8:	3 13	73 CFSR	AU 28		
	OBSERVED:			2		2
	ESTIMATED:			5		5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA 1 2 3	DATA	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	8: 3 14		73 CFSR	SE 11			
		OBSERVED:		1			1
		ESTIMATED:		12			12
BINARY	8: 4 1		73 CFSR	JN 19	JL 31	AU 28	
		OBSERVED:		1	1	1	3
		ESTIMATED:		2	2	4	8
BINARY	8: 4 2		73 CFSR	JL 3	AU 14	SE 11	
		OBSERVED:		1	1	1	3
		ESTIMATED:		8	6	12	26
BINARY	8: 4 3		73 CFSR	JL 17			
		OBSERVED:		1			1
		ESTIMATED:		15			15
BINARY	8: 4 4		73 CFSR	AU 28			
		OBSERVED:		1			1
		ESTIMATED:		2			2
BINARY	8: 4 5		73 CFSR	JN 19			
		OBSERVED:		1			1
		ESTIMATED:		2			2
BINARY	8: 4 6		73 CFSR	JL 31	AU 28		
		OBSERVED:		1	1		2
		ESTIMATED:		2	4		6
BINARY	8: 4 7		73 CFSR	JN 19			
		OBSERVED:		2			2
		ESTIMATED:		5			5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	8: 4 8	73 CFSR	JN 19	JL 17					
	OBSERVED:		1	2					3
	ESTIMATED:		2	6					8
BINARY	8: 4 9	73 CFSR	JN 19	JL 3	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:		2	1	2	1	2	1	9
	ESTIMATED:		5	11	3	6	9	12	46
BINARY	8: 4 10	73 CFSR	JL 3						
	OBSERVED:		1						1
	ESTIMATED:		11						11
BINARY	8: 4 11	73 CFSR	JN 19	JL 3	JL 31	OC 9			
	OBSERVED:		1	1	1	1			4
	ESTIMATED:		2	8	2	23			35
BINARY	8: 4 12	73 CFSR	JN 19	JL 17	JL 31				
	OBSERVED:		2	1	3				6
	ESTIMATED:		5	3	14				22
BINARY	8: 4 13	73 CFSR	AU 14						
	OBSERVED:		1						1
	ESTIMATED:		6						6
BINARY	8: 4 14	73 CFSR	JL 17						
	OBSERVED:		2						2
	ESTIMATED:		18						18
BINARY	8: 4 15	73 CFSR	JL 31	SE 11					
	OBSERVED:		1	1					2
	ESTIMATED:		2	4					6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	8: 5 1		73	CFSR	JL 3			1
	OBSERVED:				1			11
	ESTIMATED:				11			
BINARY	8: 5 3		73	CFSR	JL 3	SE 11	OC 9	3
	OBSERVED:				1	1	1	35
	ESTIMATED:				8	4	23	
BINARY	8: 5 5		73	CFSR	JL 3	AU 28		2
	OBSERVED:				1	1		15
	ESTIMATED:				11	4		
BINARY	8: 5 6		73	CFSR	JN 19	JL 17	SE 11	3
	OBSERVED:				1	1	1	9
	ESTIMATED:				2	3	4	
BINARY	8: 5 8		73	CFSR	JN 19	SE 11		2
	OBSERVED:				1	1		6
	ESTIMATED:				2	4		
BINARY	8: 5 9		73	CFSR	JN 19	JL 3		2
	OBSERVED:				1	1		13
	ESTIMATED:				2	11		
BINARY	8: 5 11		73	CFSR	JL 17	AU 28		2
	OBSERVED:				1	1		5
	ESTIMATED:				3	2		
BINARY	8: 5 12		73	CFSR	JN 19	AU 28		3
	OBSERVED:				1	2		8
	ESTIMATED:				2	6		

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE / AGENCY /AREA / DATA 1 2 3 / B.Y ISSUED BY / FOR BIWEEKLY PERIODS ENDING: / TOTALS

TAG TYPE	DATA	B.Y / AGENCY						TOTALS
BINARY	8: 5 13	73 CFSR	AU 28					
	OBSERVED:		1					1
	ESTIMATED:		2					2
BINARY	8: 5 14	73 CFSR	JL 17					
	OBSERVED:		1					1
	ESTIMATED:		3					3
BINARY	8: 5 15	73 CFSR	JL 3	AU 14	SE 11			
	OBSERVED:		1	1	1			3
	ESTIMATED:		8	6	12			26
BINARY	8: 6 1	73 CFSR	JN 19	JL 3	JL 31	AU 28		
	OBSERVED:		1	1	1	1		4
	ESTIMATED:		2	8	2	4		16
BINARY	8: 6 3	73 CFSR	JL 17					
	OBSERVED:		2					2
	ESTIMATED:		30					30
BINARY	8: 6 4	73 CFSR	JL 17	AU 28				
	OBSERVED:		2	1				3
	ESTIMATED:		18	4				22
BINARY	8: 6 6	73 CFSR	AU 28					
	OBSERVED:		1					1
	ESTIMATED:		4					4
BINARY	11: 2 10	74 UW	JN 19	JL 17	JL 31	AU 28	SE 11	
	OBSERVED:		1	1	1	1	1	5
	ESTIMATED:		2	15	2	4	12	35

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	13: 1 3	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:		2	2	3	3	3	19	3	35
	ESTIMATED:		5	19	21	24	19	61	11	160
BINARY	3: 1 7	73 WDF	JL 3	JL 17	AU 28					
	OBSERVED:		5	1	1					7
	ESTIMATED:		47	3	4					54
BINARY	13: 1 10	73 WDF	AU 28							
	OBSERVED:		2							2
	ESTIMATED:		6							6
BINARY	13: 2 2	74 WDF	JL 17	AU 14						
	OBSERVED:		1	1						2
	ESTIMATED:		3	6						9
BINARY	13: 2 12	74 WDF	JL 3	JL 17	AU 28					
	OBSERVED:		1	1	2					4
	ESTIMATED:		11	3	9					23
BINARY	13: 2 13	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11		
	OBSERVED:		1	1	2	1	4	1		10
	ESTIMATED:		2	8	6	2	11	12		41
BINARY	13: 2 14	73 WDF	JL 17							
	OBSERVED:		1							1
	ESTIMATED:		3							3
BINARY	13: 3 15	74 WDF	JN 19							
	OBSERVED:		1							1
	ESTIMATED:		2							2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY 13:	4 14		74 WDF	AU 28						
OBSERVED:				1						1
ESTIMATED:				4						4
BINARY 13:	8 8		74 WDF	SE 11						
OBSERVED:				1						1
ESTIMATED:				12						12
BINARY 14:	7 2		73 FWS	SE 11						
OBSERVED:				1						1
ESTIMATED:				4						4
BINARY 14:	9 2		73 FWS	JL 3	JL 17	JL 31	AU 28	SE 11		
OBSERVED:				2	2	1	3	1		9
ESTIMATED:				21	6	2	13	12		54
BINARY 14:	10 2		73 FWS	JN 19	JL 3	JL 17	JL 31	AU 14		
OBSERVED:				2	1	1	1	1		6
ESTIMATED:				5	11	3	2	6		27
BINARY 14:	13 2		73 FWS	AU 28						
OBSERVED:				1						1
ESTIMATED:				4						4
BINARY 14:	15 1		73 FWS	JL 3	JL 17	AU 28				
OBSERVED:				1	1	1				3
ESTIMATED:				11	3	4				18
PIN LOST				JN 19	JL 17	JL 31	AU 14	AU 28	SE 11	
OBSERVED:				5	8	2	2	7	3	27
ESTIMATED:				12	47	13	13	24	11	120

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR COHO

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	TOTALS
NO PIN									
OBSERVED:	41	39	65	22	9	51	13	2	242
ESTIMATED:	100	358	447	64	57	165	82	23	1296

	JL 3	JL 17	AU 28	TOTALS
NO DATA				
OBSERVED:	1	2	1	4
ESTIMATED:	11	6	4	21

TOTALS FOR NWTR COHO

	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	TOTALS
OBSERVED:	223	212	280	159	50	270	90	15	1299
ESTIMATED:	527	1933	1782	696	311	890	689	229	7057

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:	TOTALS
FIN MK	AD/LP		AGE 1.1	JL 3	
OBSERVED:				1	1
ESTIMATED:				4	4
FIN MK	AD/LP		AGE 8.0	JL 3	
OBSERVED:				1	1
ESTIMATED:				5	5
FIN MK	AD/RP		AGE 1.1	JL 3	
OBSERVED:				1	1
ESTIMATED:				4	4
BINARY	1:	1 9	72 WDF	JL 3	
OBSERVED:				1	1
ESTIMATED:				5	5
BINARY	1:	2 4		JL 3	
OBSERVED:				1	1
ESTIMATED:				4	4
BINARY	1:	2 6		JL 17	
OBSERVED:				1	1
ESTIMATED:				4	4
BINARY	1:	3 2		JL 3	
OBSERVED:				1	1
ESTIMATED:				4	4
BINARY	1:	3 9		JL 31	
OBSERVED:				1	1
ESTIMATED:				6	6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	1: 3 13	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28		
	OBSERVED:		3	1	1	1	1		7
	ESTIMATED:		13	4	6	5	6		34
BINARY	1: 4 6	72 WDF	JL 17						
	OBSERVED:		1						1
	ESTIMATED:		4						4
BINARY	1: 4 7	72 COOP	JN 19	JL 3					
	OBSERVED:		1	1					2
	ESTIMATED:		7	5					12
BINARY	1: 4 15	73 WDF	JL 3	JL 17	AU 14	AU 28			
	OBSERVED:		1	5	2	1			9
	ESTIMATED:		5	26	10	3			44
BINARY	1: 5 1	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:		4	2	2	1	2	1	12
	ESTIMATED:		18	11	11	5	9	2	56
BINARY	1: 5 2	73 WDF	JN 19	JL 3	JL 17	SE 11			
	OBSERVED:		1	2	4	2			9
	ESTIMATED:		7	9	22	11			49
BINARY	1: 5 3	73 WDF	JL 3	JL 17	AU 28	SE 11			
	OBSERVED:		3	4	1	1			9
	ESTIMATED:		14	26	6	2			48
BINARY	1: 5 4	73 WDF	JN 19	JL 3	JL 17	AU 14	SE 11		
	OBSERVED:		1	1	2	1	1		6
	ESTIMATED:		7	5	7	5	2		26

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	1: 5 5		73 WDF	JL 3	JL 17	JL 31	AU 14	OC 9		
	OBSERVED:			3	2	1	3	1		10
	ESTIMATED:			14	11	5	15	4		49
BINARY	1: 5 6		73 WDF	JL 3	JL 17	AU 14	AU 28	SE 11		
	OBSERVED:			8	1	3	2	3		17
	ESTIMATED:			38	7	15	9	19		88
BINARY	1: 5 7		73 WDF	JL 31						
	OBSERVED:			1						1
	ESTIMATED:			5						5
BINARY	1: 6 15		73 WDF	JL 3	JL 17	SE 11				
	OBSERVED:			1	1	2				4
	ESTIMATED:			5	4	11				20
BINARY	1: 7 1		73 WDF	AU 14	SE 11					
	OBSERVED:			1	1					2
	ESTIMATED:			5	9					14
BINARY	1: 7 2		73 WDF	AU 14	SE 11					
	OBSERVED:			1	3					4
	ESTIMATED:			5	13					18
BINARY	1: 7 3		73 WDF	JN 19	AU 14	AU 28	SE 11	OC 9		
	OBSERVED:			1	1	1	2	1		6
	ESTIMATED:			7	5	6	4	4		26
BINARY	1: 7 4		73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	OC 9	
	OBSERVED:			8	5	3	1	2	1	20
	ESTIMATED:			36	26	19	5	9	4	99

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR   COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	1: 7 5	73 WDF	JL 3	JL 17	AU 14	SE 11					
	OBSERVED:		2	1	1	1					5
	ESTIMATED:		10	7	5	2					24
BINARY	1: 7 6	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:		2	10	6	2	1	1	2	1	25
	ESTIMATED:		14	45	33	10	5	3	11	5	126
BINARY	1: 7 7	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28				
	OBSERVED:		9	13	1	2	1				26
	ESTIMATED:		41	77	6	10	3				137
BINARY	1: 7 8	73 WDF	JL 3	JL 17	JL 31	AU 14	SE 11				
	OBSERVED:		13	4	6	1	3				27
	ESTIMATED:		58	26	35	5	13				137
BINARY	1: 7 9	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28			
	OBSERVED:		1	9	5	6	2	4			27
	ESTIMATED:		7	40	29	35	9	18			138
BINARY	1: 7 10	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
	OBSERVED:		12	4	1	3	1	1	1		23
	ESTIMATED:		53	22	5	14	3	2	14		113
BINARY	1: 7 11	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25		
	OBSERVED:		1	10	1	3	3	1	1		20
	ESTIMATED:		7	45	4	19	15	6	14		110
BINARY	1: 7 12	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11		
	OBSERVED:		1	13	4	5	2	1	1		27
	ESTIMATED:		7	59	22	30	10	3	2		133

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:									TOTALS
BINARY	1:	7 13	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	OC 9			
	OBSERVED:			2	5	2	1	1	2	2			15
	ESTIMATED:			14	22	11	5	6	11	22			91
BINARY	1:	7 14	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:			3	9	8	5	2	2	1			30
	ESTIMATED:			20	42	37	30	10	12	2			153
BINARY	1:	7 15	73 WDF	JL 3	JL 17	JL 31	AU 14	SE 11	OC 9				
	OBSERVED:			13	8	4	3	1	2				31
	ESTIMATED:			58	51	23	14	2	9				157
BINARY	1:	8 1	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:			2	5	7	2	2	1	2			21
	ESTIMATED:			14	22	44	11	10	3	4			108
BINARY	1:	8 2	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			2	11	7	7	3	2	3	2	3	40
	ESTIMATED:			14	50	40	41	14	12	13	19	13	216
BINARY	1:	8 3	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			1	17	8	7	3	2	2	1	1	42
	ESTIMATED:			7	76	40	41	14	6	4	5	4	197
BINARY	1:	8 6	73 WDF	JL 3	SE 11								
	OBSERVED:			1	2								3
	ESTIMATED:			4	11								15
BINARY	1:	8 7	73 WDF	JL 3	JL 17	JL 31	AU 14	SE 25					
	OBSERVED:			1	1	1	1	1					5
	ESTIMATED:			5	7	5	5	5					27

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	1: 8 8	73 WDF	JL 3	JL 17	JL 31						
	OBSERVED:		1	3	1						5
	ESTIMATED:		5	22	6						33
BINARY	1: 8 15	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
	OBSERVED:		1	6	2	1	3	1	1	2	17
	ESTIMATED:		7	26	15	6	15	3	9	9	90
BINARY	1: 9 1	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28			
	OBSERVED:		1	15	8	3	1	1			29
	ESTIMATED:		7	68	51	16	5	3			150
BINARY	1: 9 2	73 WDF	JL 3	JL 17	JL 31	SE 11	OC 9				
	OBSERVED:		9	5	1	3	1				19
	ESTIMATED:		42	29	5	13	18				107
BINARY	1: 9 3	73 WDF	JN 19	JL 3	JL 17	JL 31	SE 11				
	OBSERVED:		1	6	8	4	1				20
	ESTIMATED:		7	27	48	24	2				108
BINARY	1: 9 4	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28	SE 25			
	OBSERVED:		2	5	7	2	1	1			18
	ESTIMATED:		14	22	40	11	6	5			98
BINARY	1: 9 5	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9		
	OBSERVED:		8	4	3	1	1	2	1		20
	ESTIMATED:		35	29	18	5	6	11	4		108
BINARY	1: 9 6	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	SE 11			
	OBSERVED:		1	4	6	2	1	2			16
	ESTIMATED:		7	18	30	13	5	11			84

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

TAG TYPE / DATA	AGENCY										TOTALS
BINARY 1: 9 7	73 WDF	JL 3	JL 17	JL 31	AU 14	SE 11	OC 9				
OBSERVED:		10	5	1	2	3	2				23
ESTIMATED:		46	33	6	10	7	9				111
BINARY 1: 9 8	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
OBSERVED:		3	5	2	2	1	2	1			16
ESTIMATED:		20	23	7	13	5	6	2			76
BINARY 1: 9 9	73 WDF	JL 3	JL 17	JL 31	AU 14	SE 25					
OBSERVED:		6	9	1	2	1					19
ESTIMATED:		26	44	5	10	14					99
BINARY 1: 11 12		JL 31									
OBSERVED:		1									1
ESTIMATED:		5									5
BINARY 1: 12 10	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
OBSERVED:		5	23	13	10	5	7	10	2	4	79
ESTIMATED:		34	105	74	60	25	28	22	10	31	389
BINARY 1: 12 11	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
OBSERVED:		6	37	17	9	3	4	5	1	1	83
ESTIMATED:		41	166	100	50	15	18	36	14	4	444
BINARY 1: 12 12	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
OBSERVED:		6	33	9	4	4	1	2	1	3	63
ESTIMATED:		41	151	55	23	19	3	11	14	13	330
BINARY 1: 13 1	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
OBSERVED:		8	32	33	13	3	3	4	1		97
ESTIMATED:		54	146	184	78	15	12	16	5		510

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:									TOTALS
BINARY	1: 13 2	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:		6	31	18	9	6	8	5			83
	ESTIMATED:		41	143	96	57	29	38	24			428
BINARY	1: 13 3	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		2	43	26	9	6	9	10	2	3	110
	ESTIMATED:		14	192	136	53	29	36	41	10	27	538
BINARY	1: 13 6	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
	OBSERVED:		2	18	11	2	3	2	1	1		40
	ESTIMATED:		14	82	59	11	14	9	2	5		196
BINARY	1: 13 7	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11	OC 9			
	OBSERVED:		2	9	15	1	5	2	1			35
	ESTIMATED:		14	42	92	6	23	11	4			192
BINARY	1: 13 12	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28				
	OBSERVED:		2	20	8	6	2	1				39
	ESTIMATED:		14	92	56	35	9	3				209
BINARY	1: 13 13	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9		
	OBSERVED:		4	28	12	9	7	2	3	1		66
	ESTIMATED:		27	127	66	54	34	6	7	4		325
BINARY	1: 14 1	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
	OBSERVED:		10	52	26	15	4	3	2	2		114
	ESTIMATED:		68	234	147	92	19	9	11	10		590
BINARY	1: 14 2	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		7	39	29	18	11	11	14	1	1	131
	ESTIMATED:		48	177	169	105	52	51	50	5	4	661

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:									TOTALS
BINARY	1: 14 7	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9		
	OBSERVED:		3	11	8	3	1	5	1	1		33
	ESTIMATED:		20	50	44	16	5	26	9	4		174
BINARY	1: 14 8	73 WDF	JL 3	JL 17	JL 31	AU 28	SE 11					
	OBSERVED:		5	3	4	1	3					16
	ESTIMATED:		22	22	23	6	7					80
BINARY	1: 14 9	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
	OBSERVED:		2	10	9	6	3	4	1	1		36
	ESTIMATED:		14	47	47	35	14	18	2	5		182
BINARY	1: 14 15		JL 17	OC 9								
	OBSERVED:		1	1								2
	ESTIMATED:		4	4								8
BINARY	1: 15 2	73 COOP	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:		1	19	3	5	3	1	1			33
	ESTIMATED:		7	86	11	29	14	3	2			152
BINARY	1: 15 4	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9		
	OBSERVED:		4	37	23	11	3	1	5	3		87
	ESTIMATED:		27	165	133	65	15	6	24	13		448
BINARY	1: 15 5	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		1	8	12	2	8	4	3	1	3	42
	ESTIMATED:		7	37	77	13	38	18	7	5	13	215
BINARY	1: 15 6	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		2	24	14	7	4	5	3	3	3	65
	ESTIMATED:		14	112	81	41	20	21	13	15	13	330

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:									TOTALS
BINARY	1: 15 7	73	WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9		
	OBSERVED:			5	4	4	8	10	8	2	4		45
	ESTIMATED:			22	26	23	38	39	30	19	18		215
BINARY	1: 15 10	73	WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:			2	9	8	6	2	2	3			32
	ESTIMATED:			14	41	51	35	10	6	7			164
BINARY	1: 15 12	73	WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			3	45	21	12	7	5	12	1	1	107
	ESTIMATED:			20	203	140	70	33	21	46	14	4	551
BINARY	1: 15 13	73	WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:			1	14	6	10	4	4	4			43
	ESTIMATED:			7	62	33	59	19	23	9			212
BINARY	1: 15 14	73	WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9		
	OBSERVED:			1	2	1	10	11	11	2	2		40
	ESTIMATED:			4	11	5	47	51	31	10	9		168
BINARY	2: 2 4	73	CFSO	JL 3	JL 17	JL 31	AU 14	SE 11	OC 9				
	OBSERVED:			4	1	2	2	2	1				12
	ESTIMATED:			18	7	11	10	11	4				61
BINARY	2: 4 2	72	CFSO	JL 3									
	OBSERVED:			1									1
	ESTIMATED:			4									4
BINARY	2: 4 5	73	CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9		
	OBSERVED:			1	6	5	3	2	5	3	1		26
	ESTIMATED:			7	27	29	19	10	21	13	18		144

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:										TOTALS
BINARY	2: 5 5	73	CFSO	JL 3	AU 28	SE 11								
	OBSERVED:			1	1	1								3
	ESTIMATED:			4	6	2								12
BINARY	2: 6 5	73	CFSO	JL 3	JL 17	JL 31	AU 14	AU 28	OC 9					
	OBSERVED:			5	8	3	3	2	1					22
	ESTIMATED:			22	44	19	14	9	4					112
BINARY	2: 7 1			JL 3										
	OBSERVED:			1										1
	ESTIMATED:			5										5
BINARY	2: 7 2	73	CFSO	JN 19	JL 3	JL 17	JL 31							
	OBSERVED:			3	5	2	2							12
	ESTIMATED:			20	22	7	11							60
BINARY	2: 8 2	73	CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AJ 28					
	OBSERVED:			2	9	4	2	2	1					20
	ESTIMATED:			14	40	18	13	10	6					101
BINARY	2: 8 5	73	CFSO	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11					
	OBSERVED:			3	3	2	2	1	1					12
	ESTIMATED:			14	19	13	10	3	2					61
BINARY	2: 9 1	72	CFSO	JL 3										
	OBSERVED:			1										1
	ESTIMATED:			4										4
BINARY	2: 9 2	73	CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	
	OBSERVED:			5	50	63	19	20	10	17	6	9	2	201
	ESTIMATED:			34	227	383	114	97	52	50	48	53	33	1091

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:									TOTALS
BINARY	2: 9 5	73	CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			2	17	9	14	3	5	7	3	7	67
	ESTIMATED:			14	76	59	80	15	23	15	33	31	346
BINARY	2: 10 3	75	CFSO	JL 17									
	OBSERVED:			1									1
	ESTIMATED:			4									4
BINARY	2: 10 5	73	CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			6	25	18	11	6	6	6	2	1	81
	ESTIMATED:			41	115	110	67	29	26	20	19	18	445
BINARY	2: 10 6	73	CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			3	71	62	26	28	2	11	1	1	205
	ESTIMATED:			20	334	350	152	138	12	37	5	4	1052
BINARY	2: 11 1			AU 28									
	OBSERVED:			1									1
	ESTIMATED:			3									3
BINARY	2: 14 5	73	CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25	OC 9		
	OBSERVED:			1	5	4	3	2	1	1	3		20
	ESTIMATED:			7	22	26	16	9	6	5	13		104
BINARY	2: 15 2	73	CFSO	JN 19	JL 3	JL 17	AU 14						
	OBSERVED:			1	20	7	1						29
	ESTIMATED:			7	89	37	5						138
BINARY	2: 15 5	73	CFSO	JN 19	JL 3	AU 14	SE 11						
	OBSERVED:			1	1	1	1						4
	ESTIMATED:			7	4	5	2						18

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	4:	2 11	73 ADFG	JL 17					
	OBSERVED:			1					1
	ESTIMATED:			7					7
BINARY	5:	2 1		JN 19					
	OBSERVED:			1					1
	ESTIMATED:			7					7
BINARY	5:	3 1		JL 3					
	OBSERVED:			1					1
	ESTIMATED:			4					4
BINARY	5:	7 9		JL 3					
	OBSERVED:			1					1
	ESTIMATED:			5					5
BINARY	7:	1 9	73 ODFW	JN 19					
	OBSERVED:			1					1
	ESTIMATED:			7					7
BINARY	7:	1 10	73 ODFW	JL 3	JL 17	AU 14	SE 11	SE 25	
	OBSERVED:			1	1	1	1	1	5
	ESTIMATED:			4	7	5	2	5	23
BINARY	7:	1 11	73 ODFW	SE 11					
	OBSERVED:			1					1
	ESTIMATED:			2					2
BINARY	7:	1 12	73 ODFW	JL 17	SE 25				
	OBSERVED:			2	1				3
	ESTIMATED:			7	5				12

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	8:	2 3	73	CFSR	JL 3					
	OBSERVED:				2					2
	ESTIMATED:				9					9
BINARY	8:	2 6	73	CFSR	JL 3					
	OBSERVED:				1					1
	ESTIMATED:				4					4
BINARY	8:	2 8	73	CFSR	JL 3					
	OBSERVED:				1					1
	ESTIMATED:				4					4
BINARY	8:	2 10	73	CFSR	JL 3	SE 11				
	OBSERVED:				1	1				2
	ESTIMATED:				4	2				6
BINARY	8:	2 11	73	CFSR	JL 31	SE 25				
	OBSERVED:				2	1				3
	ESTIMATED:				11	5				16
BINARY	8:	2 12	73	CFSR	JL 17	JL 31	AU 28	SE 11	OC 23	
	OBSERVED:				2	1	1	1	1	6
	ESTIMATED:				7	6	6	2	16	37
BINARY	8:	2 13	73	CFSR	JL 3	AU 14	OC 9			
	OBSERVED:				2	1	2			5
	ESTIMATED:				9	5	22			36
BINARY	8:	2 14	73	CFSR	JL 17	JL 31	SE 11			
	OBSERVED:				2	1	1			4
	ESTIMATED:				15	6	2			23

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	8:	2 15	73 CFSR	JL 17	JL 31	AU 14				
	OBSERVED:			2	1	1				4
	ESTIMATED:			11	5	5				21
BINARY	8:	3 1	73 CFSR	JL 17						
	OBSERVED:			1						1
	ESTIMATED:			7						7
BINARY	8:	3 2	73 CFSR	JL 3	JL 31	SE 25				
	OBSERVED:			1	2	1				4
	ESTIMATED:			4	11	14				29
BINARY	8:	3 3	73 CFSR	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:			3	1	2	1	1	1	9
	ESTIMATED:			14	7	10	3	2	14	50
BINARY	8:	3 5	73 CFSR	JL 17	JL 31	AU 28				
	OBSERVED:			1	1	1				3
	ESTIMATED:			7	6	6				19
BINARY	8:	3 6	73 CFSR	JL 3	JL 31	SE 11				
	OBSERVED:			4	1	2				7
	ESTIMATED:			17	5	17				39
BINARY	8:	3 8	73 CFSR	JL 3	AU 14	SE 25	OC 9			
	OBSERVED:			1	1	1	1			4
	ESTIMATED:			4	5	14	4			27
BINARY	8:	3 9	73 CFSR	JL 3	JL 17	JL 31	OC 9			
	OBSERVED:			2	2	2	1			7
	ESTIMATED:			9	15	11	4			39

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	8:	3 10	73	CFSR	JL 3	JL 17				
	OBSERVED:				1	1				2
	ESTIMATED:				4	7				11
BINARY	8:	3 11	73	CFSR	JL 3	JL 17				
	OBSERVED:				1	1				2
	ESTIMATED:				5	7				12
BINARY	8:	3 12	73	CFSR	JL 3	JL 31				
	OBSERVED:				2	1				3
	ESTIMATED:				9	5				14
BINARY	8:	3 13	73	CFSR	SE 11					
	OBSERVED:				1					1
	ESTIMATED:				2					2
BINARY	8:	3 14	73	CFSR	JL 3	AU 14				
	OBSERVED:				1	1				2
	ESTIMATED:				5	5				10
BINARY	8:	3 15	73	CFSR	JL 3					
	OBSERVED:				1					1
	ESTIMATED:				4					4
BINARY	8:	4 1	73	CFSR	JL 17	JL 31	AU 14	SE 25		
	OBSERVED:				4	1	1	1		7
	ESTIMATED:				26	6	5	5		42
BINARY	8:	4 2	73	CFSR	JL 17	JL 31	SE 11	SE 25	OC 9	
	OBSERVED:				1	1	1	1	1	5
	ESTIMATED:				7	6	2	5	18	38

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR   COHO

```
 TAG   AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3       BY
                                                                                         TOTALS

BINARY  8:  4  3     73 CFSR      JN 19     JL 3    JL 17    JL 31    AU 14    AU 28
        OBSERVED:                     1        8        3        5        1        2        20
        ESTIMATED:                    7       36       22       29        5       12       111

BINARY  8:  4  4     73 CFSR       JL 3    JL 17    JL 31    AU 14
        OBSERVED:                     2        1        2        1                           6
        ESTIMATED:                    9        7       11        5                          32

BINARY  8:  4  5     73 CFSR       JL 3    JL 17    JL 31    AU 28    SE 11
        OBSERVED:                     2        5        1        1        2                 11
        ESTIMATED:                    9       26        6        3       11                 55

BINARY  8:  4  6     73 CFSR       JL 3    JL 17    JL 31    AU 14    SE 11
        OBSERVED:                     3        1        1        1        2                  8
        ESTIMATED:                   13        7        5        5       11                 41

BINARY  8:  4  7     73 CFSR      JL 17    AU 28
        OBSERVED:                     1        2                                             3
        ESTIMATED:                    4        9                                            13

BINARY  8:  4  8     73 CFSR       JL 3    JL 17    JL 31
        OBSERVED:                     3        4        2                                    9
        ESTIMATED:                   14       26       13                                   53

BINARY  8:  4  9     73 CFSR       JL 3    JL 17    JL 31    AU 28     OC 9
        OBSERVED:                     6        3        3        1        1                 14
        ESTIMATED:                   26       22       18        3        4                 73

BINARY  8:  4 10     73 CFSR       JL 3    JL 17
        OBSERVED:                     1        2                                             3
        ESTIMATED:                    5       15                                            20
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	8:	4 11	73 CFSR	JL 3	JL 17	AU 14	AU 28	SE 11	
	OBSERVED:			2	1	2	1	1	7
	ESTIMATED:			9	7	9	3	2	30
BINARY	8:	4 12	73 CFSR	JL 3	JL 17	JL 31	SE 11		
	OBSERVED:			3	5	1	2		11
	ESTIMATED:			13	33	6	11		63
BINARY	8:	4 13	73 CFSR	JL 3	JL 17	JL 31			
	OBSERVED:			2	3	1			6
	ESTIMATED:			10	19	6			35
BINARY	8:	4 14	73 CFSR	JL 3					
	OBSERVED:			1					1
	ESTIMATED:			4					4
BINARY	8:	4 15	73 CFSR	JL 3	JL 17	JL 31	AU 14	OC 9	
	OBSERVED:			4	4	5	1	1	15
	ESTIMATED:			17	26	32	5	4	84
BINARY	8:	5 1	73 CFSR	JL 3					
	OBSERVED:			2					2
	ESTIMATED:			10					10
BINARY	8:	5 2	73 CFSR	JL 3	JL 31	AU 14	SE 11	SE 25	
	OBSERVED:			1	1	1	1	1	5
	ESTIMATED:			4	6	5	2	5	22
BINARY	8:	5 3	73 CFSR	JL 3	SE 11	OC 9			
	OBSERVED:			2	1	1			4
	ESTIMATED:			9	2	18			29

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE / AGENCY /AREA / DATA 1 2 3 / B.Y ISSUED FOR BY / BIWEEKLY PERIODS ENDING:

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED FOR BY							TOTALS
BINARY	8: 5 5	73 CFSR	JL 3	JL 31	AU 28	SE 11	SE 25		
	OBSERVED:		1	1	1	1	1		5
	ESTIMATED:		4	6	3	9	5		27
BINARY	8: 5 6	73 CFSR	JL 3	JL 17	JL 31	AU 28			
	OBSERVED:		2	1	1	1			5
	ESTIMATED:		9	4	6	6			25
BINARY	8: 5 7	73 CFSR	JL 3						
	OBSERVED:		1						1
	ESTIMATED:		4						4
BINARY	8: 5 8	73 CFSR	JL 31						
	OBSERVED:		1						1
	ESTIMATED:		6						6
BINARY	8: 5 9	73 CFSR	AU 14	SE 11					
	OBSERVED:		1	1					2
	ESTIMATED:		5	2					7
BINARY	8: 5 10	73 CFSR	JL 17						
	OBSERVED:		1						1
	ESTIMATED:		7						7
BINARY	8: 5 11	73 CFSR	AU 28						
	OBSERVED:		1						1
	ESTIMATED:		6						6
BINARY	8: 5 12	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	OC 9	
	OBSERVED:		1	3	1	1	1	1	8
	ESTIMATED:		4	19	6	5	3	4	41

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	8: 5 13	73 CFSR	JL 3	JL 17					
	OBSERVED:		1	1					2
	ESTIMATED:		4	4					8
BINARY	8: 5 14	73 CFSR	JL 31						
	OBSERVED:		1						1
	ESTIMATED:		6						6
BINARY	8: 5 15	73 CFSR	JL 3	JL 17	JL 31	AU 28	OC 9		
	OBSERVED:		1	2	2	2	2		9
	ESTIMATED:		4	15	11	6	9		45
BINARY	8: 6 1	73 CFSR	JL 3	JL 17	JL 31	AU 28	SE 11	OC 9	
	OBSERVED:		1	3	2	1	1	1	9
	ESTIMATED:		5	22	11	6	2	4	50
BINARY	8: 6 3	73 CFSR	JN 19						
	OBSERVED:		1						1
	ESTIMATED:		7						7
BINARY	8: 6 4	73 CFSR	JL 17						
	OBSERVED:		2						2
	ESTIMATED:		7						7
BINARY	8: 6 6	73 CFSR	JL 17	AU 28	OC 9				
	OBSERVED:		1	2	1				4
	ESTIMATED:		4	12	4				20
BINARY	8: 6 7	73 CFSR	JL 3	SE 11					
	OBSERVED:		1	1					2
	ESTIMATED:		4	2					6

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	11:	1 1		JN 19								
OBSERVED:				1								1
ESTIMATED:				7								7
BINARY	11:	2 10	74 UW	JL 3	JL 17	JL 31	SE 11	SE 25				
OBSERVED:				3	1	1	1	1				7
ESTIMATED:				13	4	5	2	14				38
BINARY	13:	1 1		JL 31								
OBSERVED:				1								1
ESTIMATED:				6								6
BINARY	13:	1 2	73 WDF	JL 3	JL 17	AU 14	AU 28					
OBSERVED:				1	1	1	1					4
ESTIMATED:				4	7	5	6					22
BINARY	13:	1 3	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
OBSERVED:				14	6	6	8	10	15	4	3	66
ESTIMATED:				65	41	34	39	39	65	29	27	339
BINARY	13:	1 5	73 WDF	JL 3	AU 28							
OBSERVED:				1	1							2
ESTIMATED:				4	3							7
BINARY	13:	1 6	73 WDF	JL 17	JL 31							
OBSERVED:				1	1							2
ESTIMATED:				7	6							13
BINARY	13:	1 7	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
OBSERVED:				32	15	7	5	2	3	1		65
ESTIMATED:				143	88	42	25	6	7	14		325

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE / AGENCY / DATA AREA 1 2 3 / B.Y ISSUED BY / FOR BIWEEKLY PERIODS ENDING: / TOTALS

BINARY 13: 1 10	73 WDF	JL 3	JL 17	SE 11							
OBSERVED:		3	1	1							5
ESTIMATED:		13	7	2							22
BINARY 13: 2 2	74 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25			
OBSERVED:		10	8	4	5	2	8	2			39
ESTIMATED:		46	51	22	24	9	17	19			188
BINARY 13: 2 12	74 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
OBSERVED:		1	6	6	4	1	2	3	1		24
ESTIMATED:		7	29	25	24	5	12	13	14		129
BINARY 13: 2 13	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
OBSERVED:		3	11	5	1	4	2	4	1		31
ESTIMATED:		20	50	26	6	20	9	21	5		157
BINARY 13: 2 14	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11				
OBSERVED:		3	4	4	1	1	2				15
ESTIMATED:		20	17	26	5	3	4				75
BINARY 13: 3 15	74 WDF	JL 3	AU 28								
OBSERVED:		1	1								2
ESTIMATED:		4	6								10
BINARY 14: 7 2	73 FWS	JN 19	JL 3	JL 17	JL 31	AU 28					
OBSERVED:		1	4	5	3	2					15
ESTIMATED:		7	18	26	19	6					76
BINARY 14: 9 2	73 FWS	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
OBSERVED:		3	27	13	10	4	3	3	1		64
ESTIMATED:		20	122	85	60	20	12	13	14		346

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

BINARY 14: 10 2	73 FWS	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	TOTALS
OBSERVED:		4	15	14	4	2	3	2	3	2	49
ESTIMATED:		27	66	95	25	10	15	4	15	22	279

BINARY 14: 13 2	73 FWS	JL 3	JL 17	JL 31	OC 9	TOTALS
OBSERVED:		2	1	1	1	5
ESTIMATED:		9	4	6	4	23

BINARY 14: 15 1	73 FWS	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	TOTALS
OBSERVED:		9	7	6	3	3	2	1	31
ESTIMATED:		42	40	35	14	15	4	4	154

BINARY 15: 8 4	JL 17	TOTALS
OBSERVED:	1	1
ESTIMATED:	7	7

PIN LOST	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	TOTALS
OBSERVED:	3	45	32	9	10	4	18	1	3	1	126
ESTIMATED:	20	203	188	54	49	18	59	14	13	16	634

NO PIN	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	TOTALS
OBSERVED:	37	248	164	82	50	39	72	21	17	730
ESTIMATED:	251	1123	994	483	242	166	246	143	102	3750

NO DATA	JL 3	JL 17	SE 11	TOTALS
OBSERVED:	5	2	1	8
ESTIMATED:	23	15	2	40

TOTALS FOR SWTR COHO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	TOTALS
OBSERVED:	192	1553	1041	529	346	272	370	89	113	4	4509
ESTIMATED:	1312	7029	6126	3113	1682	1200	1321	690	677	65	23215

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	1: 1 14	72	WDF	JN 19				
	OBSERVED:			1				1
	ESTIMATED:			2				2
BINARY	1: 2 12	72	WDF	JL 17				
	OBSERVED:			1				1
	ESTIMATED:			4				4
BINARY	1: 2 13	72	WDF	JL 3				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	1: 3 13	73	WDF	SE 11	OC 9			
	OBSERVED:			1	1			2
	ESTIMATED:			5	3			8
BINARY	1: 4 6	72	WDF	AU 14				
	OBSERVED:			2				2
	ESTIMATED:			6				6
BINARY	1: 4 15	73	WDF	JL 3	AU 14	AU 28		
	OBSERVED:			1	1	1		3
	ESTIMATED:			3	3	3		9
BINARY	1: 5 1	73	WDF	JL 3	AU 28	SE 11	OC 9	
	OBSERVED:			7	1	1	1	10
	ESTIMATED:			20	3	2	1	26
BINARY	1: 5 2	73	WDF	JL 3	JL 17	OC 9		
	OBSERVED:			3	1	1		5
	ESTIMATED:			9	4	3		16

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1:	5 3	73 WDF	AU 28			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	1:	5 4	73 WDF	SE 25	OC 9		
	OBSERVED:			2	1		3
	ESTIMATED:			11	3		14
BINARY	1:	5 5	73 WDF	JL 3	JL 17	SE 11	
	OBSERVED:			2	2	1	5
	ESTIMATED:			6	8	5	19
BINARY	1:	5 6	73 WDF	JL 3	AU 14	OC 9	
	OBSERVED:			2	1	1	4
	ESTIMATED:			6	3	1	10
BINARY	1:	5 15	72 WDF	AU 28			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	1:	6 8		JL 3			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	1:	7 1	73 WDF	JL 3	JL 31	OC 9	
	OBSERVED:			1	1	1	3
	ESTIMATED:			3	3	1	7
BINARY	1:	7 2	73 WDF	AU 14	AU 28	SE 11	
	OBSERVED:			1	1	1	3
	ESTIMATED:			3	3	2	8

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	1:	7 3	73 WDF	SE 11	SE 25	OC 9					
	OBSERVED:			2	1	1					4
	ESTIMATED:			10	8	3					21
BINARY	1:	7 4	73 WDF	JL 3	JL 31	AU 14	AU 28	SE 11	SE 25		
	OBSERVED:			4	1	2	3	2	1		13
	ESTIMATED:			12	6	5	10	7	3		43
BINARY	1:	7 5	73 WDF	JL 3	SE 11						
	OBSERVED:			1	1						2
	ESTIMATED:			8	2						10
BINARY	1:	7 6	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	OC 9	
	OBSERVED:			1	5	2	2	2	1	1	14
	ESTIMATED:			2	20	22	6	7	5	1	63
BINARY	1:	7 7	73 WDF	JL 3							
	OBSERVED:			2							2
	ESTIMATED:			6							6
BINARY	1:	7 8	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:			1	6	1	1	1	2	1	13
	ESTIMATED:			2	17	4	3	3	10	3	42
BINARY	1:	7 9	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11	SE 25	
	OBSERVED:			1	4	2	1	2	4	2	16
	ESTIMATED:			2	12	8	6	7	18	11	64
BINARY	1:	7 10	73 WDF	JL 3	JL 17	JL 31	AU 28	SE 25			
	OBSERVED:			6	2	1	1	2			12
	ESTIMATED:			17	15	6	3	11			52

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG TYPE / AGENCY /AREA / DATA 1 2 3 / B.Y ISSUED BY / FOR BIWEEKLY PERIODS ENDING:

TAG TYPE	DATA	B.Y / AGENCY								TOTALS
BINARY	1: 7 11	73 WDF	JL 3	JL 31	AU 14	SE 11	SE 25			
	OBSERVED:		5	3	1	1	1			11
	ESTIMATED:		14	15	3	5	8			45
BINARY	1: 7 12	73 WDF	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		5	1	1	3	1	2	1	14
	ESTIMATED:		14	4	3	10	2	11	3	47
BINARY	1: 7 13	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25	
	OBSERVED:		1	4	3	2	4	1	3	18
	ESTIMATED:		2	12	19	12	11	3	10	69
BINARY	1: 7 14	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25		
	OBSERVED:		14	1	2	2	2	2		23
	ESTIMATED:		40	4	9	6	7	15		81
BINARY	1: 7 15	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28			
	OBSERVED:		1	10	4	2	6			23
	ESTIMATED:		2	29	16	6	20			73
BINARY	1: 8 1	73 WDF	JL 3	JL 17	AU 28	SE 11	SE 25			
	OBSERVED:		10	1	2	2	2			17
	ESTIMATED:		29	4	7	7	6			53
BINARY	1: 8 2	73 WDF	JL 3	JL 17	AU 28	SE 11				
	OBSERVED:		6	1	1	3				11
	ESTIMATED:		22	4	3	12				41
BINARY	1: 8 3	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:		1	9	4	1	1	2	4	22
	ESTIMATED:		2	26	23	6	3	7	9	76

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	1: 8 8		73 WDF	JL 3	AU 14						
	OBSERVED:			1	1						2
	ESTIMATED:			3	3						6
BINARY	1: 8 15		73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:			7	2	1	3	1	1	2	17
	ESTIMATED:			20	15	6	8	3	5	6	63
BINARY	1: 9 1		73 WDF	JL 3	JL 17	AU 14	AU 28	SE 11	OC 9		
	OBSERVED:			5	1	1	1	3	1		12
	ESTIMATED:			14	11	3	3	12	3		46
BINARY	1: 9 2		73 WDF	JN 19	JL 3	AU 28	OC 9				
	OBSERVED:			1	1	1	1				4
	ESTIMATED:			2	3	3	3				11
BINARY	1: 9 3		73 WDF	JN 19	JL 3	AU 28	SE 11	OC 9			
	OBSERVED:			1	2	2	1	1			7
	ESTIMATED:			2	6	7	5	1			21
BINARY	1: 9 4		73 WDF	JN 19	JL 3	AU 14	SE 11	OC 9			
	OBSERVED:			1	1	2	1	2			7
	ESTIMATED:			2	3	6	5	4			20
BINARY	1: 9 5		73 WDF	JL 3	JL 31	AU 14	SE 25	OC 9			
	OBSERVED:			3	1	1	1	2			8
	ESTIMATED:			14	6	3	8	6			37
BINARY	1: 9 6		73 WDF	JL 3	AU 14						
	OBSERVED:			3	1						4
	ESTIMATED:			9	3						12

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG TYPE	AGENCY /AREA 1 2 3	DATA	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:									TOTALS
BINARY	1: 9 7		73 WDF	JL 3	AU 28	SE 11	SE 25	OC 9					
		OBSERVED:		5	1	4	1	1					12
		ESTIMATED:		14	3	15	3	3					38
BINARY	1: 9 8		73 WDF	JN 19	JL 3	JL 17	AU 28						
		OBSERVED:		2	3	1	2						8
		ESTIMATED:		4	9	11	7						31
BINARY	1: 9 9		73 WDF	JL 3	SE 11								
		OBSERVED:		1	1								2
		ESTIMATED:		3	5								8
BINARY	1: 12 10		73 WDF	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	OC 9			
		OBSERVED:		15	4	3	3	1	4	4			34
		ESTIMATED:		43	16	9	10	2	21	9			110
BINARY	1: 12 11		73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
		OBSERVED:		1	21	4	3	3	4	5	2	1	44
		ESTIMATED:		2	66	23	15	8	13	17	15	3	162
BINARY	1: 12 12		73 WDF	JN 19	JL 3	JL 17	SE 11	OC 9					
		OBSERVED:		2	8	1	1	1					13
		ESTIMATED:		4	23	4	5	3					39
BINARY	1: 12 13			JL 3									
		OBSERVED:		1									1
		ESTIMATED:		3									3
BINARY	1: 13 1		73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	SE 11	OC 9			
		OBSERVED:		2	24	4	2	3	9	2			46
		ESTIMATED:		4	69	16	9	8	41	3			150

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:									TOTALS
BINARY	1: 13 2	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 28	SE 11	SE 25	OC 9		
	OBSERVED:		2	11	3	1	4	6	2	1		30
	ESTIMATED:		4	32	12	3	13	19	11	1		95
BINARY	1: 13 3	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		4	17	5	2	9	10	6	6	5	64
	ESTIMATED:		8	54	27	9	23	33	19	41	16	230
BINARY	1: 13 6	73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25			
	OBSERVED:		9	3	1	1	3	1	2			20
	ESTIMATED:		26	26	3	3	10	5	11			84
BINARY	1: 13 7	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25			
	OBSERVED:		1	2	5	2	1	3	1			15
	ESTIMATED:		2	6	20	6	3	12	3			52
BINARY	1: 13 11		JL 3									
	OBSERVED:		1									1
	ESTIMATED:		3									3
BINARY	1: 13 12	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9		
	OBSERVED:		1	14	2	1	3	1	1	1		24
	ESTIMATED:		2	40	15	6	9	3	2	3		80
BINARY	1: 13 13	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		1	16	6	2	2	3	5	2	2	39
	ESTIMATED:		2	46	31	9	5	10	17	15	4	139
BINARY	1: 13 15		SE 25									
	OBSERVED:		1									1
	ESTIMATED:		3									3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE	AGENCY/DATA	B.Y ISSUED BY										TOTALS
BINARY	1: 14 1	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		1	18	3	7	4	2	7	2	1	45
	ESTIMATED:		2	52	12	30	11	7	25	15	1	155
BINARY	1: 14 2	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		2	36	7	1	6	6	9	6	6	79
	ESTIMATED:		4	109	42	6	16	20	27	33	16	273
BINARY	1: 14 7	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	OC 9		
	OBSERVED:		1	6	4	3	3	2	1	1		21
	ESTIMATED:		2	17	23	8	10	7	8	3		78
BINARY	1: 14 8	73 WDF	JL 3	JL 31	AU 28							
	OBSERVED:		5	1	1							7
	ESTIMATED:		14	6	3							23
BINARY	1: 14 9	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 25	OC 9			
	OBSERVED:		1	5	4	2	3	1	1			17
	ESTIMATED:		2	14	37	6	10	8	3			80
BINARY	1: 14 11		AU 14									
	OBSERVED:		1									1
	ESTIMATED:		3									3
BINARY	1: 15 2	73 COOP	JL 3	JL 17	AU 14	AU 28						
	OBSERVED:		9	2	2	2						15
	ESTIMATED:		26	15	6	7						54
BINARY	1: 15 4	73 WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	OC 9		
	OBSERVED:		2	18	4	5	5	5	2	5		46
	ESTIMATED:		4	57	37	13	17	12	15	12		167

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   COHO

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY										TOTALS
BINARY	1: 15 5	73 WDF	JL 3	JL 17	AU 28	SE 11	SE 25	OC 9	OC 23			
	OBSERVED:		3	3	1	2	4	1	1			15
	ESTIMATED:		9	12	3	10	30	1	3			68
BINARY	1: 15 6	73 WDF	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	OC 9			
	OBSERVED:		9	4	1	3	6	4	3			30
	ESTIMATED:		26	23	3	10	26	21	7			116
BINARY	1: 15 7	73 WDF	JL 3	JL 31	AU 14	AU 28	SE 11	OC 9				
	OBSERVED:		7	2	4	1	6	1				21
	ESTIMATED:		20	6	11	3	17	3				60
BINARY	1: 15 8		JN 19									
	OBSERVED:		1									1
	ESTIMATED:		2									2
BINARY	1: 15 10	73 WDF	JN 19	JL 3	AU 14	AU 28	SE 11	SE 25	OC 9			
	OBSERVED:		2	14	5	2	4	1	1			29
	ESTIMATED:		4	40	13	6	18	3	3			87
BINARY	1: 15 12	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		3	27	5	2	4	8	9	4	3	65
	ESTIMATED:		6	78	34	9	11	27	35	18	9	227
BINARY	1: 15 13	73 WDF	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	OC 9			
	OBSERVED:		10	6	3	5	4	2	1			31
	ESTIMATED:		29	31	8	17	9	6	3			103
BINARY	1: 15 14	73 WDF	AU 14	AU 28	SE 11	SE 25	OC 9					
	OBSERVED:		5	5	7	2	2					21
	ESTIMATED:		13	17	28	15	6					79

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	2: 2 4		73 CFSO	JL 17	JL 31	AU 14			
	OBSERVED:			1	1	1			3
	ESTIMATED:			11	3	3			17
BINARY	2: 4 5		73 CFSO	JL 3	AU 28	OC 9			
	OBSERVED:			2	1	3			6
	ESTIMATED:			6	3	7			16
BINARY	2: 5 5		73 CFSO	AU 14	SE 11				
	OBSERVED:			1	1				2
	ESTIMATED:			3	2				5
BINARY	2: 6 5		73 CFSO	JN 19	JL 3	AU 28	SE 11	SE 25	
	OBSERVED:			1	1	1	1	1	5
	ESTIMATED:			2	3	3	5	3	16
BINARY	2: 7 2		73 CFSO	JN 19	JL 3	AU 14			
	OBSERVED:			2	7	1			10
	ESTIMATED:			4	20	3			27
BINARY	2: 7 5			OC 9					
	OBSERVED:			1					1
	ESTIMATED:			3					3
BINARY	2: 8 2		73 CFSO	JL 3	JL 17	AU 28			
	OBSERVED:			6	2	1			9
	ESTIMATED:			17	15	3			35
BINARY	2: 8 5		73 CFSO	AU 14					
	OBSERVED:			1					1
	ESTIMATED:			3					3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

TAG TYPE	DATA	ISSUED BY									TOTALS
BINARY	2: 9 2	73 CFSO	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		5	1	3	2	2	5	6	10	34
	ESTIMATED:		14	11	15	6	7	23	41	25	142
BINARY	2: 9 5	73 CFSO	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	
	OBSERVED:		3	5	1	1	6	3	4	2	25
	ESTIMATED:		9	27	3	3	19	18	9	5	93
BINARY	2: 10 5	73 CFSO	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		2	2	1	1	2	4	1	4	17
	ESTIMATED:		6	15	6	3	6	18	8	7	69
BINARY	2: 10 6	73 CFSO	JL 3	JL 17	JL 31	AU 28	SE 11	SE 25	OC 9		
	OBSERVED:		2	6	1	4	1	2	1		17
	ESTIMATED:		6	51	6	13	2	6	3		87
BINARY	2: 14 5	73 CFSO	JL 3	JL 17	JL 31	SE 11	SE 25	OC 9			
	OBSERVED:		2	2	1	1	2	2			10
	ESTIMATED:		6	22	3	5	15	4			55
BINARY	2: 15 1		JL 17								
	OBSERVED:		1								1
	ESTIMATED:		4								4
BINARY	2: 15 2	73 CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28			
	OBSERVED:		1	11	1	1	3	1			18
	ESTIMATED:		2	32	4	6	8	3			55
BINARY	2: 15 5	73 CFSO	SE 25								
	OBSERVED:		1								1
	ESTIMATED:		3								3

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	5:	9 1			AU 28					
	OBSERVED:				1					1
	ESTIMATED:				3					3
BINARY	5:	15 5			JL 3					
	OBSERVED:				1					1
	ESTIMATED:				3					3
BINARY	7:	1 9	73	ODFW	JL 3	JL 31	SE 11			
	OBSERVED:				2	1	2			5
	ESTIMATED:				6	6	7			19
BINARY	7:	1 10	73	ODFW	JN 19	JL 3	AU 28	SE 11	OC 9	
	OBSERVED:				1	2	1	6	1	11
	ESTIMATED:				2	6	3	19	3	33
BINARY	7:	1 11	73	ODFW	JL 3	AU 28				
	OBSERVED:				1	1				2
	ESTIMATED:				3	3				6
BINARY	7:	1 12	73	ODFW	JL 3	AU 28	SE 11			
	OBSERVED:				1	1	3			5
	ESTIMATED:				3	3	10			16
BINARY	7:	3 8	73	ODFW	SE 25					
	OBSERVED:				2					2
	ESTIMATED:				15					15
BINARY	7:	4 5	73	ODFW	SE 11					
	OBSERVED:				1					1
	ESTIMATED:				5					5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	7:	9 5	73	ODFW	SE 11			
	OBSERVED:				1			1
	ESTIMATED:				5			5
BINARY	8:	2 8	73	CFSR	SE 11			
	OBSERVED:				1			1
	ESTIMATED:				5			5
BINARY	8:	2 12	73	CFSR	AU 14	AU 28		
	OBSERVED:				1	1		2
	ESTIMATED:				3	3		6
BINARY	8:	2 13	73	CFSR	AU 14	SE 25		
	OBSERVED:				1	1		2
	ESTIMATED:				3	8		11
BINARY	8:	2 14	73	CFSR	AU 14	SE 25	OC 9	
	OBSERVED:				1	1	1	3
	ESTIMATED:				3	3	3	9
BINARY	8:	3 2	73	CFSR	JL 3	JL 31		
	OBSERVED:				1	1		2
	ESTIMATED:				3	6		9
BINARY	8:	3 3	73	CFSR	JL 31	AU 28	SE 11	
	OBSERVED:				1	1	1	3
	ESTIMATED:				3	3	2	8
BINARY	8:	3 7	73	CFSR	AU 28			
	OBSERVED:				1			1
	ESTIMATED:				3			3

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	8: 3 9	73	CFSR	SE 25			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	8: 3 12	73	CFSR	JL 3			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	8: 3 13	73	CFSR	JL 3			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	8: 3 14	73	CFSR	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			4			4
BINARY	8: 3 15	73	CFSR	JL 31			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	8: 4 2	73	CFSR	JL 3	JL 31	AU 14	
	OBSERVED:			1	1	1	3
	ESTIMATED:			3	6	3	12
BINARY	8: 4 3	73	CFSR	JL 31	OC 9		
	OBSERVED:			1	1		2
	ESTIMATED:			6	1		7
BINARY	8: 4 4	73	CFSR	SE 11			
	OBSERVED:			1			1
	ESTIMATED:			5			5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	8: 4 5	73	CFSR	JL 3	JL 17	AU 28		
	OBSERVED:			1	1	2		4
	ESTIMATED:			3	4	7		14
BINARY	8: 4 6	73	CFSR	SE 11	SE 25	OC 9		
	OBSERVED:			1	1	1		3
	ESTIMATED:			2	8	1		11
BINARY	8: 4 8	73	CFSR	SE 25	OC 9			
	OBSERVED:			2	1			3
	ESTIMATED:			11	3			14
BINARY	8: 4 9	73	CFSR	JL 3	OC 9			
	OBSERVED:			1	2			3
	ESTIMATED:			3	4			7
BINARY	8: 4 11	73	CFSR	JL 3				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	8: 4 13	73	CFSR	JL 17				
	OBSERVED:			1				1
	ESTIMATED:			11				11
BINARY	8: 4 14	73	CFSR	JL 3				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	8: 4 15	73	CFSR	JL 3	JL 17	AU 14	AU 28	
	OBSERVED:			2	2	1	2	7
	ESTIMATED:			6	15	3	7	31

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	8:	5 3	73 CFSR	SE 25			
	OBSERVED:			1			1
	ESTIMATED:			3			3
BINARY	8:	5 4	73 CFSR	SE 11			
	OBSERVED:			1			1
	ESTIMATED:			5			5
BINARY	8:	5 6	73 CFSR	JL 17	SE 11	SE 25	
	OBSERVED:			1	2	1	4
	ESTIMATED:			4	10	8	22
BINARY	8:	5 8	73 CFSR	JL 3	SE 25		
	OBSERVED:			1	1		2
	ESTIMATED:			3	3		6
BINARY	8:	5 9	73 CFSR	AU 14	SE 11	OC 9	
	OBSERVED:			1	1	1	3
	ESTIMATED:			3	5	3	11
BINARY	8:	5 12	73 CFSR	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			11			11
BINARY	8:	5 15	73 CFSR	JL 3	OC 9		
	OBSERVED:			1	3		4
	ESTIMATED:			3	4		7
BINARY	8:	6 1	73 CFSR	SE 11	SE 25		
	OBSERVED:			1	1		2
	ESTIMATED:			5	8		13

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	8:	6 4	73	CFSR	OC 9								
	OBSERVED:				2								2
	ESTIMATED:				6								6
BINARY	11:	2 2			AU 28								
	OBSERVED:				1								1
	ESTIMATED:				3								3
BINARY	11:	2 10	74	UW	JL 3	AU 14	OC 9						
	OBSERVED:				1	1	1						3
	ESTIMATED:				3	3	1						7
BINARY	13:	1 2	73	WDF	JN 19	AU 28	SE 11						
	OBSERVED:				1	1	1						3
	ESTIMATED:				2	3	2						7
BINARY	13:	1 3	73	WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:				6	1	1	2	3	4	3	2	22
	ESTIMATED:				22	4	3	6	10	18	14	6	83
BINARY	13:	1 5	73	WDF	JN 19	JL 3							
	OBSERVED:				1	1							2
	ESTIMATED:				2	3							5
BINARY	13:	1 6	73	WDF	JN 19	JL 3	AU 14	AU 28	SE 11				
	OBSERVED:				1	4	3	2	1				11
	ESTIMATED:				2	12	8	6	2				30
BINARY	13:	1 7	73	WDF	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25		
	OBSERVED:				2	18	7	6	4	3	1		41
	ESTIMATED:				4	57	42	16	14	7	3		143

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY 13:	1 10	73 WDF	AU 28	SE 11						
OBSERVED:			1	1						2
ESTIMATED:			3	5						8
BINARY 13:	2 2	74 WDF	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	OC 9	
OBSERVED:			4	2	3	2	4	1	1	17
ESTIMATED:			12	15	9	7	15	8	3	69
BINARY 13:	2 12	74 WDF	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	OC 9	
OBSERVED:			8	4	1	2	4	4	1	24
ESTIMATED:			33	37	3	6	15	26	3	123
BINARY 13:	2 13	73 WDF	JL 3	JL 31	AU 28	SE 11	SE 25	OC 9		
OBSERVED:			1	1	1	2	1	2		8
ESTIMATED:			3	6	3	7	8	6		33
BINARY 13:	2 14	73 WDF	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25	
OBSERVED:			1	10	1	1	2	1	2	18
ESTIMATED:			2	29	11	3	5	3	15	68
BINARY 13:	3 15	74 WDF	JL 3							
OBSERVED:			1							1
ESTIMATED:			3							3
BINARY 14:	7 2	73 FWS	JN 19	JL 3	JL 31	OC 9				
OBSERVED:			1	5	1	1				8
ESTIMATED:			2	14	6	3				25
BINARY 14:	8 2	73 FWS	JL 3	AU 28						
OBSERVED:			1	1						2
ESTIMATED:			3	3						6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR   COHO

TAG TYPE	AGENCY DATA /AREA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:										TOTALS
BINARY 14:	9 2	73 FWS	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9		
OBSERVED:			1	15	4	3	3	5	3	2	2		38
ESTIMATED:			2	43	23	12	8	17	12	11	4		132
BINARY 14:	10 2	73 FWS	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	OC 9			
OBSERVED:			2	15	1	2	1	5	6	4			36
ESTIMATED:			4	48	4	5	3	21	36	13			134
BINARY 14:	15 1	73 FWS	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25					
OBSERVED:			9	2	2	1	2	3					19
ESTIMATED:			26	8	6	3	7	18					68
BINARY 15:	1 3		AU 28										
OBSERVED:			1										1
ESTIMATED:			3										3
BINARY 15:	11 10		JL 3										
OBSERVED:			1										1
ESTIMATED:			3										3
BINARY 15:	15 1	72 WDF	JL 3										
OBSERVED:			1										1
ESTIMATED:			3										3
PIN LOST			JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9		
OBSERVED:			1	32	6	1	4	2	5	5	7		63
ESTIMATED:			2	97	38	3	11	6	21	33	20		231
NO PIN			JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	
OBSERVED:			17	131	43	12	22	27	42	25	17	1	337
ESTIMATED:			32	388	314	55	59	89	170	146	45	2	1300

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WOTR COHO

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

NO DATA	JN 19	JL 3	JL 17	AU 14	TOTALS
OBSERVED:	1	1	1	1	4
ESTIMATED:	2	3	4	3	12

TOTALS FOR WOTR COHO

	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	TOTALS
OBSERVED:	73	772	209	73	170	195	255	153	136	4	2040
ESTIMATED:	144	2312	1341	343	472	638	962	888	338	10	7448

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING: AU 28	SE 11	TOTALS
BINARY	1:	7 12	73	WDF	AU 28		
	OBSERVED:				1		1
	ESTIMATED:				4		4
BINARY	1:	13 12	73	WDF	SE 11		
	OBSERVED:				1		1
	ESTIMATED:				1		1
BINARY	1:	14 1	73	WDF	SE 11		
	OBSERVED:				1		1
	ESTIMATED:				1		1
BINARY	2:	6 5	73	CFSO	SE 11		
	OBSERVED:				1		1
	ESTIMATED:				1		1
BINARY	13:	2 13	73	WDF	SE 11		
	OBSERVED:				1		1
	ESTIMATED:				1		1
NO PIN					SE 11		
	OBSERVED:				1		1
	ESTIMATED:				1		1

TOTALS FOR JFTR COHO

	AU 28	SE 11	TOTALS
OBSERVED:	1	5	6
ESTIMATED:	4	5	9

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	1:	4 10	72	WDF	JL 31						
	OBSERVED:				1						1
	ESTIMATED:				2						2
BINARY	1:	5 5	73	WDF	JL 17						
	OBSERVED:				1						1
	ESTIMATED:				2						2
BINARY	1:	7 8	73	WDF	JL 17						
	OBSERVED:				1						1
	ESTIMATED:				2						2
BINARY	1:	7 12	73	WDF	JL 17						
	OBSERVED:				1						1
	ESTIMATED:				2						2
BINARY	1:	8 1	73	WDF	JL 3						
	OBSERVED:				1						1
	ESTIMATED:				1						1
BINARY	1:	8 6	73	WDF	JL 17						
	OBSERVED:				1						1
	ESTIMATED:				2						2
BINARY	1:	9 9	73	WDF	JL 3						
	OBSERVED:				1						1
	ESTIMATED:				1						1
BINARY	1:	12 10	73	WDF	JL 3	JL 17	JL 31	AU 14	AU 28	OC 9	
	OBSERVED:				6	14	6	9	3	2	40
	ESTIMATED:				8	31	10	29	4	2	84

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR COHO

TAG TYPE	AGENCY /AREA / DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	1: 12 11	73 WDF	JL 17	JL 31	AU 14	AU 28		
	OBSERVED:		5	3	2	1		11
	ESTIMATED:		8	6	3	2		19
BINARY	1: 12 12	73 WDF	AU 28					
	OBSERVED:		1					1
	ESTIMATED:		1					1
BINARY	1: 13 1	73 WDF	JL 3	JL 17	JL 31	AU 14		
	OBSERVED:		2	3	2	1		8
	ESTIMATED:		3	5	3	5		16
BINARY	1: 13 2	73 WDF	JL 17					
	OBSERVED:		1					1
	ESTIMATED:		2					2
BINARY	1: 13 6	73 WDF	JL 3	JL 17	JL 31	OC 9		
	OBSERVED:		1	1	1	1		4
	ESTIMATED:		1	2	2	1		6
BINARY	1: 13 7	73 WDF	JL 3					
	OBSERVED:		1					1
	ESTIMATED:		1					1
BINARY	1: 13 12	73 WDF	JL 17					
	OBSERVED:		2					2
	ESTIMATED:		3					3
BINARY	1: 13 13	73 WDF	JL 3	JL 17	JL 31	AU 14	SE 11	
	OBSERVED:		5	5	1	2	1	14
	ESTIMATED:		7	10	2	6	3	28

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	1: 14 1	73 WDF	JL 3	JL 17	JL 31	SE 11	
	OBSERVED:		1	1	1	1	4
	ESTIMATED:		1	2	2	3	8
BINARY	1: 14 7	73 WDF	SE 11				
	OBSERVED:		1				1
	ESTIMATED:		2				2
BINARY	1: 15 2	73 COOP	JL 17				
	OBSERVED:		2				2
	ESTIMATED:		4				4
BINARY	1: 15 4	73 WDF	JL 3				
	OBSERVED:		1				1
	ESTIMATED:		1				1
BINARY	1: 15 6	73 WDF	JL 31				
	OBSERVED:		1				1
	ESTIMATED:		2				2
BINARY	1: 15 12	73 WDF	JL 17	AU 14			
	OBSERVED:		1	2			3
	ESTIMATED:		2	6			8
BINARY	1: 15 13	73 WDF	JL 3				
	OBSERVED:		1				1
	ESTIMATED:		1				1
BINARY	2: 1 2	72 CFSO	JL 17				
	OBSERVED:		1				1
	ESTIMATED:		2				2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:									TOTALS
BINARY	2: 2 4	73	CFSO	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25			
	OBSERVED:			5	12	1	1	1	2	1			23
	ESTIMATED:			7	21	2	5	2	5	1			43
BINARY	2: 4 5	73	CFSO	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11				
	OBSERVED:			1	5	5	1	1	1				14
	ESTIMATED:			1	8	9	5	2	2				27
BINARY	2: 5 5	73	CFSO	JL 3	JL 17	JL 31	AU 14	SE 25					
	OBSERVED:			1	3	1	4	1					10
	ESTIMATED:			1	5	2	6	1					15
BINARY	2: 6 5	73	CFSO	JL 17	SE 11								
	OBSERVED:			1	1								2
	ESTIMATED:			2	2								4
BINARY	2: 7 2	73	CFSO	JL 3	JL 17	JL 31	AU 28	OC 9					
	OBSERVED:			3	9	4	1	1					18
	ESTIMATED:			4	18	6	1	1					30
BINARY	2: 8 2	73	CFSO	JL 3	JL 17	JL 31	AU 28						
	OBSERVED:			2	7	2	1						12
	ESTIMATED:			3	13	3	2						21
BINARY	2: 8 5	73	CFSO	JL 17	JL 31	AU 14	AU 28						
	OBSERVED:			5	4	5	3						17
	ESTIMATED:			8	7	19	4						38
BINARY	2: 9 2	73	CFSO	MY 22	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			1	84	151	72	80	30	21	20	14	473
	ESTIMATED:			-	115	267	131	294	39	47	26	14	933

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	2: 9 5		73 CFSO	AU 14	AU 28	SE 25				
	OBSERVED:			1	1	1				3
	ESTIMATED:			5	1	1				7
BINARY	2: 10 2			SE 25						
	OBSERVED:			1						1
	ESTIMATED:			1						1
BINARY	2: 10 5		73 CFSO	JL 3	JL 17	JL 31	AU 14	AU 28	OC 9	
	OBSERVED:			1	2	3	1	2	1	10
	ESTIMATED:			1	4	5	1	2	1	14
BINARY	2: 10 6		73 CFSO	JL 3						
	OBSERVED:			1						1
	ESTIMATED:			1						1
BINARY	2: 12 2			JL 31	SE 25					
	OBSERVED:			1	1					2
	ESTIMATED:			2	1					3
BINARY	2: 15 2		73 CFSO	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			1	10	20	6	4	1	42
	ESTIMATED:			-	14	39	10	18	1	82
BINARY	2: 15 5		73 CFSO	JL 3	SE 11					
	OBSERVED:			2	1					3
	ESTIMATED:			3	3					6
BINARY	8: 1 6		73 CFSR	JL 31						
	OBSERVED:			2						2
	ESTIMATED:			4						4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	8: 1 7	73	CFSR	JL 31				
	OBSERVED:			1				1
	ESTIMATED:			2				2
BINARY	8: 1 13	72	CFSR	JL 31				
	OBSERVED:			1				1
	ESTIMATED:			2				2
BINARY	8: 2 2	73	CFSR	JL 3	JL 31			
	OBSERVED:			1	1			2
	ESTIMATED:			1	2			3
BINARY	8: 2 3	73	CFSR	JL 17				
	OBSERVED:			3				3
	ESTIMATED:			7				7
BINARY	8: 2 4	73	CFSR	JL 31				
	OBSERVED:			1				1
	ESTIMATED:			2				2
BINARY	8: 2 5	73	CFSR	JL 17	JL 31	SE 11		
	OBSERVED:			2	1	1		4
	ESTIMATED:			3	2	2		7
BINARY	8: 2 6	73	CFSR	JL 17	AU 14			
	OBSERVED:			1	1			2
	ESTIMATED:			2	1			3
BINARY	8: 2 7	73	CFSR	JL 17	JL 31	AU 14	SE 25	
	OBSERVED:			2	2	1	1	6
	ESTIMATED:			3	4	1	1	9

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING: | | | | | | | TOTALS

TAG TYPE	AGENCY /AREA / DATA 1 2 3	B.Y ISSUED BY								TOTALS
BINARY	8: 2 8	73 CFSR	JL 3	JL 31	AU 14	SE 25				
	OBSERVED:		2	1	1	1				5
	ESTIMATED:		3	2	1	1				7
BINARY	8: 2 9	73 CFSR	JL 3	AU 14	OC 9					
	OBSERVED:		2	2	1					5
	ESTIMATED:		3	6	1					10
BINARY	8: 2 10	73 CFSR	AU 14							
	OBSERVED:		1							1
	ESTIMATED:		5							5
BINARY	8: 2 11	73 CFSR	JL 3	SE 25	OC 9					
	OBSERVED:		1	1	1					3
	ESTIMATED:		1	1	1					3
BINARY	8: 2 12	73 CFSR	JL 3	JL 17	AU 14	AU 28	OC 9			
	OBSERVED:		2	4	3	2	1			12
	ESTIMATED:		3	9	8	3	1			24
BINARY	8: 2 13	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:		1	11	4	3	2	1	1	23
	ESTIMATED:		1	19	8	14	3	3	1	49
BINARY	8: 2 14	73 CFSR	JL 3	JL 17	AU 28	OC 9				
	OBSERVED:		2	3	1	1				7
	ESTIMATED:		3	7	2	1				13
BINARY	8: 2 15	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
	OBSERVED:		5	7	3	3	5	1	2	26
	ESTIMATED:		7	13	5	8	7	3	2	45

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	8: 3 1	73	CFSR	JL 3	JL 17	AU 14	AU 28	SE 11			
	OBSERVED:			1	2	1	1	1			6
	ESTIMATED:			1	4	5	2	2			14
BINARY	8: 3 2	73	CFSR	JL 17	JL 31	AU 14					
	OBSERVED:			2	1	2					5
	ESTIMATED:			3	2	3					8
BINARY	8: 3 3	73	CFSR	JL 3	JL 17	JL 31	AU 28	SE 11	SE 25		
	OBSERVED:			4	9	4	3	1	1		22
	ESTIMATED:			5	16	7	4	2	1		35
BINARY	8: 3 4	73	CFSR	JL 3	JL 17	AU 14	SE 11				
	OBSERVED:			1	2	2	1				6
	ESTIMATED:			1	3	6	3				13
BINARY	8: 3 5	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25	OC 9	
	OBSERVED:			4	5	3	1	3	1	1	18
	ESTIMATED:			5	8	5	1	4	1	1	25
BINARY	8: 3 6	73	CFSR	JL 3	JL 17	AU 28	SE 11	SE 25			
	OBSERVED:			3	8	2	2	1			16
	ESTIMATED:			4	15	3	5	1			28
BINARY	8: 3 7	73	CFSR	AU 14							
	OBSERVED:			1							1
	ESTIMATED:			5							5
BINARY	8: 3 8	73	CFSR	JL 3	JL 17	JL 31	AU 14	SE 25			
	OBSERVED:			2	3	2	4	1			12
	ESTIMATED:			3	5	3	12	1			24

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y | ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

TAG TYPE	AGENCY/DATA	B.Y ISSUED BY									TOTALS
BINARY	8: 3 9	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		10	8	3	5	1	3	2	1	33
	ESTIMATED:		14	13	5	13	1	7	2	1	56
BINARY	8: 3 10	73 CFSR	JL 17	JL 31	AU 14						
	OBSERVED:		1	2	1						4
	ESTIMATED:		2	4	5						11
BINARY	8: 3 11	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28				
	OBSERVED:		1	1	1	1	2				6
	ESTIMATED:		1	2	2	5	3				13
BINARY	8: 3 12	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28				
	OBSERVED:		9	5	7	2	2				25
	ESTIMATED:		12	8	12	6	3				41
BINARY	8: 3 13	73 CFSR	JL 3	JL 17	AU 14	AU 28					
	OBSERVED:		1	2	1	1					5
	ESTIMATED:		1	5	1	1					8
BINARY	8: 3 14	73 CFSR	JL 3	JL 17	JL 31	AU 14	SE 11	OC 9			
	OBSERVED:		2	4	1	3	1	1			12
	ESTIMATED:		3	7	2	4	3	1			20
BINARY	8: 3 15	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25			
	OBSERVED:		6	7	6	5	1	1			26
	ESTIMATED:		8	11	12	17	2	1			51
BINARY	8: 4 1	73 CFSR	JL 3	JL 17	JL 31	AU 14	SE 11				
	OBSERVED:		1	3	4	2	1				11
	ESTIMATED:		1	5	8	3	2				19

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:								TOTALS
BINARY	8: 4 2	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:			2	8	4	2	2	1			19
	ESTIMATED:			3	15	7	9	3	2			39
BINARY	8: 4 3	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			5	2	6	6	2	3	2	3	29
	ESTIMATED:			7	4	11	18	3	6	2	4	55
BINARY	8: 4 4	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9		
	OBSERVED:			2	4	1	3	3	1	1		15
	ESTIMATED:			3	7	2	10	5	3	1		31
BINARY	8: 4 5	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
	OBSERVED:			3	4	7	2	1	2	3		22
	ESTIMATED:			4	8	14	6	2	5	3		42
BINARY	8: 4 6	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			5	9	3	2	5	4	2	3	33
	ESTIMATED:			7	16	5	6	6	8	2	4	54
BINARY	8: 4 7	73	CFSR	JL 3	JL 31	AU 14	SE 11	OC 9				
	OBSERVED:			1	2	1	1	2				7
	ESTIMATED:			1	3	1	2	2				9
BINARY	8: 4 8	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:			1	7	3	3	3	1			18
	ESTIMATED:			1	11	5	14	4	3			38
BINARY	8: 4 9	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			12	27	13	16	8	1	2	4	83
	ESTIMATED:			16	51	23	61	11	2	3	5	172

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR   COHO

TAG TYPE | AGENCY DATA /AREA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

											TOTALS
BINARY	8: 4 10	73 CFSR	JL 3	JL 17	JL 31	AU 14					
	OBSERVED:		1	1	1	1					4
	ESTIMATED:		1	2	2	1					6
BINARY	8: 4 11	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9		
	OBSERVED:		3	10	4	3	2	3	1		26
	ESTIMATED:		4	18	7	10	3	6	1		49
BINARY	8: 4 12	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		13	21	10	11	4	4	2	1	66
	ESTIMATED:		18	36	18	41	5	10	2	1	131
BINARY	8: 4 13	73 CFSR	JL 3	JL 17	JL 31	AU 14					
	OBSERVED:		1	4	2	1					8
	ESTIMATED:		1	7	3	5					16
BINARY	8: 4 14	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:		5	10	2	4	3	1	1	1	27
	ESTIMATED:		7	17	4	6	4	2	1	1	42
BINARY	8: 4 15	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:		16	17	11	17	4	5			70
	ESTIMATED:		22	30	22	50	5	10			139
BINARY	8: 5 1	73 CFSR	JL 3	JL 31	AU 14	AU 28	OC 9				
	OBSERVED:		1	2	1	2	1				7
	ESTIMATED:		1	4	1	3	1				10
BINARY	8: 5 2	73 CFSR	JL 3	JL 17	JL 31	SE 11					
	OBSERVED:		2	2	2	1					7
	ESTIMATED:		3	3	4	3					13

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	8:	5 3	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:				4	3	6	5	3	2	1	24
	ESTIMATED:				5	5	10	13	4	5	1	43
BINARY	8:	5 4	73	CFSR	JL 17	JL 31	AU 28					
	OBSERVED:				1	1	1					3
	ESTIMATED:				2	2	2					6
BINARY	8:	5 5	73	CFSR	JL 3	JL 17	JL 31	AU 28				
	OBSERVED:				3	1	4	2				10
	ESTIMATED:				4	2	9	3				18
BINARY	8:	5 6	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:				3	10	6	8	4	3	1	35
	ESTIMATED:				4	16	11	24	5	6	1	67
BINARY	8:	5 7	73	CFSR	JL 17	JL 31	AU 14	AU 28	SE 25			
	OBSERVED:				2	2	1	1	1			7
	ESTIMATED:				3	3	5	2	1			14
BINARY	8:	5 8	73	CFSR	JL 3	JL 17	AU 14	AU 28	SE 11			
	OBSERVED:				2	3	5	1	1			12
	ESTIMATED:				3	5	17	1	2			28
BINARY	8:	5 9	73	CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25	OC 9	
	OBSERVED:				4	8	8	1	1	2	3	27
	ESTIMATED:				5	15	14	5	2	2	4	47
BINARY	8:	5 10	73	CFSR	JL 17	JL 31	AU 28	SE 11	SE 25			
	OBSERVED:				1	1	1	1	1			5
	ESTIMATED:				2	2	2	2	1			9

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR COHO

TAG TYPE / AGENCY /AREA / DATA 1 2 3 / B.Y / ISSUED BY / FOR BIWEEKLY PERIODS ENDING:

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY									TOTALS
BINARY	8:	5 11	73 CFSR	JL 3	JL 31	AU 14						
	OBSERVED:			1	2	1						4
	ESTIMATED:			1	3	1						5
BINARY	8:	5 12	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
	OBSERVED:			8	10	6	4	2	4	2		36
	ESTIMATED:			11	19	10	12	3	8	2		65
BINARY	8:	5 13	73 CFSR	JL 3	JL 17	OC 9						
	OBSERVED:			1	3	1						5
	ESTIMATED:			1	5	1						7
BINARY	8:	5 14	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28				
	OBSERVED:			4	2	3	1	2				12
	ESTIMATED:			5	3	6	1	3				18
BINARY	8:	5 15	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:			6	6	4	7	4	1	1	1	30
	ESTIMATED:			8	13	7	26	5	3	1	1	64
BINARY	8:	6 1	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:			6	12	13	8	4	1			44
	ESTIMATED:			8	20	24	24	5	3			84
BINARY	8:	6 2	73 CFSR	JL 3	JL 31	AU 14	AU 28					
	OBSERVED:			2	1	1	1					5
	ESTIMATED:			3	2	5	1					11
BINARY	8:	6 3	73 CFSR	JL 3	JL 17	AU 14	AU 28					
	OBSERVED:			2	1	2	1					6
	ESTIMATED:			3	2	9	1					15

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR   COHO

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

										TOTALS
BINARY 8: 6 4	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25		
OBSERVED:		6	7	1	2	4	1	1		22
ESTIMATED:		8	13	2	3	5	2	1		34
BINARY 8: 6 5	73 CFSR	JL 3	JL 17	JL 31	AU 14	SE 25				
OBSERVED:		1	3	1	2	1				8
ESTIMATED:		1	5	2	3	1				12
BINARY 8: 6 6	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9		
OBSERVED:		8	16	11	4	5	4	1		49
ESTIMATED:		11	29	22	15	7	8	1		93
BINARY 8: 6 7	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
OBSERVED:		2	3	2	2	1	1			11
ESTIMATED:		3	5	3	3	1	3			18
BINAPY 14: 7 2	73 FWS	JL 3	JL 17	JL 31	AU 14					
OBSERVED:		1	2	1	1					5
ESTIMATED:		1	4	2	1					8
BINARY 14: 9 2	73 FWS	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11			
OBSERVED:		1	10	6	4	3	3			27
ESTIMATED:		1	20	10	15	4	7			57
BINARY 14: 10 2	73 FWS	JL 3	JL 17	JL 31	AU 14	SE 11	SE 25	OC 9		
OBSERVED:		3	5	2	1	1	1	1		14
ESTIMATED:		4	8	4	5	2	1	1		25
PIN LOST		JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
OBSERVED:		18	28	12	8	5	4	5	3	83
ESTIMATED:		25	47	23	24	6	7	6	4	142

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR   COHO

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

NO PIN	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	TOTALS
OBSERVED:	57	109	44	46	28	14	6	9	313
ESTIMATED:	78	204	80	144	38	29	8	11	592

NO DATA	JL 3	JL 17	AU 14	SE 25	OC 9	TOTALS
OBSERVED:	1	1	2	2	1	7
ESTIMATED:	1	2	3	3	1	10

TOTALS FOR GSTR   COHO

	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	TOTALS
OBSERVED:	1	1	408	723	376	348	185	111	73	65	2291
ESTIMATED:	-	-	549	1308	686	1129	253	248	84	72	4329

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NN   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	2:	9 2	73	CFSO	JL 24			
	OBSERVED:				1			1
	ESTIMATED:				14			14
BINARY	2:	11 1			SE 18			
	OBSERVED:				1			1
	ESTIMATED:				2			2
BINARY	4:	1 7	73	ADFG	JL 17			
	OBSERVED:				1			1
	ESTIMATED:				4			4
NO PIN					JL 31	AU 28	SE 11	
	OBSERVED:				1	2	3	6
	ESTIMATED:				5	8	23	36

TOTALS FOR NN   COHO

	JL 17	JL 24	JL 31	AU 28	SE 11	SE 18	TOTALS
OBSERVED:	1	1	1	2	3	1	9
ESTIMATED:	4	14	5	8	23	2	56

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:		TOTALS
BINARY	1:	7 6	73	WDF	AU 21		
	OBSERVED:				1		1
	ESTIMATED:				4		4
BINARY	1:	9 6	73	WDF	JL 10		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	1:	12 10	73	WDF	AU 14		
	OBSERVED:				1		1
	ESTIMATED:				5		5
BINARY	1:	12 11	73	WDF	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				5		5
BINARY	1:	12 12	73	WDF	OC 2		
	OBSERVED:				1		1
	ESTIMATED:				2		2
BINARY	1:	13 1	73	WDF	JL 10		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	1:	13 2	73	WDF	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				5		5
BINARY	1:	13 13	73	WDF	JL 10	JL 24	
	OBSERVED:				1	1	2
	ESTIMATED:				3	14	17

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR	WEEKLY PERIODS ENDING:				TOTALS
BINARY	1: 14 1		73	WDF		JL 10				
	OBSERVED:					1				1
	ESTIMATED:					3				3
BINARY	1: 15 4		73	WDF		AU 14				
	OBSERVED:					1				1
	ESTIMATED:					5				5
BINARY	2: 2 4		73	CFSO		JL 10	AU 14	AU 21	OC 2	
	OBSERVED:					1	1	2	2	6
	ESTIMATED:					3	5	7	3	18
BINARY	2: 4 5		73	CFSO		JL 10	SE 11			
	OBSERVED:					1	1			2
	ESTIMATED:					3	8			11
BINARY	2: 5 3		74	CFSO		AU 14				
	OBSERVED:					1				1
	ESTIMATED:					5				5
BINARY	2: 7 2		73	CFSO		JL 10				
	OBSERVED:					1				1
	ESTIMATED:					3				3
BINARY	2: 7 3		74	CFSO		AU 14				
	OBSERVED:					1				1
	ESTIMATED:					5				5
BINARY	2: 8 5		73	CFSO		JL 10				
	OBSERVED:					1				1
	ESTIMATED:					3				3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:									TOTALS
BINARY	2: 9 2	73 CFSO	JL 3	JL 10	JL 17	JL 24	AU 14	AU 21	AU 28	SE 4	OC 2	
	OBSERVED:		1	26	10	10	13	7	2	1	2	72
	ESTIMATED:		2	79	54	143	59	25	11	3	3	379
BINARY	2: 10 6	73 CFSO	JL 10									
	OBSERVED:		1									1
	ESTIMATED:		3									3
BINARY	2: 14 5	73 CFSO	JL 10									
	OBSERVED:		1									1
	ESTIMATED:		3									3
BINARY	2: 15 2	73 CFSO	JL 10									
	OBSERVED:		1									1
	ESTIMATED:		3									3
BINARY	7: 6 3	72 ODFW	AU 14									
	OBSERVED:		1									1
	ESTIMATED:		5									5
BINARY	8: 2 2	73 CFSR	JL 24									
	OBSERVED:		1									1
	ESTIMATED:		14									14
BINARY	8: 2 3	73 CFSR	JL 10									
	OBSERVED:		1									1
	ESTIMATED:		3									3
BINARY	8: 2 11	73 CFSR	AU 21									
	OBSERVED:		1									1
	ESTIMATED:		4									4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR	WEEKLY PERIODS ENDING:		TOTALS
BINARY	8:	2 12	73	CFSR		JL 10		
	OBSERVED:					1		1
	ESTIMATED:					3		3
BINARY	8:	2 13	73	CFSR		JL 17		
	OBSERVED:					1		1
	ESTIMATED:					5		5
BINARY	8:	2 14	73	CFSR		SE 4		
	OBSERVED:					1		1
	ESTIMATED:					3		3
BINARY	8:	2 15	73	CFSR		JL 17		
	OBSERVED:					1		1
	ESTIMATED:					5		5
BINARY	8:	3 2	73	CFSR		JL 10	JL 17	
	OBSERVED:					2	1	3
	ESTIMATED:					6	5	11
BINARY	8:	3 3	73	CFSR		AU 14		
	OBSERVED:					1		1
	ESTIMATED:					5		5
BINARY	8:	3 5	73	CFSR		JL 17		
	OBSERVED:					1		1
	ESTIMATED:					5		5
BINARY	8:	3 11	73	CFSR		JL 10		
	OBSERVED:					1		1
	ESTIMATED:					3		3

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:		TOTALS
BINARY	8:	3 12	73	CFSR	AU 14		
	OBSERVED:				1		1
	ESTIMATED:				5		5
BINARY	8:	3 14	73	CFSR	JL 10	OC 2	
	OBSERVED:				1	1	2
	ESTIMATED:				3	2	5
BINARY	8:	3 15	73	CFSR	AU 14		
	OBSERVED:				1		1
	ESTIMATED:				5		5
BINARY	8:	4 1	73	CFSR	JL 10	OC 2	
	OBSERVED:				1	1	2
	ESTIMATED:				3	2	5
BINARY	8:	4 2	73	CFSR	OC 2		
	OBSERVED:				1		1
	ESTIMATED:				2		2
BINARY	8:	4 3	73	CFSR	AU 14		
	OBSERVED:				1		1
	ESTIMATED:				5		5
BINARY	8:	4 4	73	CFSR	JL 10		
	OBSERVED:				1		1
	ESTIMATED:				3		3
BINARY	8:	4 6	73	CFSR	JL 10		
	OBSERVED:				2		2
	ESTIMATED:				6		6

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	8:	4 8	73	CFSR	JL 10	JL 24	AU 14	
	OBSERVED:				2	1	1	4
	ESTIMATED:				6	14	5	25
BINARY	8:	4 9	73	CFSR	JL 10	JL 17	OC 2	
	OBSERVED:				1	1	1	3
	ESTIMATED:				3	5	2	10
BINARY	8:	4 10	73	CFSR	JL 10	OC 2		
	OBSERVED:				2	2		4
	ESTIMATED:				6	3		9
BINARY	8:	4 12	73	CFSR	JL 10	JL 17	OC 2	
	OBSERVED:				2	1	1	4
	ESTIMATED:				6	5	2	13
BINARY	8:	4 13	73	CFSR	JL 24			
	OBSERVED:				1			1
	ESTIMATED:				14			14
BINARY	8:	4 14	73	CFSR	JL 10	OC 2		
	OBSERVED:				1	1		2
	ESTIMATED:				3	2		5
BINARY	8:	4 15	73	CFSR	JL 10	JL 17		
	OBSERVED:				1	1		2
	ESTIMATED:				3	5		8
BINARY	8:	5 1	73	CFSR	JL 24			
	OBSERVED:				1			1
	ESTIMATED:				14			14

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	8:	5 2	73	CFSR	JL 10			
	OBSERVED:				1			1
	ESTIMATED:				3			3
BINARY	8:	5 3	73	CFSR	JL 10			
	OBSERVED:				1			1
	ESTIMATED:				3			3
BINARY	8:	5 5	73	CFSR	JL 10			
	OBSERVED:				6			6
	ESTIMATED:				18			18
BINARY	8:	5 7	73	CFSR	JL 10	AU 14		
	OBSERVED:				1	1		2
	ESTIMATED:				3	5		8
BINARY	8:	5 8	73	CFSR	JL 17	JL 24	AU 14	
	OBSERVED:				1	1	1	3
	ESTIMATED:				5	14	5	24
BINARY	8:	5 12	73	CFSR	JL 10	JL 17	AU 14	
	OBSERVED:				1	1	1	3
	ESTIMATED:				3	5	5	13
BINARY	8:	5 14	73	CFSR	JL 10			
	OBSERVED:				2			2
	ESTIMATED:				6			6
BINARY	8:	6 1	73	CFSR	JL 10	OC 2		
	OBSERVED:				1	1		2
	ESTIMATED:				3	2		5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CN COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y | ISSUED BY | FOR WEEKLY PERIODS ENDING: | TOTALS

BINARY 8: 6 2 73 CFSR	JL 3	JL 10	TOTALS
OBSERVED:	1	1	2
ESTIMATED:	2	3	5

BINARY 8: 6 3 73 CFSR	AU 21	TOTALS
OBSERVED:	1	1
ESTIMATED:	4	4

BINARY 14: 7 2 73 FWS	JL 10	TOTALS
OBSERVED:	2	2
ESTIMATED:	6	6

PIN LOST	JL 3	JL 10	JL 17	SE 4	TOTALS
OBSERVED:	1	3	1	1	6
ESTIMATED:	2	9	5	3	19

NO PIN	JL 10	JL 17	JL 24	AU 14	AU 21	AU 28	SE 4	OC 2	TOTALS
OBSERVED:	17	16	3	12	7	2	3	3	63
ESTIMATED:	52	86	43	54	25	11	10	5	286

TOTALS FOR CN COHO

	JL 3	JL 10	JL 17	JL 24	AU 14	AU 21	AU 28	SE 4	SE 11	OC 2	TOTALS
OBSERVED:	3	92	38	19	39	19	4	6	1	17	238
ESTIMATED:	6	278	200	270	183	69	22	19	8	30	1085

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWVN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:		TOTALS
BINARY	1: 5 1	73 WDF	JL 10	AU 14	
	OBSERVED:		1	1	2
	ESTIMATED:		2	1	3
BINARY	1: 5 4	73 WDF	AU 14		
	OBSERVED:		1		1
	ESTIMATED:		1		1
BINARY	1: 5 5	73 WDF	JL 31		
	OBSERVED:		1		1
	ESTIMATED:		3		3
BINARY	1: 7 4	73 WDF	JL 10		
	OBSERVED:		1		1
	ESTIMATED:		2		2
BINARY	1: 7 6	73 WDF	AU 14		
	OBSERVED:		1		1
	ESTIMATED:		1		1
BINARY	1: 8 3	73 WDF	JL 10		
	OBSERVED:		1		1
	ESTIMATED:		2		2
BINARY	1: 9 1	73 WDF	AU 14		
	OBSERVED:		1		1
	ESTIMATED:		1		1
BINARY	1: 9 5	73 WDF	JL 10		
	OBSERVED:		1		1
	ESTIMATED:		2		2

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWVN COHO

TAG TYPE	AGENCY DATA /AREA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	1: 12 11	73	WDF	AU 14			1
	OBSERVED:			1			1
	ESTIMATED:			1			
BINARY	1: 12 12	73	WDF	JL 10			1
	OBSERVED:			1			2
	ESTIMATED:			2			
BINARY	1: 13 3	73	WDF	JL 10	JL 31	AU 14	3
	OBSERVED:			1	1	1	6
	ESTIMATED:			2	3	1	
BINARY	1: 13 12	73	WDF	JL 10			1
	OBSERVED:			1			2
	ESTIMATED:			2			
BINARY	1: 13 13	73	WDF	AU 14			1
	OBSERVED:			1			1
	ESTIMATED:			1			
BINARY	1: 14 1	73	WDF	JL 10			4
	OBSERVED:			4			10
	ESTIMATED:			10			
BINARY	1: 14 2	73	WDF	JL 10			1
	OBSERVED:			1			2
	ESTIMATED:			2			
BINARY	1: 14 7	73	WDF	AU 14			1
	OBSERVED:			1			1
	ESTIMATED:			1			

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWVN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	1: 15 4		73	WDF	JL 10			
	OBSERVED:				3			3
	ESTIMATED:				7			7
BINARY	1: 15 6		73	WDF	JL 10	JL 31	AU 14	
	OBSERVED:				1	1	1	3
	ESTIMATED:				2	3	1	6
BINARY	1: 15 7		73	WDF	AU 14			
	OBSERVED:				1			1
	ESTIMATED:				1			1
BINARY	1: 15 13		73	WDF	AU 14			
	OBSERVED:				1			1
	ESTIMATED:				1			1
BINARY	2: 2 4		73	CFSO	AU 14			
	OBSERVED:				1			1
	ESTIMATED:				1			1
BINARY	2: 9 2		73	CFSO	JL 10	JL 31	AU 14	
	OBSERVED:				8	2	5	15
	ESTIMATED:				20	6	7	33
BINARY	2: 9 5		73	CFSO	JL 10	AU 14		
	OBSERVED:				1	2		3
	ESTIMATED:				2	3		5
BINARY	2: 10 5		73	CFSO	AU 14			
	OBSERVED:				1			1
	ESTIMATED:				1			1

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWVN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	2:	10 6	73	CFSO	JL 10	JL 31	AU 14	AU 21	
	OBSERVED:				1	2	3	1	7
	ESTIMATED:				2	6	4	5	17
BINARY	2:	14 5	73	CFSO	AU 14				
	OBSERVED:				1				1
	ESTIMATED:				1				1
BINARY	2:	15 2	73	CFSO	AU 14				
	OBSERVED:				1				1
	ESTIMATED:				1				1
BINARY	8:	2 15	73	CFSR	JL 10	AU 14			
	OBSERVED:				1	1			2
	ESTIMATED:				2	1			3
BINARY	8:	3 3	73	CFSR	JL 10	AU 14			
	OBSERVED:				2	1			3
	ESTIMATED:				5	1			6
BINARY	8:	3 9	73	CFSR	JL 31				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	8:	3 15	73	CFSR	JL 10				
	OBSERVED:				1				1
	ESTIMATED:				2				2
BINARY	8:	4 2	73	CFSR	AU 14				
	OBSERVED:				2				2
	ESTIMATED:				3				3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWVN   COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:		TOTALS
BINARY	8: 4 3	73 CFSR	AU 14		
	OBSERVED:		2		2
	ESTIMATED:		3		3
BINARY	8: 4 8	73 CFSR	JL 10		
	OBSERVED:		2		2
	ESTIMATED:		5		5
BINARY	8: 4 15	73 CFSR	JL 10	AU 14	
	OBSERVED:		2	3	5
	ESTIMATED:		5	4	9
BINARY	8: 5 5	73 CFSR	AU 14		
	OBSERVED:		1		1
	ESTIMATED:		1		1
BINARY	8: 5 7	73 CFSR	JL 10		
	OBSERVED:		1		1
	ESTIMATED:		2		2
BINARY	8: 5 9	73 CFSR	AU 14		
	OBSERVED:		1		1
	ESTIMATED:		1		1
BINARY	8: 5 11	73 CFSR	JL 10		
	OBSERVED:		1		1
	ESTIMATED:		2		2
BINARY	8: 6 1	73 CFSR	JL 10	JL 31	
	OBSERVED:		1	1	2
	ESTIMATED:		2	3	5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWVN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	8:	6 3	73 CFSR	AU 14				1
OBSERVED:				1				1
ESTIMATED:				1				
BINARY	13:	1 3	73 WDF	JL 31				1
OBSERVED:				1				3
ESTIMATED:				3				
BINARY	13:	2 13	73 WDF	JL 31				1
OBSERVED:				1				3
ESTIMATED:				3				
BINARY	14:	9 2	73 FWS	AU 14				2
OBSERVED:				2				3
ESTIMATED:				3				
PIN LOST				JL 10	JL 31	AU 14		5
OBSERVED:				3	1	1		11
ESTIMATED:				7	3	1		
NO PIN				JL 10	JL 31	AU 14		15
OBSERVED:				6	2	7		31
ESTIMATED:				15	6	10		
NO DATA				AU 14				1
OBSERVED:				1				1
ESTIMATED:				1				

TOTALS FOR NWVN COHO

	JL 10	JL 31	AU 14	AU 21	
					109
OBSERVED:	46	14	48	1	212
ESTIMATED:	106	42	59	5	

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWVN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:		TOTALS
BINARY	1:	9 7	73	WDF	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				1		1
BINARY	1:	13 1	73	WDF	JL 10		
	OBSERVED:				1		1
	ESTIMATED:				4		4
BINARY	2:	8 2	73	CFSO	JN 19	JL 10	
	OBSERVED:				1	1	2
	ESTIMATED:				4	4	8
BINARY	2:	9 2	73	CFSO	JL 17		
	OBSERVED:				3		3
	ESTIMATED:				3		3
BINARY	2:	10 6	73	CFSO	JL 10	JL 17	
	OBSERVED:				3	3	6
	ESTIMATED:				11	3	14
BINARY	8:	4 7	73	CFSR	JN 26		
	OBSERVED:				1		1
	ESTIMATED:				72		72
BINARY	8:	4 9	73	CFSR	JL 10		
	OBSERVED:				1		1
	ESTIMATED:				4		4
BINARY	8:	4 12	73	CFSR	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				1		1

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWVN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:	TOTALS
BINARY	8:	6 3	73	CFSR	JL 17	
	OBSERVED:				1	1
	ESTIMATED:				1	1
BINARY	8:	6 4	73	CFSR	JL 17	
	OBSERVED:				1	1
	ESTIMATED:				1	1
BINARY	8:	6 7	73	CFSR	JL 17	
	OBSERVED:				1	1
	ESTIMATED:				1	1
NO PIN					JL 17	
	OBSERVED:				3	3
	ESTIMATED:				3	3

TOTALS FOR SWVN COHO

	JN 19	JN 26	JL 10	JL 17	TOTALS
OBSERVED:	1	1	6	14	22
ESTIMATED:	4	72	23	14	113

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	1:	4 15	73	WDF	SE 18			
	OBSERVED:				1			1
	ESTIMATED:				6			6
BINARY	1:	5 1	73	WDF	AU 7	SE 4	OC 2	
	OBSERVED:				1	1	1	3
	ESTIMATED:				4	2	4	10
BINARY	1:	5 2	73	WDF	OC 2			
	OBSERVED:				1			1
	ESTIMATED:				4			4
BINARY	1:	5 3	73	WDF	SE 18			
	OBSERVED:				1			1
	ESTIMATED:				6			6
BINARY	1:	5 5	73	WDF	JN 26	OC 9		
	OBSERVED:				1	2		3
	ESTIMATED:				1	5		6
BINARY	1:	5 6	73	WDF	AU 7			
	OBSERVED:				1			1
	ESTIMATED:				4			4
BINARY	1:	5 7	73	WDF	OC 9			
	OBSERVED:				1			1
	ESTIMATED:				3			3
BINARY	1:	7 1	73	WDF	OC 9			
	OBSERVED:				2			2
	ESTIMATED:				5			5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:							TOTALS
BINARY	1: 7 2	73 WDF	SE 4	OC 2						
	OBSERVED:		2	1						3
	ESTIMATED:		3	4						7
BINARY	1: 7 3	73 WDF	JN 26	SE 25	OC 16					
	OBSERVED:		1	1	1					3
	ESTIMATED:		1	3	3					7
BINARY	1: 7 4	73 WDF	JN 26	SE 11	SE 18	SE 25	OC 2	OC 9		
	OBSERVED:		1	1	3	1	1	1		8
	ESTIMATED:		1	7	17	3	4	3		35
BINARY	1: 7 5	73 WDF	SE 18	OC 9						
	OBSERVED:		1	1						2
	ESTIMATED:		6	3						9
BINARY	1: 7 6	73 WDF	JN 26	AU 7	SE 18	SE 25	OC 2	OC 9		
	OBSERVED:		3	1	2	2	3	2		13
	ESTIMATED:		4	4	11	5	13	5		42
BINARY	1: 7 7	73 WDF	SE 4	SE 18	OC 2					
	OBSERVED:		1	2	4					7
	ESTIMATED:		2	11	17					30
BINARY	1: 7 8	73 WDF	AU 14	SE 18	OC 2	OC 9	OC 16			
	OBSERVED:		2	7	2	1	1			13
	ESTIMATED:		12	39	9	3	3			66
BINARY	1: 7 9	73 WDF	JN 26	JL 31	AU 21	SE 18	SE 25	OC 2	OC 9	
	OBSERVED:		1	1	1	4	1	3	3	14
	ESTIMATED:		1	3	14	22	3	13	8	64

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:									TOTALS
BINARY	1: 7 10	73 WDF	JN 26	AU 14	SE 4	SE 18	SE 25					
	OBSERVED:		1	2	1	1	1					6
	ESTIMATED:		1	12	2	6	3					24
BINARY	1: 7 11	73 WDF	AU 28	SE 4	SE 18	OC 2	OC 9					
	OBSERVED:		1	1	1	1	1					5
	ESTIMATED:		4	2	6	4	3					19
BINARY	1: 7 12	73 WDF	JN 26	JL 31	AU 28	SE 18	SE 25	OC 9				
	OBSERVED:		1	1	2	2	3	1				10
	ESTIMATED:		1	3	7	11	8	3				33
BINARY	1: 7 13	73 WDF	JN 19	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9			
	OBSERVED:		1	1	2	1	2	1	1			9
	ESTIMATED:		4	2	13	6	5	4	3			37
BINARY	1: 7 14	73 WDF	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9				
	OBSERVED:		3	1	4	1	3	6				18
	ESTIMATED:		5	7	22	3	13	16				66
BINARY	1: 7 15	73 WDF	JN 19	JN 26	AU 14	AU 28	SE 4	SE 18	SE 25	OC 2	OC 9	
	OBSERVED:		2	2	1	1	1	3	2	4	1	17
	ESTIMATED:		8	3	6	4	2	17	5	17	3	65
BINARY	1: 8 1	73 WDF	AU 14	SE 4	OC 2							
	OBSERVED:		1	1	5							7
	ESTIMATED:		6	2	21							29
BINARY	1: 8 2	73 WDF	JN 19	JN 26	AU 7	AU 28	SE 4	SE 18	SE 25	OC 2	OC 9	
	OBSERVED:		1	2	1	1	1	1	3	1	4	15
	ESTIMATED:		4	3	4	4	2	6	8	4	10	45

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:							TOTALS
BINARY	1:	8 3	73	WDF	AU 7	SE 4	SE 25	OC 2	OC 9			
	OBSERVED:				1	1	2	3	3			10
	ESTIMATED:				4	2	5	13	8			32
BINARY	1:	8 7	73	WDF	OC 2							
	OBSERVED:				1							1
	ESTIMATED:				4							4
BINARY	1:	8 8	73	WDF	SE 18							
	OBSERVED:				1							1
	ESTIMATED:				6							6
BINARY	1:	8 15	73	WDF	AU 7	AU 28	SE 18	OC 2				
	OBSERVED:				1	1	4	1				7
	ESTIMATED:				4	4	22	4				34
BINARY	1:	9 1	73	WDF	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16	
	OBSERVED:				2	1	2	2	1	2	1	11
	ESTIMATED:				3	7	11	5	4	5	3	38
BINARY	1:	9 2	73	WDF	SE 18	OC 9	OC 16					
	OBSERVED:				1	2	1					4
	ESTIMATED:				6	5	3					14
BINARY	1:	9 3	73	WDF	SE 18	SE 25	OC 9					
	OBSERVED:				1	1	3					5
	ESTIMATED:				6	3	8					17
BINARY	1:	9 4	73	WDF	SE 11	SE 18	OC 2	OC 9	OC 16			
	OBSERVED:				1	3	1	1	1			7
	ESTIMATED:				7	17	4	3	3			34

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY DATA /AREA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:									TOTALS
BINARY	1: 9 5	73 WDF	AU 28	SE 18	OC 2	OC 9						
	OBSERVED:		1	1	2	2						6
	ESTIMATED:		4	6	9	5						24
BINARY	1: 9 6	73 WDF	JN 26	SE 18	OC 2							
	OBSERVED:		1	1	2							4
	ESTIMATED:		1	6	9							16
BINARY	1: 9 7	73 WDF	AU 14	SE 25	OC 2							
	OBSERVED:		1	1	1							3
	ESTIMATED:		6	3	4							13
BINARY	1: 9 8	73 WDF	AU 28	OC 2	OC 9							
	OBSERVED:		1	2	2							5
	ESTIMATED:		4	9	5							18
BINARY	1: 9 9	73 WDF	SE 4	OC 9								
	OBSERVED:		1	4								5
	ESTIMATED:		2	10								12
BINARY	1: 12 10	73 WDF	JN 26	AU 7	AU 14	AU 28	SE 4	SE 25	OC 2	OC 9	OC 16	
	OBSERVED:		2	1	2	2	1	2	12	5	1	28
	ESTIMATED:		3	4	12	7	2	5	51	13	3	100
BINARY	1: 12 11	73 WDF	JN 26	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16	
	OBSERVED:		2	1	2	4	6	1	5	1	1	23
	ESTIMATED:		3	4	3	27	33	3	21	3	3	100
BINARY	1: 12 13		OC 2									
	OBSERVED:		1									1
	ESTIMATED:		4									4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:												TOTALS
BINARY	1: 13 1		73	WDF	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9							
	OBSERVED:				1	1	3	2	7	6							20
	ESTIMATED:				2	7	17	5	30	16							77
BINARY	1: 13 2		73	WDF	JN 19	AU 14	AU 21	AU 28	SE 18	SE 25	OC 2	OC 9	OC 16				
	OBSERVED:				1	1	1	1	8	2	8	1	1				24
	ESTIMATED:				4	6	14	4	45	5	34	3	3				118
BINARY	1: 13 3		73	WDF	JN 19	JN 26	JL 31	AU 7	AU 14	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	
	OBSERVED:				1	1	1	1	1	3	4	1	13	5	16	8	
	ESTIMATED:				4	1	3	4	6	11	6	7	72	13	68	21	
					OC 16												
	OBSERVED:				3												58
	ESTIMATED:				10												226
BINARY	1: 13 6		73	WDF	JN 19	JN 26	AU 28	SE 4	SE 18	OC 2	OC 9						
	OBSERVED:				1	1	1	2	8	3	2						18
	ESTIMATED:				4	1	4	3	45	13	5						75
BINARY	1: 13 7		73	WDF	JN 26	AU 7	AU 28	SE 11	SE 18	SE 25	OC 2	OC 9					
	OBSERVED:				1	1	1	1	2	3	6	2					17
	ESTIMATED:				1	4	4	7	11	8	26	5					66
BINARY	1: 13 12		73	WDF	JN 26	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25			
	OBSERVED:				1	1	2	4	2	5	13	2	2	1			33
	ESTIMATED:				1	3	7	25	28	19	21	13	11	3			131
BINARY	1: 13 13		73	WDF	JN 26	AU 7	AU 14	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16			
	OBSERVED:				1	1	1	1	1	2	4	6	4	1			22
	ESTIMATED:				1	4	6	2	7	11	11	26	10	3			81

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:												TOTALS
BINARY	1: 14 1	73 WDF	JN 19	JN 26	JL 31	AU 7	AU 14	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	
	OBSERVED:		1	1	2	3	1	2	6	3	11	5	8	4	47
	ESTIMATED:		4	1	6	11	6	7	10	20	61	13	34	10	183
BINARY	1: 14 2	73 WDF	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9						
	OBSERVED:		2	3	3	11	8	21	9						57
	ESTIMATED:		7	5	20	61	22	90	23						228
BINARY	1: 14 7	73 WDF	AU 14	SE 11	SE 18	OC 2									
	OBSERVED:		1	1	3	4									9
	ESTIMATED:		6	7	17	17									47
BINARY	1: 14 8	73 WDF	AU 28	SE 4	SE 18	SE 25	OC 2	OC 9	OC 16						
	OBSERVED:		1	1	6	1	5	2	1						17
	ESTIMATED:		4	2	33	3	21	5	3						71
BINARY	1: 14 9	73 WDF	AU 7	SE 11	SE 18	SE 25	OC 2	OC 9							
	OBSERVED:		1	2	2	2	6	1							14
	ESTIMATED:		4	13	11	5	26	3							62
BINARY	1: 15 1	74 COOP	OC 2												
	OBSERVED:		1												1
	ESTIMATED:		4												4
BINARY	1: 15 2	73 COOP	JN 26	JL 31	AU 7	AU 14	AU 21	AU 28	SF 4	SE 11					
	OBSERVED:		2	1	3	4	2	1	5	2					20
	ESTIMATED:		3	3	11	25	28	4	8	13					95
BINARY	1: 15 4	73 WDF	JL 31	AU 7	AU 14	AU 21	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16		
	OBSERVED:		1	2	2	1	1	1	9	2	15	12	1		47
	ESTIMATED:		3	7	12	14	2	7	50	5	64	31	3		198

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:											TOTALS
BINARY	1: 15 5	73	WDF	JN 26	JL 31	AU 21	AU 28	SE 18	SE 25	OC 2	OC 9	OC 16			
	OBSERVED:			1	1	1	1	1	4	11	5	1			26
	ESTIMATED:			1	3	14	4	6	11	47	13	3			102
BINARY	1: 15 6	73	WDF	JN 26	JL 31	AU 7	AU 14	SE 4	SE 18	SE 25	OC 2	OC 9	OC 16		
	OBSERVED:			3	2	2	3	1	10	1	13	9	4		48
	ESTIMATED:			4	6	7	19	2	56	3	56	23	13		189
BINARY	1: 15 7	73	WDF	AU 14											
	OBSERVED:			1											1
	ESTIMATED:			6											6
BINARY	1: 15 10	73	WDF	JN 26	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	
	OBSERVED:			4	2	2	2	1	4	3	1	8	2	6	35
	ESTIMATED:			6	6	7	12	14	15	5	7	45	5	26	148
BINARY	1: 15 12	73	WDF	JN 26	AU 14	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16		
	OBSERVED:			3	2	4	1	1	11	2	15	6	1		46
	ESTIMATED:			4	12	15	2	7	61	5	64	16	3		189
BINARY	1: 15 13	73	WDF	AU 21	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16				
	OBSERVED:			2	1	1	6	3	11	2	3				29
	ESTIMATED:			28	2	7	33	8	47	5	10				140
BINARY	1: 15 14	73	WDF	SE 18											
	OBSERVED:			1											1
	ESTIMATED:			6											6
BINARY	2: 2 4	73	CFSO	AU 28	SE 4	SE 11	OC 2								
	OBSERVED:			1	1	1	2								5
	ESTIMATED:			4	2	7	9								22

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:												TOTALS
BINARY	2:	4 5	73	CFSO	JN 26	JL 31	AU 21	OC 2	OC 16								
	OBSERVED:				1	1	1	3	2								8
	ESTIMATED:				1	3	14	13	6								37
BINARY	2:	5 5	73	CFSO	AU 28	SE 25	OC 2										
	OBSERVED:				1	1	1										3
	ESTIMATED:				4	3	4										11
BINARY	2:	5 7	74	CFSO	OC 9												
	OBSERVED:				1												1
	ESTIMATED:				3												3
BINARY	2:	6 5	73	CFSO	OC 2	OC 9	OC 16										
	OBSERVED:				5	3	2										10
	ESTIMATED:				21	8	6										35
BINARY	2:	7 2	73	CFSO	JN 19	JN 26	AU 7	AU 14	AU 21	SE 4							
	OBSERVED:				1	1	2	2	2	2							10
	ESTIMATED:				4	1	7	12	28	3							55
BINARY	2:	8 2	73	CFSO	JN 19	JN 26	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	OC 16				
	OBSERVED:				1	4	1	5	3	1	2	2	1				20
	ESTIMATED:				4	6	3	19	19	14	7	3	3				78
BINARY	2:	8 5	73	CFSO	SE 4	SE 18	SE 25	OC 16									
	OBSERVED:				3	3	2	1									9
	ESTIMATED:				5	17	5	3									30
BINARY	2:	9 2	73	CFSO	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	OC 2	OC 9	OC 16	OC 23	
	OBSERVED:				1	1	5	1	2	2	1	1	18	20	33	3	88
	ESTIMATED:				3	4	31	14	7	3	7	6	77	52	107	11	322

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:									TOTALS
BINARY	2: 9 3	74	CFSO	OC 2									
	OBSERVED:			1									1
	ESTIMATED:			4									4
BINARY	2: 9 5	73	CFSO	JN 26	AU 14	AU 28	SE 4	SE 18	OC 2	OC 9	OC 16	OC 23	
	OBSERVED:			2	1	1	1	1	6	5	5	3	25
	ESTIMATED:			3	6	4	2	6	26	13	16	11	87
BINARY	2: 10 5	73	CFSO	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	
	OBSERVED:			1	1	1	1	3	6	6	17	2	38
	ESTIMATED:			4	2	7	6	8	26	16	55	7	131
BINARY	2: 10 6	73	CFSO	JN 26	AU 7	AU 28	SE 18						
	OBSERVED:			1	1	2	3						7
	ESTIMATED:			1	4	7	17						29
BINARY	2: 11 6	74	CFSO	SE 18									
	OBSERVED:			1									1
	ESTIMATED:			6									6
BINARY	2: 13 1	72	CFSO	OC 2									
	OBSERVED:			1									1
	ESTIMATED:			4									4
BINARY	2: 14 5	73	CFSO	JL 31	AU 7	SE 4	SE 18	SE 25	OC 2	OC 9	OC 16		
	OBSERVED:			1	1	1	4	1	2	2	3		15
	ESTIMATED:			3	4	2	22	3	9	5	10		58
BINARY	2: 15 2	73	CFSO	JN 19	JN 26	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 18	
	OBSERVED:			3	6	3	8	9	2	4	7	1	43
	ESTIMATED:			12	9	8	30	56	28	15	11	6	175

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	2:	15 5	73	CFSO	JN 26	AU 28	SE 11	OC 16	
	OBSERVED:				1	1	1	2	5
	ESTIMATED:				1	4	7	6	18
BINARY	7:	1 12	73	ODFW	SE 18				
	OBSERVED:				1				1
	ESTIMATED:				6				6
BINARY	7:	6 5	73	ODFW	OC 9				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	7:	11 6	73	ODFW	OC 2				
	OBSERVED:				1				1
	ESTIMATED:				4				4
BINARY	8:	1 15	72	CFSR	OC 2				
	OBSERVED:				1				1
	ESTIMATED:				4				4
BINARY	8:	2 2	73	CFSR	AU 14				
	OBSERVED:				1				1
	ESTIMATED:				6				6
BINARY	8:	2 4	73	CFSR	OC 9				
	OBSERVED:				1				1
	ESTIMATED:				3				3
BINARY	8:	2 5	73	CFSR	AU 7				
	OBSERVED:				1				1
	ESTIMATED:				4				4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:					TOTALS
BINARY	8:	2 9	73	CFSR	AU 7	OC 2				
	OBSERVED:				1	1				2
	ESTIMATED:				4	4				8
BINARY	8:	2 10	73	CFSR	OC 9					
	OBSERVED:				1					1
	ESTIMATED:				3					3
BINARY	8:	2 12	73	CFSR	AU 14	SE 18	OC 16			
	OBSERVED:				1	1	1			3
	ESTIMATED:				6	6	3			15
BINARY	8:	2 13	73	CFSR	OC 2	OC 16				
	OBSERVED:				1	1				2
	ESTIMATED:				4	3				7
BINARY	8:	2 14	73	CFSR	OC 16					
	OBSERVED:				1					1
	ESTIMATED:				3					3
BINARY	8:	2 15	73	CFSR	OC 2	OC 9	OC 16			
	OBSERVED:				1	1	1			3
	ESTIMATED:				4	3	3			10
BINARY	8:	3 1	73	CFSR	OC 2	OC 9				
	OBSERVED:				2	1				3
	ESTIMATED:				9	3				12
BINARY	8:	3 2	73	CFSR	AU 28	SE 4	SE 18	OC 9	OC 16	
	OBSERVED:				1	1	1	1	1	5
	ESTIMATED:				4	2	6	3	3	18

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	8:	3 3	73	CFSR	OC 2			
	OBSERVED:				3			3
	ESTIMATED:				13			13
BINARY	8:	3 5	73	CFSR	AU 28	SE 4	OC 16	
	OBSERVED:				1	1	1	3
	ESTIMATED:				4	2	3	9
BINARY	8:	3 6	73	CFSR	AU 14			
	OBSERVED:				1			1
	ESTIMATED:				6			6
BINARY	8:	3 8	73	CFSR	OC 2			
	OBSERVED:				1			1
	ESTIMATED:				4			4
BINARY	8:	3 9	73	CFSR	OC 2	OC 9	OC 16	
	OBSERVED:				1	1	1	3
	ESTIMATED:				4	3	3	10
BINARY	8:	3 10	73	CFSR	OC 16			
	OBSERVED:				1			1
	ESTIMATED:				3			3
BINARY	8:	3 11	73	CFSR	SE 4	OC 16		
	OBSERVED:				1	1		2
	ESTIMATED:				2	3		5
BINARY	8:	3 14	73	CFSR	JL 31	SE 18	OC 16	
	OBSERVED:				1	1	1	3
	ESTIMATED:				3	6	3	12

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN   COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:						TOTALS
BINARY	8: 3 15	73	CFSR	SE 4	OC 2	OC 9	OC 16			
	OBSERVED:			1	1	1	1			4
	ESTIMATED:			2	4	3	3			12
BINARY	8: 4 1	73	CFSR	JN 26	AU 7	SE 25	OC 9			
	OBSERVED:			1	1	1	1			4
	ESTIMATED:			1	4	3	3			11
BINARY	8: 4 2	73	CFSR	JN 26	OC 2	OC 9	OC 16			
	OBSERVED:			1	2	2	1			6
	ESTIMATED:			1	9	5	3			18
BINARY	8: 4 3	73	CFSR	SE 18	OC 2	OC 9				
	OBSERVED:			3	2	2				7
	ESTIMATED:			17	9	5				31
BINARY	8: 4 4	73	CFSR	SE 18	OC 2	OC 16				
	OBSERVED:			1	1	1				3
	ESTIMATED:			6	4	3				13
BINARY	8: 4 5	73	CFSR	OC 2						
	OBSERVED:			1						1
	ESTIMATED:			4						4
BINARY	8: 4 6	73	CFSR	AU 14	AU 28	SE 4	SE 18	OC 2	OC 9	
	OBSERVED:			1	1	1	1	1	1	6
	ESTIMATED:			6	4	2	6	4	3	25
BINARY	8: 4 8	73	CFSR	SE 18	OC 2	OC 9	OC 16			
	OBSERVED:			1	2	2	1			6
	ESTIMATED:			6	9	5	3			23

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:							TOTALS
BINARY	8: 4 9		73 CFSR	JN 26	AU 7	SE 18	SE 25	OC 2	OC 9	OC 16	
	OBSERVED:			1	1	1	1	6	1	3	14
	ESTIMATED:			1	4	6	3	26	3	10	53
BINARY	8: 4 10		73 CFSR	SE 4							
	OBSERVED:			1							1
	ESTIMATED:			2							2
BINARY	8: 4 11		73 CFSR	OC 23							
	OBSERVED:			1							1
	ESTIMATED:			4							4
BINARY	8: 4 12		73 CFSR	AU 7	AU 14	AU 21	OC 2	OC 9	OC 16		
	OBSERVED:			2	1	1	2	1	1		8
	ESTIMATED:			7	6	14	9	3	3		42
BINARY	8: 4 13		73 CFSR	OC 2	OC 9						
	OBSERVED:			2	1						3
	ESTIMATED:			9	3						12
BINARY	8: 4 14		73 CFSR	SE 18	OC 2	OC 16					
	OBSERVED:			1	1	1					3
	ESTIMATED:			6	4	3					13
BINARY	8: 4 15		73 CFSR	AU 7	SE 25	OC 2	OC 9	OC 16			
	OBSERVED:			1	1	4	2	1			9
	ESTIMATED:			4	3	17	5	3			32
BINARY	8: 5 1		73 CFSR	OC 2	OC 9						
	OBSERVED:			1	1						2
	ESTIMATED:			4	3						7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	8:	5 2	73	CFSR	OC 9			
	OBSERVED:				1			1
	ESTIMATED:				3			3
BINARY	8:	5 3	73	CFSR	SE 25	OC 2	OC 9	
	OBSERVED:				1	1	2	4
	ESTIMATED:				3	4	5	12
BINARY	8:	5 5	73	CFSR	OC 2	OC 16		
	OBSERVED:				1	2		3
	ESTIMATED:				4	6		10
BINARY	8:	5 6	73	CFSR	OC 2	OC 16		
	OBSERVED:				3	1		4
	ESTIMATED:				13	3		16
BINARY	8:	5 7	73	CFSR	OC 2			
	OBSERVED:				1			1
	ESTIMATED:				4			4
BINARY	8:	5 9	73	CFSR	OC 9	OC 16		
	OBSERVED:				1	1		2
	ESTIMATED:				3	3		6
BINARY	8:	5 11	73	CFSR	SE 4	OC 2		
	OBSERVED:				1	1		2
	ESTIMATED:				2	4		6
BINARY	8:	5 12	73	CFSR	OC 2			
	OBSERVED:				1			1
	ESTIMATED:				4			4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:					TOTALS
BINARY	8: 5 14	73	CFSR	OC 2	OC 16				
	OBSERVED:			2	2				4
	ESTIMATED:			9	6				15
BINARY	8: 5 15	73	CFSR	AU 7	AU 14	SE 25	OC 2	OC 9	
	OBSERVED:			1	1	1	2	2	7
	ESTIMATED:			4	6	3	9	5	27
BINARY	8: 6 1	73	CFSR	AU 7	OC 9	OC 16			
	OBSERVED:			1	1	2			4
	ESTIMATED:			4	3	6			13
BINARY	8: 6 3	73	CFSR	AU 7	OC 2				
	OBSERVED:			1	2				3
	ESTIMATED:			4	9				13
BINARY	8: 6 4	73	CFSR	AU 28	OC 2				
	OBSERVED:			1	1				2
	ESTIMATED:			4	4				8
BINARY	8: 6 6	73	CFSR	JN 26	AU 14	OC 2	OC 16		
	OBSERVED:			1	1	1	1		4
	ESTIMATED:			1	6	4	3		14
BINARY	8: 6 7	73	CFSR	OC 2					
	OBSERVED:			3					3
	ESTIMATED:			13					13
BINARY	9: 3 9	74	ODFW	OC 9					
	OBSERVED:			1					1
	ESTIMATED:			3					3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:											TOTALS
BINARY	11:	2 10	74	UW	SE 4	SE 18	OC 2	OC 9								
OBSERVED:					1	4	4	2								11
ESTIMATED:					2	22	17	5								46
BINARY	11:	3 6	74	UW	OC 16											
OBSERVED:					1											1
ESTIMATED:					3											3
BINARY	13:,	1 2	73	WDF	JL 31	AU 7	AU 14	AU 28	SE 11	SE 25	OC 2					
OBSERVED:					1	1	1	1	1	1	1					7
ESTIMATED:					3	4	6	4	7	3	4					31
BINARY	13:	1 7	73	WDF	JN 19	JN 26	AU 14	AU 21	SE 4	SE 18	SE 25	OC 2	OC 9	OC 16	OC 23	
OBSERVED:					2	1	2	2	1	6	4	5	5	2	1	31
ESTIMATED:					8	1	12	28	2	33	11	21	13	6	4	139
BINARY	13:	2 11	74	COOP	OC 16											
OBSERVED:					1											1
ESTIMATED:					3											3
BINARY	13:	2 12	74	WDF	JN 19	JN 26	JL 31	AU 7	AU 28	SE 4	SE 11	SE 18	OC 2	OC 9		
OBSERVED:					1	2	1	1	2	2	1	5	4	1		20
ESTIMATED:					4	3	3	4	7	3	7	28	17	3		79
BINARY	13:	2 13	73	WDF	JN 19	AU 14	SE 18	SE 25	OC 2	OC 9	OC 23					
OBSERVED:					1	1	4	1	3	2	1					13
ESTIMATED:					4	6	22	3	13	5	4					57
BINARY	13:	2 14	73	WDF	JN 26	AU 21	SE 4	SE 18	OC 2							
OBSERVED:					1	1	1	2	1							6
ESTIMATED:					1	14	2	11	4							32

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN   COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	13: 3 15	74	WDF	AU 21			
OBSERVED:				1			1
ESTIMATED:				14			14
BINARY	13: 4 13	74	WDF	SE 18	SE 25	OC 2	
OBSERVED:				1	1	1	3
ESTIMATED:				6	3	4	13
BINARY	13: 4 15	74	WDF	SE 18			
OBSERVED:				1			1
ESTIMATED:				6			6
BINARY	13: 5 2	74	WDF	OC 2			
OBSERVED:				1			1
ESTIMATED:				4			4
BINARY	13: 8 6	74	WDF	OC 2	OC 16		
OBSERVED:				1	2		3
ESTIMATED:				4	6		10
BINARY	13: 8 8	74	WDF	SE 25	OC 16		
OBSERVED:				1	1		2
ESTIMATED:				3	3		6
BINARY	13: 8 9	74	WDF	SE 18			
OBSERVED:				1			1
ESTIMATED:				6			6
BINARY	13: 8 11	74	WDF	OC 2			
OBSERVED:				1			1
ESTIMATED:				4			4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:												TOTALS
BINARY	13:	8 15	74	WDF	SE 25												
	OBSERVED:				1												1
	ESTIMATED:				3												3
BINARY	13:	9 3	74	WDF	OC 16												
	OBSERVED:				1												1
	ESTIMATED:				3												3
BINARY	13:	13 2			OC 16												
	OBSERVED:				1												1
	ESTIMATED:				3												3
BINARY	14:	6 11	74	FWS	SE 18												
	OBSERVED:				1												1
	ESTIMATED:				6												6
BINARY	14:	7 2	73	FWS	SE 4	SE 18	SE 25	OC 2	OC 9								
	OBSERVED:				1	1	1	2	2								7
	ESTIMATED:				2	6	3	9	5								25
BINARY	14:	9 2	73	FWS	JN 26	JL 31	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16				
	OBSERVED:				2	1	1	1	2	5	7	4	4				27
	ESTIMATED:				3	3	2	7	11	13	30	10	13				92
BINARY	14:	10 2	73	FWS	JN 26	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 23	
	OBSERVED:				2	1	2	1	1	2	2	7	1	10	4	1	34
	ESTIMATED:				3	4	12	14	4	3	13	39	3	43	10	4	152
BINARY	14:	11 2	74	FWS	OC 9												
	OBSERVED:				1												1
	ESTIMATED:				3												3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:												TOTALS
BINARY	14:	13 2	73	FWS	AU 14	AU 21	AU 28	SE 4	SE 25	OC 2							
OBSERVED:					1	1	2	3	1	2							10
ESTIMATED:					6	14	7	5	3	9							44
PIN LOST					JN 26	AU 7	AU 14	SE 4	SE 11	SE 18	SE 25	OC 2	OC 9	OC 16			
OBSERVED:					3	1	1	6	3	8	6	14	12	4			58
ESTIMATED:					4	4	6	10	20	45	16	60	31	13			209
NO PIN					JN 19	JN 26	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	
OBSERVED:					2	9	3	7	14	4	13	20	9	32	18	65	
ESTIMATED:					8	13	8	26	87	56	48	32	61	178	48	278	
					OC 9	OC 16	OC 23										
OBSERVED:					33	27	3										259
ESTIMATED:					86	87	11										1027
NO DATA					AU 28	OC 2											
OBSERVED:					2	3											5
ESTIMATED:					7	13											20

TOTALS FOR JFN COHO

	JN 19	JN 26	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	
OBSERVED:	19	77	27	64	81	29	77	128	52	273	126	452	
ESTIMATED:	76	101	79	243	496	406	289	218	353	1533	341	1930	
	OC 9	OC 16	OC 23										
OBSERVED:	258	162	15										1840
ESTIMATED:	679	512	56										7312

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:	TOTALS
BINARY	1:	3 13	73	WDF	SE 4	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	1:	5 5	73	WDF	SE 11	
	OBSERVED:				1	1
	ESTIMATED:				4	4
BINARY	1:	5 6	73	WDF	AU 21	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	1:	7 1	73	WDF	JL 24	
	OBSERVED:				1	1
	ESTIMATED:				5	5
BINARY	1:	7 6	73	WDF	AU 28	
	OBSERVED:				1	1
	ESTIMATED:				4	4
BINARY	1:	7 14	73	WDF	AU 21	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	1:	7 15	73	WDF	SE 4	
	OBSERVED:				1	1
	ESTIMATED:				3	3
BINARY	1:	8 3	73	WDF	AU 21	
	OBSERVED:				1	1
	ESTIMATED:				3	3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:					TOTALS
BINARY	1: 9 2		73 WDF	JL 31	AU 21				
	OBSERVED:			1	1				2
	ESTIMATED:			6	3				9
BINARY	1: 12 10		73 WDF	JL 31	AU 21	SE 4	SE 11		
	OBSERVED:			1	3	1	2		7
	ESTIMATED:			6	9	3	7		25
BINARY	1: 12 11		73 WDF	AU 21	AU 28	SE 4	SE 11	SE 18	
	OBSERVED:			2	2	3	1	1	9
	ESTIMATED:			6	8	8	4	10	36
BINARY	1: 13 1		73 WDF	AU 14	AU 21	AU 28	SE 11	SE 25	
	OBSERVED:			1	1	1	1	2	6
	ESTIMATED:			5	3	4	4	9	25
BINARY	1: 13 2		73 WDF	SE 4	SE 18				
	OBSERVED:			1	1				2
	ESTIMATED:			3	10				13
BINARY	1: 13 3		73 WDF	AU 21	SE 11				
	OBSERVED:			1	1				2
	ESTIMATED:			3	4				7
BINARY	1: 13 7		73 WDF	SE 4					
	OBSERVED:			1					1
	ESTIMATED:			3					3
BINARY	1: 13 12		73 WDF	JL 24	AU 14	AU 21			
	OBSERVED:			1	1	5			7
	ESTIMATED:			5	5	16			26

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:					TOTALS
BINARY	1: 13 13	73	WDF		JL 24	AU 21	SE 4	SE 11	
				OBSERVED:	1	1	3	1	6
				ESTIMATED:	5	3	8	4	20
BINARY	1: 14 1	73	WDF		AU 7	AU 21	SE 4	SE 11	
				OBSERVED:	1	1	1	1	4
				ESTIMATED:	9	3	3	4	19
BINARY	1: 14 2	73	WDF		AU 21	SE 4	SE 18		
				OBSERVED:	3	1	1		5
				ESTIMATED:	9	3	10		22
BINARY	1: 14 7	73	WDF		AU 21				
				OBSERVED:	2				2
				ESTIMATED:	6				6
BINARY	1: 14 8	73	WDF		AU 21				
				OBSERVED:	1				1
				ESTIMATED:	3				3
BINARY	1: 14 9	73	WDF		AU 21	SE 4			
				OBSERVED:	2	1			3
				ESTIMATED:	6	3			9
BINARY	1: 15 2	73	COOP		AU 21				
				OBSERVED:	4				4
				ESTIMATED:	13				13
BINARY	1: 15 4	73	WDF		AU 21				
				OBSERVED:	2				2
				ESTIMATED:	6				6

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:											TOTALS
BINARY	1: 15 6	73	WDF	AU 21											
	OBSERVED:			6											6
	ESTIMATED:			19											19
BINARY	1: 15 10	73	WDF	AU 21	SE 4										
	OBSERVED:			4	1										5
	ESTIMATED:			13	3										16
BINARY	1: 15 11	73	WDF	SE 4											
	OBSERVED:			1											1
	ESTIMATED:			3											3
BINARY	1: 15 12	73	WDF	JL 31	AU 21										
	OBSERVED:			1	2										3
	ESTIMATED:			6	6										12
BINARY	1: 15 13	73	WDF	AU 21											
	OBSERVED:			1											1
	ESTIMATED:			3											3
BINARY	2: 1 4	74	CFSO	JL 31	AU 14	AU 21	SE 4	SE 11	SE 25	OC 16					
	OBSERVED:			1	1	1	2	3	1	1					10
	ESTIMATED:			6	5	3	5	11	4	13					47
BINARY	2: 2 2	72	CFSO	SE 4											
	OBSERVED:			1											1
	ESTIMATED:			3											3
BINARY	2: 2 4	73	CFSO	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	
	OBSERVED:			4	1	4	3	1	2	11	5	3	6	3	43
	ESTIMATED:			19	6	36	15	3	8	29	18	29	26	13	202

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:							TOTALS
BINARY	2: 4 5	73	CFSO	AU 21	AU 28	SE 4	SE 11	SE 25	OC 2		
	OBSERVED:			1	1	1	2	1	1		7
	ESTIMATED:			3	4	3	7	4	4		25
BINARY	2: 5 3	74	CFSO	AU 7	AU 14	AU 28	SE 4	SE 11	SE 25	OC 23	
	OBSERVED:			1	1	1	13	1	2	1	20
	ESTIMATED:			9	5	4	35	4	9	4	70
BINARY	2: 5 5	73	CFSO	SE 4	SE 25						
	OBSERVED:			1	1						2
	ESTIMATED:			3	4						7
BINARY	2: 7 2	73	CFSO	AU 21							
	OBSERVED:			1							1
	ESTIMATED:			3							3
BINARY	2: 7 3	74	CFSO	AU 28	SE 4	SE 11	SE 18	SE 25			
	OBSERVED:			1	3	2	2	2			10
	ESTIMATED:			4	8	7	19	9			47
BINARY	2: 8 2	73	CFSO	AU 7	AU 21						
	OBSERVED:			1	1						2
	ESTIMATED:			9	3						12
BINARY	2: 8 5	73	CFSO	OC 2							
	OBSERVED:			1							1
	ESTIMATED:			4							4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR	WEEKLY PERIODS ENDING:												TOTALS
BINARY	2: 9 2	73 CFSO		JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	
			OBSERVED:	3	22	1	10	21	6	8	52	34	5	38	33	
			ESTIMATED:	73	103	6	90	103	19	32	139	124	48	165	139	
				OC 16	OC 23	OC 30										
			OBSERVED:	44	10	6										293
			ESTIMATED:	588	39	11										1679
BINARY	2: 9 3	74 CFSO		AU 28	SE 4	OC 16										
			OBSERVED:	1	1	1										3
			ESTIMATED:	4	3	13										20
BINARY	2: 9 5	73 CFSO		JL 24	JL 31											
			OBSERVED:	1	1											2
			ESTIMATED:	5	6											11
BINARY	2: 10 5	73 CFSO		JL 24	AU 21	AU 28	SE 18									
			OBSERVED:	1	3	2	1									7
			ESTIMATED:	5	9	8	10									32
BINARY	2: 10 6	73 CFSO		AU 28	SE 11											
			OBSERVED:	1	7											8
			ESTIMATED:	4	26											30
BINARY	2: 11 6	74 CFSO		SE 25												
			OBSERVED:	1												1
			ESTIMATED:	4												4
BINARY	2: 14 5	73 CFSO		JL 24												
			OBSERVED:	1												1
			ESTIMATED:	5												5

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	2: 15 2	73 CFSO	JL 24	AU 21	AU 28	
	OBSERVED:		1	5	1	7
	ESTIMATED:		5	16	4	25
BINARY	2: 15 5	73 CFSO	AU 21	SE 11		
	OBSERVED:		1	1		2
	ESTIMATED:		3	4		7
BINARY	7: 1 10	73 ODFW	SE 11			
	OBSERVED:		1			1
	ESTIMATED:		4			4
BINARY	8: 2 3	73 CFSR	JL 24	AU 28	SE 4	
	OBSERVED:		1	1	2	4
	ESTIMATED:		5	4	5	14
BINARY	8: 2 6	73 CFSR	SE 4			
	OBSERVED:		1			1
	ESTIMATED:		3			3
BINARY	8: 2 9	73 CFSR	SE 11			
	OBSERVED:		2			2
	ESTIMATED:		7			7
BINARY	8: 2 10	73 CFSR	OC 2	OC 16		
	OBSERVED:		1	2		3
	ESTIMATED:		4	27		31
BINARY	8: 2 11	73 CFSR	SE 4	SE 11	OC 16	
	OBSERVED:		1	1	1	3
	ESTIMATED:		3	4	13	20

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:								TOTALS
BINARY	8: 2 12	73 CFSR	JL 24	AU 28	SE 4	OC 2	OC 16				
	OBSERVED:		3	1	3	1	1				9
	ESTIMATED:		14	4	8	4	13				43
BINARY	8: 2 13	73 CFSR	JL 24	JL 31	AU 14	AU 21	AU 28	SE 4	SE 11	OC 2	
	OBSERVED:		1	1	2	1	1	1	1	1	9
	ESTIMATED:		5	6	10	3	4	3	4	4	39
BINARY	8: 2 14	73 CFSR	JL 24	AU 14	AU 28	SE 4	SE 11	SE 18	SE 25		
	OBSERVED:		1	2	1	1	1	1	1		8
	ESTIMATED:		5	10	4	3	4	10	4		40
BINARY	8: 2 15	73 CFSR	JL 24	AU 28	SE 4	SE 25	OC 2	OC 16	OC 30		
	OBSERVED:		2	3	4	3	2	2	1		17
	ESTIMATED:		9	12	11	13	8	27	2		82
BINARY	8: 3 1	73 CFSR	SE 4	OC 16							
	OBSERVED:		1	1							2
	ESTIMATED:		3	13							16
BINARY	8: 3 2	73 CFSR	AU 14	SE 4	SE 11	OC 16					
	OBSERVED:		1	1	1	1					4
	ESTIMATED:		5	3	4	13					25
BINARY	8: 3 3	73 CFSR	AU 28	OC 2	OC 16						
	OBSERVED:		1	1	1						3
	ESTIMATED:		4	4	13						21
BINARY	8: 3 4	73 CFSR	SE 4	OC 2							
	OBSERVED:		2	1							3
	ESTIMATED:		5	4							9

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:							TOTALS
BINARY	8: 3 5	73	CFSR	AU 28	SE 11	OC 2	OC 16				
	OBSERVED:			1	1	1	1				4
	ESTIMATED:			4	4	4	13				25
BINARY	8: 3 6	73	CFSR	JL 24	AU 14	AU 28	SE 4	OC 2			
	OBSERVED:			1	1	1	1	1			5
	ESTIMATED:			5	5	4	3	4			21
BINARY	8: 3 7	73	CFSR	AU 28	SE 11						
	OBSERVED:			1	1						2
	ESTIMATED:			4	4						8
BINARY	8: 3 8	73	CFSR	JL 24	AU 21	SE 4	SE 11	SE 25	OC 2	OC 16	
	OBSERVED:			1	1	2	2	1	3	1	11
	ESTIMATED:			5	3	5	7	4	13	13	50
BINARY	8: 3 9	73	CFSR	JL 24	SE 4	SE 11	SE 25	OC 2			
	OBSERVED:			2	1	1	1	1			6
	ESTIMATED:			9	3	4	4	4			24
BINARY	8: 3 10	73	CFSR	AU 28	SE 4						
	OBSERVED:			1	1						2
	ESTIMATED:			4	3						7
BINARY	8: 3 11	73	CFSR	JL 24	AU 7	AU 21	SE 4	OC 16	OC 23		
	OBSERVED:			1	1	1	1	2	1		7
	ESTIMATED:			5	9	3	3	27	4		51
BINARY	8: 3 12	73	CFSR	AU 14	SE 4	SE 25	OC 2	OC 16			
	OBSERVED:			2	1	1	1	1			6
	ESTIMATED:			10	3	4	4	13			34

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:							TOTALS
BINARY	8: 3 13	73	CFSR	SE 4	OC 30						
	OBSERVED:			1	1						2
	ESTIMATED:			3	2						5
BINARY	8: 3 14	73	CFSR	JL 24	AU 14	SE 4	SE 11	SE 18			
	OBSERVED:			1	1	3	1	1			7
	ESTIMATED:			5	5	8	4	10			32
BINARY	8: 3 15	73	CFSR	JL 24	AU 28	SE 4					
	OBSERVED:			1	1	1					3
	ESTIMATED:			5	4	3					12
BINARY	8: 4 1	73	CFSR	JL 24	SE 11	OC 2	OC 16				
	OBSERVED:			1	1	2	1				5
	ESTIMATED:			5	4	8	13				30
BINARY	8: 4 2	73	CFSR	AU 28	SE 4	SE 11	SE 25	OC 2	OC 16	OC 23	
	OBSERVED:			1	1	2	2	2	1	1	10
	ESTIMATED:			4	3	7	9	8	13	4	48
BINARY	8: 4 3	73	CFSR	AU 7	SE 4	SE 11	SE 18	OC 16			
	OBSERVED:			2	2	3	3	5			15
	ESTIMATED:			18	5	11	29	67			130
BINARY	8: 4 4	73	CFSR	AU 28	SE 4	SE 25	OC 2				
	OBSERVED:			1	1	1	1				4
	ESTIMATED:			4	3	4	4				15
BINARY	8: 4 5	73	CFSR	AU 14	SE 4	SE 25	OC 2	OC 23			
	OBSERVED:			2	1	2	1	1			7
	ESTIMATED:			10	3	9	4	4			30

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:											TOTALS
BINARY	8: 4 6	73	CFSR	JL 24	JL 31	AU 21	AU 28	SE 4	SE 11	SE 25	OC 2	OC 23			
	OBSERVED:			1	1	1	1	2	2	2	2	1			13
	ESTIMATED:			5	6	3	4	5	7	9	8	4			51
BINARY	8: 4 7	73	CFSR	JL 24	SE 4	OC 2									
	OBSERVED:			1	4	1									6
	ESTIMATED:			5	11	4									20
BINARY	8: 4 8	73	CFSR	JL 24	JL 31	AU 14	AU 21	AU 28	SE 4	SE 11	SE 25	OC 2	OC 16	OC 23	
	OBSERVED:			2	1	1	1	1	6	2	2	1	2	2	21
	ESTIMATED:			9	6	5	3	4	16	7	9	4	27	8	98
BINARY	8: 4 9	73	CFSR	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 25	OC 2	OC 16	
	OBSERVED:			1	1	1	1	1	3	7	3	2	1	1	22
	ESTIMATED:			5	6	9	5	3	12	19	11	9	4	13	96
BINARY	8: 4 10	73	CFSR	AU 14	AU 28	SE 11	OC 23								
	OBSERVED:			1	1	2	1								5
	ESTIMATED:			5	4	7	4								20
BINARY	8: 4 11	73	CFSR	JL 24	JL 31	AU 14	AU 21	AU 28	SE 11	SE 18	SE 25	OC 2			
	OBSERVED:			2	1	1	1	1	1	1	1	4			13
	ESTIMATED:			9	6	5	3	4	4	10	4	17			62
BINARY	8: 4 12	73	CFSR	AU 7	AU 14	AU 28	SE 4	SE 11	SE 25	OC 2	OC 16				
	OBSERVED:			2	1	1	3	1	4	3	1				16
	ESTIMATED:			18	5	4	8	4	17	13	13				82
BINARY	8: 4 13	73	CFSR	JL 24	AU 14	AU 28	SE 4	SE 11	SE 25						
	OBSERVED:			1	1	1	2	1	3						9
	ESTIMATED:			5	5	4	5	4	13						36

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:								TOTALS
BINARY	8:	4 14	73 CFSR	JL 17	JL 24	SE 4	SE 11	SE 25	OC 30			
	OBSERVED:			1	2	2	1	2	1			9
	ESTIMATED:			24	9	5	4	9	2			53
BINARY	8:	4 15	73 CFSR	JL 31	AU 14	AU 28	SE 4	SE 11	SE 18	SE 25	OC 16	
	OBSERVED:			1	1	1	6	1	1	2	3	16
	ESTIMATED:			6	5	4	16	4	10	9	40	94
BINARY	8:	5 1	73 CFSR	JL 31	SE 4	SE 11						
	OBSERVED:			1	2	1						4
	ESTIMATED:			6	5	4						15
BINARY	8:	5 2	73 CFSR	AU 28	SE 11	OC 16	OC 23					
	OBSERVED:			1	1	1	1					4
	ESTIMATED:			4	4	13	4					25
BINARY	8:	5 3	73 CFSR	AU 14	AU 28	SE 11	OC 16					
	OBSERVED:			1	1	1	1					4
	ESTIMATED:			5	4	4	13					26
BINARY	8:	5 4	73 CFSR	SE 11	OC 16							
	OBSERVED:			1	1							2
	ESTIMATED:			4	13							17
BINARY	8:	5 5	73 CFSR	AU 7	SE 4	SE 11	OC 23					
	OBSERVED:			1	1	1	1					4
	ESTIMATED:			9	3	4	4					20
BINARY	8:	5 6	73 CFSR	JL 24	AU 14	SE 11	OC 16					
	OBSERVED:			1	1	1	2					5
	ESTIMATED:			5	5	4	27					41

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:							TOTALS
BINARY	8:	5 7	73	CFSR	AU 28	OC 2	OC 16					
	OBSERVED:				1	1	1					3
	ESTIMATED:				4	4	13					21
BINARY	8:	5 8	73	CFSR	AU 7	AU 14	AU 21	SE 4	SE 25	OC 2		
	OBSERVED:				2	1	1	2	3	1		10
	ESTIMATED:				18	5	3	5	13	4		48
BINARY	8:	5 9	73	CFSR	JL 24	AU 7	AU 14	SE 4	SE 25	OC 23		
	OBSERVED:				1	1	2	4	4	1		13
	ESTIMATED:				5	9	10	11	17	4		56
BINARY	8:	5 11	73	CFSR	JL 24	AU 14	SE 4					
	OBSERVED:				1	1	1					3
	ESTIMATED:				5	5	3					13
BINARY	8:	5 12	73	CFSR	AU 7	AU 14	SE 11	SE 25	OC 30			
	OBSERVED:				1	1	1	1	1			5
	ESTIMATED:				9	5	4	4	2			24
BINARY	8:	5 14	73	CFSR	AU 7	AU 28	SE 4	SE 25	OC 2			
	OBSERVED:				1	1	2	1	1			6
	ESTIMATED:				9	4	5	4	4			26
BINARY	8:	5 15	73	CFSR	JL 24	AU 28	SE 4	SE 18	SE 25	OC 16		
	OBSERVED:				1	2	2	1	1	1		8
	ESTIMATED:				5	8	5	10	4	13		45
BINARY	8:	6 1	73	CFSR	AU 14	AU 21	SE 4	SE 11	SE 25	OC 16	OC 23	
	OBSERVED:				1	3	5	3	3	1	1	17
	ESTIMATED:				5	9	13	11	13	13	4	68

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE / AGENCY /AREA / DATA 1 2 3 / B.Y / ISSUED BY / FOR WEEKLY PERIODS ENDING:

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY					TOTALS
BINARY	8: 6 2	73	CFSR	AU 28	SE 25			
	OBSERVED:			1	1			2
	ESTIMATED:			4	4			8
BINARY	8: 6 3	73	CFSR	AU 14	AU 21	SE 4		
	OBSERVED:			1	1	1		3
	ESTIMATED:			5	3	3		11
BINARY	8: 6 4	73	CFSR	JL 17	JL 24	AU 21	SE 4	
	OBSERVED:			1	1	1	2	5
	ESTIMATED:			24	5	3	5	37
BINARY	8: 6 6	73	CFSR	JL 31	SE 11	SE 25	OC 16	
	OBSERVED:			1	1	1	1	4
	ESTIMATED:			6	4	4	13	27
BINARY	8: 6 7	73	CFSR	JL 24				
	OBSERVED:			1				1
	ESTIMATED:			5				5
BINARY	13: 1 3	73	WDF	SE 11				
	OBSERVED:			2				2
	ESTIMATED:			7				7
BINARY	13: 1 7	73	WDF	AU 21				
	OBSERVED:			1				1
	ESTIMATED:			3				3
BINARY	13: 2 12	74	WDF	SE 11				
	OBSERVED:			3				3
	ESTIMATED:			11				11

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:												TOTALS
BINARY	13: 2 13	73 WDF	JL 24	AU 21											
OBSERVED:			1	3											4
ESTIMATED:			5	9											14
BINARY	13: 3 15	74 WDF	AU 21												
OBSERVED:			1												1
ESTIMATED:			3												3
BINARY	13: 10 2	74 WDF	SE 4	SE 25											
OBSERVED:			1	1											2
ESTIMATED:			3	4											7
BINARY	14: 7 2	73 FWS	AU 14	AU 21	SE 11	OC 2									
OBSERVED:			2	1	2	1									6
ESTIMATED:			10	3	7	4									24
BINARY	14: 9 2	73 FWS	JL 24	AU 21	AU 28	SE 4	SE 11	SE 25							
OBSERVED:			1	1	1	4	3	2							12
ESTIMATED:			5	3	4	11	11	9							43
PIN LOST			JL 24	JL 31	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	OC 30			
OBSERVED:			1	1	2	1	8	4	1	4	5	1			28
ESTIMATED:			5	6	6	4	21	15	10	17	21	2			107
NO PIN			JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2	
OBSERVED:			2	7	6	2	1	12	8	29	15	3	18	15	
ESTIMATED:			49	33	33	18	5	38	32	78	55	29	78	63	
			OC 16	OC 23	OC 30										
OBSERVED:			14	4	1										137
ESTIMATED:			187	16	2										716

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR WEEKLY PERIODS ENDING:

NO DATA	JL 24	AU 21	AU 28	SE 4	SE 11	TOTALS
OBSERVED:	1	1	40	1	1	44
ESTIMATED:	5	3	160	3	4	175

TOTALS FOR JSN COHO

	JL 17	JL 24	JL 31	AU 7	AU 14	AU 21	AU 28	SE 4	SE 11	SE 18	SE 25	OC 2
OBSERVED:	7	76	22	31	58	100	104	232	137	26	124	94
ESTIMATED:	170	364	129	279	288	308	416	628	509	254	535	391

	OC 16	OC 23	OC 30	TOTALS
OBSERVED:	97	26	12	1146
ESTIMATED:	1290	103	23	5687

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	1: 12 .0	73	WDF	SE 11				
	OBSERVED:			2				2
	ESTIMATED:			5				5
BINARY	1: 12 11	73	WDF	OC 16				
	OBSERVED:			1				1
	ESTIMATED:			4				4
BINARY	2: 4 5	73	CFSO	SE 11				
	OBSERVED:			1				1
	ESTIMATED:			2				2
BINARY	2: 9 2	73	CFSO	AU 21	OC 16	OC 23	NO 27	
	OBSERVED:			1	23	46	79	149
	ESTIMATED:			37	94	341	-	472
BINARY	2: 9 3	74	CFSO	OC 23				
	OBSERVED:			4				4
	ESTIMATED:			30				30
BINARY	2: 15 2	73	CFSO	AU 21				
	OBSERVED:			1				1
	ESTIMATED:			37				37
BINARY	8: 2 10	73	CFSR	OC 16	OC 23	NO 27		
	OBSERVED:			1	1	1		3
	ESTIMATED:			4	7	-		11
BINARY	8: 2 11	73	CFSR	NO 27				
	OBSERVED:			1				1
	ESTIMATED:			-				-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:		TOTALS
BINARY	8:	2 12	73	CFSR	SE 11		
	OBSERVED:				1		1
	ESTIMATED:				2		2
BINARY	8:	2 13	73	CFSR	OC 16	NO 27	
	OBSERVED:				1	1	2
	ESTIMATED:				4	-	4
BINARY	8:	2 15	73	CFSR	NO 27		
	OBSERVED:				2		2
	ESTIMATED:				-		-
BINARY	8:	3 2	73	CFSR	OC 16	NO 27	
	OBSERVED:				1	1	2
	ESTIMATED:				4	-	4
BINARY	8:	3 3	73	CFSR	OC 16	NO 27	
	OBSERVED:				1	1	2
	ESTIMATED:				4	-	4
BINARY	8:	3 4	73	CFSR	NO 27		
	OBSERVED:				3		3
	ESTIMATED:				-		-
BINARY	8:	3 5	73	CFSR	NO 27		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	3 6	73	CFSR	OC 23	NO 27	
	OBSERVED:				2	1	3
	ESTIMATED:				15	-	15

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	8: 3 7	73	CFSR	OC 16	NO 27			
	OBSERVED:			1	2			3
	ESTIMATED:			4	-			4
BINARY	8: 3 8	73	CFSR	OC 16	NO 27			
	OBSERVED:			1	2			3
	ESTIMATED:			4	-			4
BINARY	8: 3 9	73	CFSR	OC 16	OC 23	NO 27	DE 25	
	OBSERVED:			1	2	4	1	8
	ESTIMATED:			4	15	-	-	19
BINARY	8: 3 11	73	CFSR	OC 23	NO 27			
	OBSERVED:			1	2			3
	ESTIMATED:			7	-			7
BINARY	8: 3 12	73	CFSR	OC 16	OC 23	NO 27		
	OBSERVED:			1	1	4		6
	ESTIMATED:			4	7	-		11
BINARY	8: 3 13	73	CFSR	NO 27				
	OBSERVED:			2				2
	ESTIMATED:			-				-
BINARY	8: 3 14	73	CFSR	OC 16	NO 27			
	OBSERVED:			1	3			4
	ESTIMATED:			4	-			4
BINARY	8: 3 15	73	CFSR	OC 23	NO 27			
	OBSERVED:			1	1			2
	ESTIMATED:			7	-			7

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	8:	4 1	73	CFSR	OC 23	NO 27		
	OBSERVED:				1	1		2
	ESTIMATED:				7	-		7
BINARY	8:	4 2	73	CFSR	OC 16	NO 27		
	OBSERVED:				1	2		3
	ESTIMATED:				4	-		4
BINARY	8:	4 3	73	CFSR	OC 16	OC 23		
	OBSERVED:				2	2		4
	ESTIMATED:				8	15		23
BINARY	8:	4 4	73	CFSR	OC 16			
	OBSERVED:				1			1
	ESTIMATED:				4			4
BINARY	8:	4 5	73	CFSR	OC 23	NO 27		
	OBSERVED:				3	2		5
	ESTIMATED:				22	-		22
BINARY	8:	4 6	73	CFSR	OC 16	OC 23	NO 27	
	OBSERVED:				2	3	1	6
	ESTIMATED:				8	22	-	30
BINARY	8:	4 7	73	CFSR	NO 27			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	8:	4 8	73	CFSR	NO 27			
	OBSERVED:				4			4
	ESTIMATED:				-			-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: 6SN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:			TOTALS
BINARY	8: 4 9	73 CFSR	OC 16	OC 23	NO 27	
	OBSERVED:		2	1	15	18
	ESTIMATED:		8	7	-	15
BINARY	8: 4 10	73 CFSR	NO 27			
	OBSERVED:		1			1
	ESTIMATED:		-			-
BINARY	8: 4 11	73 CFSR	OC 16	OC 23	NO 27	
	OBSERVED:		1	1	8	10
	ESTIMATED:		4	7	-	11
BINARY	8: 4 12	73 CFSR	OC 16	NO 27		
	OBSERVED:		2	3		5
	ESTIMATED:		8	-		8
BINARY	8: 4 14	73 CFSR	OC 16	OC 23	NO 27	
	OBSERVED:		4	3	6	13
	ESTIMATED:		16	22	-	38
BINARY	8: 4 15	73 CFSR	OC 23	NO 27		
	OBSERVED:		2	3		5
	ESTIMATED:		15	-		15
BINARY	8: 5 1	73 CFSR	OC 16			
	OBSERVED:		1			1
	ESTIMATED:		4			4
BINARY	8: 5 3	73 CFSR	OC 16	NO 27		
	OBSERVED:		1	1		2
	ESTIMATED:		4	-		4

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	8: 5 5	73 CFSR	OC 16	OC 23			
	OBSERVED:		1	1			2
	ESTIMATED:		4	7			11
BINARY	8: 5 6	73 CFSR	OC 16	NO 27			
	OBSERVED:		3	3			6
	ESTIMATED:		12	-			12
BINARY	8: 5 9	73 CFSR	NO 27				
	OBSERVED:		2				2
	ESTIMATED:		-				-
BINARY	8: 5 11	73 CFSR	OC 16				
	OBSERVED:		1				1
	ESTIMATED:		4				4
BINARY	8: 5 12	73 CFSR	SE 11	OC 16	OC 23	NO 27	
	OBSERVED:		1	2	1	2	6
	ESTIMATED:		2	8	7	-	17
BINARY	8: 5 14	73 CFSR	NO 27				
	OBSERVED:		2				2
	ESTIMATED:		-				-
BINARY	8: 5 15	73 CFSR	NO 27				
	OBSERVED:		2				2
	ESTIMATED:		-				-
BINARY	8: 6 1	73 CFSR	OC 16	OC 23	NO 27		
	OBSERVED:		2	3	1		6
	ESTIMATED:		8	22	-		30

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:				TOTALS
BINARY	8:	6 2	73	CFSR	NO 27				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	8:	6 3	73	CFSR	SE 11				
	OBSERVED:				1				1
	ESTIMATED:				2				2
BINARY	8:	6 4	73	CFSR	NO 27				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	8:	6 6	73	CFSR	OC 16	NO 27			
	OBSERVED:				1	3			4
	ESTIMATED:				4	-			4
BINARY	8:	6 7	73	CFSR	OC 16	NO 27			
	OBSERVED:				1	1			2
	ESTIMATED:				4	-			4
BINARY	13:	8 9	74	WDF	NO 27				
	OBSERVED:				1				1
	ESTIMATED:				-				-
PIN LOST					OC 16	NO 27			
	OBSERVED:				2	7			9
	ESTIMATED:				8	-			8
NO PIN					SE 4	OC 16	OC 23	NO 27	
	OBSERVED:				1	6	5	33	45
	ESTIMATED:				4	24	37	-	65

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSN COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y | ISSUED BY | FOR WEEKLY PERIODS ENDING:

NO DATA	OC 23	NO 27	DE 25	TOTALS
OBSERVED: /	1	1	1	3
ESTIMATED:	7	-	-	7

TOTALS FOR GSN COHO

	AU 21	SE 4	SE 11	OC 16	OC 23	NO 27	DE 25	TOTALS
OBSERVED:	2	1	6	69	85	219	2	384
ESTIMATED:	74	4	13	278	626	-	-	995

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: FGN COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:					TOTALS
BINARY	1: 12 10	73	WDF	OC 30					
	OBSERVED:			1					1
	ESTIMATED:			8					8
BINARY	1: 13 3	73	WDF	OC 16					
	OBSERVED:			1					1
	ESTIMATED:			9					9
BINARY	1: 15 14	73	WDF	OC 16					
	OBSERVED:			1					1
	ESTIMATED:			9					9
BINARY	2: 7 2	73	CFSO	JL 24					
	OBSERVED:			1					1
	ESTIMATED:			4					4
BINARY	2: 8 2	73	CFSO	SE 4					
	OBSERVED:			1					1
	ESTIMATED:			3					3
BINARY	2: 9 2	73	CFSO	AU 28	OC 16				
	OBSERVED:			1	7				8
	ESTIMATED:			3	64				67
BINARY	2: 15 2	73	CFSO	JL 24	JL 31	AU 7	AU 28	SE 4	
	OBSERVED:			3	1	1	2	3	10
	ESTIMATED:			11	11	286	6	8	322
BINARY	8: 2 14	73	CFSR	OC 16					
	OBSERVED:			1					1
	ESTIMATED:			9					9

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: FGN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:	TOTALS
BINARY	8:	2 15	73	CFSR	OC 2	
	OBSERVED:				1	1
	ESTIMATED:				6	6
BINARY	8:	4 2	73	CFSR	OC 16	
	OBSERVED:				1	1
	ESTIMATED:				9	9
BINARY	8:	4 3	73	CFSR	OC 16	
	OBSERVED:				1	1
	ESTIMATED:				9	9
BINARY	8:	4 9	73	CFSR	OC 16	
	OBSERVED:				1	1
	ESTIMATED:				9	9
BINARY	8:	4 11	73	CFSR	OC 16	
	OBSERVED:				1	1
	ESTIMATED:				9	9
BINARY	8:	4 13	73	CFSR	OC 16	
	OBSERVED:				1	1
	ESTIMATED:				9	9
BINARY	8:	6 6	73	CFSR	OC 16	
	OBSERVED:				1	1
	ESTIMATED:				9	9
BINARY	8:	6 7	73	CFSR	OC 16	
	OBSERVED:				1	1
	ESTIMATED:				9	9

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: FGN COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y | ISSUED BY | FOR WEEKLY PERIODS ENDING:

NO PIN	JL 31	AU 28	OC 16	TOTALS
OBSERVED:	1	1	4	6
ESTIMATED:	11	3	37	51

NO DATA	AU 28	SE 25	TOTALS
OBSERVED:	3	1	4
ESTIMATED:	9	3	12

TOTALS FOR FGN COHO

	JL 24	JL 31	AU 7	AU 28	SE 4	SE 25	OC 2	OC 16	OC 30	TOTALS
OBSERVED:	4	2	1	7	4	1	1	21	1	42
ESTIMATED:	15	22	286	21	11	3	6	191	8	563

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NSPT COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING: SE 25	TOTALS
BINARY	2: 1 4	74 CFSO		
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	2: 7 3	74 CFSO		
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	8: 4 12	73 CFSR		
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	13: 10 2	74 WDF		
	OBSERVED:		1	1
	ESTIMATED:		-	-

TOTALS FOR NSPT COHO

	SE 25	TOTALS
OBSERVED:	4	4
ESTIMATED:	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CSPT COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY		BIWEEKLY PERIODS ENDING:	TOTALS
BINARY	2: 1 4	74	CFSO		OC 9	
				OBSERVED:	1	1
				ESTIMATED:	-	-
BINARY	2: 9 2	73	CFSO		SE 11	
				OBSERVED:	1	1
				ESTIMATED:	-	-
BINARY	2: 9 3	74	CFSO		OC 9	
				OBSERVED:	5	5
				ESTIMATED:	-	-
BINARY	2: 11 6	74	CFSO		OC 9	
				OBSERVED:	1	1
				ESTIMATED:	-	-
BINARY	8: 3 8	73	CFSR		AU 28	
				OBSERVED:	1	1
				ESTIMATED:	-	-

TOTALS FOR CSPT COHO

	AU 28	SE 11	OC 9	TOTALS
OBSERVED:	1	1	7	9
ESTIMATED:	-	-	-	-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: WSPT COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	2:	7 2	73	CFSO	AU 28				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	2:	9 5	73	CFSO	SE 25				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	2:	10 6	73	CFSO	JL 31	SE 11	SE 25		
	OBSERVED:				1	7	2		10
	ESTIMATED:				-	-	-		-

TOTALS FOR WSPT COHO

	JL 31	AU 28	SE 11	SE 25	TOTALS
OBSERVED:	1	1	7	3	12
ESTIMATED:	-	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
FIN MK	UNKNOWN		AGE 0.0	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1:	2 11	72 WDF	MY 8		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1:	3 12	72 COOP	MY 8		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1:	4 13	72 WDF	MY 22	JL 31	
	OBSERVED:			1	1	2
	ESTIMATED:			-	-	-
BINARY	1:	5 1	73 WDF	JL 17		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1:	5 2	73 WDF	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1:	5 5	/3 WDF	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1:	5 6	73 WDF	JL 17		
	OBSERVED:			1		1
	ESTIMATED:			-		-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	1: 6 6		72 WDF	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1: 6 15		73 WDF	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1: 7 4		73 WDF	JL 17	AU 14	
	OBSERVED:			1	3	4
	ESTIMATED:			-	-	-
BINARY	1: 7 8		73 WDF	JN 5		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1: 7 9		73 WDF	JL 31		
	OBSERVED:			2		2
	ESTIMATED:			-		-
BINARY	1: 7 11		73 WDF	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1: 7 12		73 WDF	JN 19		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1: 7 13		73 WDF	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

```
TAG    AGENCY  DATA   B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE  /AREA  1  2  3       BY

                                                                                  TOTALS

BINARY  1:  7 14    73 WDF     JN 5
        OBSERVED:                 1                                                  1
        ESTIMATED:                -                                                  -

BINARY  1:  8  1    73 WDF     AU 14
        OBSERVED:                 1                                                  1
        ESTIMATED:                -                                                  -

BINARY  1:  8  2    73 WDF     MY 8    JL 17   JL 31
        OBSERVED:                 1       1       1                                  3
        ESTIMATED:                -       -       -                                  -

BINARY  1:  8  3    73 WDF     JL 17   AU 14
        OBSERVED:                 1       1                                          2
        ESTIMATED:                -       -                                          -

BINARY  1:  9  1    73 WDF     JL 31
        OBSERVED:                 1                                                  1
        ESTIMATED:                -                                                  -

BINARY  1:  9  4    73 WDF     JL 31
        OBSERVED:                 1                                                  1
        ESTIMATED:                -                                                  -

BINARY  1:  9  5    73 WDF     SE 11
        OBSERVED:                 1                                                  1
        ESTIMATED:                -                                                  -

BINARY  1:  9  9    73 WDF     AU 14
        OBSERVED:                 1                                                  1
        ESTIMATED:                -                                                  -
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA 1 2 3	DATA	B.Y BY	ISSUED FOR BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	1: 12 10		73 WDF	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
		OBSERVED:		1	1	4	2	5	7	14	8	10	14	9	5	
		ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
				SE 25												
		OBSERVED:		1												81
		ESTIMATED:		-												-
BINARY	1: 12 11		73 WDF	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
		OBSERVED:		3	4	2	5	4	5	5	1	4	3	3	5	44
		ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	-
BINARY	1: 13 1		73 WDF	AP 10	AP 24	MY 8	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
		OBSERVED:		1	2	2	2	3	8	3	1	2	1	2	1	28
		ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	-
BINARY	1: 13 2		73 WDF	JN 5	JL 17	OC 9										
		OBSERVED:		1	2	1										4
		ESTIMATED:		-	-	-										-
BINARY	1: 13 3		73 WDF	JL 3	JL 17	JL 31	AU 14	SE 11								
		OBSERVED:		3	1	3	2	2								11
		ESTIMATED:		-	-	-	-	-								-
BINARY	1: 13 6		73 WDF	AP 24	JN 5	JN 19	JL 17	JL 31	AU 28	SE 11	SE 25					
		OBSERVED:		1	1	2	1	1	1	1	1					9
		ESTIMATED:		-	-	-	-	-	-	-	-					-
BINARY	1: 13 7		73 WDF	JN 19	JL 3	OC 9										
		OBSERVED:		1	1	1										3
		ESTIMATED:		-	-	-										-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING: | TOTALS

TAG TYPE	AGENCY/AREA/DATA	B.Y ISSUED BY													TOTALS
BINARY	1: 13 12	73 WDF	MY 8	JN 19	JL 3	JL 17	JL 31	AU 14							
	OBSERVED:		2	2	3	1	1	2							11
	ESTIMATED:		-	-	-	-	-	-							-
BINARY	1: 13 13	73 WDF	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9	
	OBSERVED:		3	4	4	2	1	9	4	5	9	2	3	1	47
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	-
BINARY	1: 14 1	73 WDF	AP 10	JN 5	JN 19	JL 17	JL 31	AU 14	AU 28	SE 11					
	OBSERVED:		1	1	1	[illegible]	1	3	3	1					12
	ESTIMATED:		-	-	-	-	-	-	-	-					-
BINARY	1: 14 2	73 WDF	AP 24	JN 5	JN 19	JL 3	JL 17	AU 14	SE 11	SE 25					
	OBSERVED:		1	1	2	1	2	2	1	1					11
	ESTIMATED:		-	-	-	-	-	-	-	-					-
BINARY	1: 14 7	73 WDF	JL 17	AU 14	AU 28										
	OBSERVED:		2	2	1										5
	ESTIMATED:		-	-	-										-
BINARY	1: 14 8	73 WDF	JL 31	AU 14	SE 11	SE 25									
	OBSERVED:		1	2	1	1									5
	ESTIMATED:		-	-	-	-									-
BINARY	1: 14 9	73 WDF	JL 3	OC 9											
	OBSERVED:		1	1											2
	ESTIMATED:		-	-											-
BINARY	1: 15 2	73 COOP	JN 5	JL 3	AU 14										
	OBSERVED:		1	1	2										4
	ESTIMATED:		-	-	-										-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	1: 15 4	73 WDF	AP 24	JL 31	AU 14	SE 25		
	OBSERVED:		1	2	2	3		8
	ESTIMATED:		-	-	-	-		-
BINARY	1: 15 5	73 WDF	JN 5	JL 3	AU 14	AU 28	SE 11	
	OBSERVED:		1	1	1	1	1	5
	ESTIMATED:		-	-	-	-	-	-
BINARY	1: 15 6	73 WDF	MY 8	JN 19	JL 31	AU 14	SE 11	
	OBSERVED:		2	1	2	3	1	9
	ESTIMATED:		-	-	-	-	-	-
BINARY	1: 15 10	73 WDF	JL 31	AU 14	AU 28			
	OBSERVED:		1	2	2			5
	ESTIMATED:		-	-	-			-
BINARY	1: 15 11	73 WDF	AU 14	AU 28	SE 11	OC 9	NO 6	
	OBSERVED:		1	2	1	2	1	7
	ESTIMATED:		-	-	-	-	-	-
BINARY	1: 15 12	73 WDF	JN 19	JL 17	AU 28	SE 11		
	OBSERVED:		1	2	1	1		5
	ESTIMATED:		-	-	-	-		-
BINARY	1: 15 13	73 WDF	AP 24	JL 31	AU 14			
	OBSERVED:		1	1	1			3
	ESTIMATED:		-	-	-			-
BINARY	2: 1 2	72 CFSO	JL 3	AU 14	SE 25			
	OBSERVED:		1	2	1			4
	ESTIMATED:		-	-	-			-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

```
CATCH REGION: GSPT        COHO

 TAG  AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3      BY
                                                                                                                   TOTALS

BINARY  2:  1  4    74 CFSO    JN 19   JL 17   JL 31   AU 14   AU 28   SE 11   SE 25   NO 20   DE 25
        OBSERVED:                  1       1       4       7       5       7       5       1       1                  32
        ESTIMATED:                 -       -       -       -       -       -       -       -       -                   -

BINARY  2:  2  2    72 CFSO    MY 22   JL 31
        OBSERVED:                  1       1                                                                           2
        ESTIMATED:                 -       -                                                                           -

BINARY  2:  2  4    73 CFSO    AP 10    MY 8   MY 22    JN 5   JN 19    JL 3   JL 17   JL 31   AU 14   AU 28   SE 11   SE 25
        OBSERVED:                  1       8       6       2      11      14      12      11      15       9      12      10
        ESTIMATED:                 -       -       -       -       -       -       -       -       -       -       -       -

                                OC 9    NO 6
        OBSERVED:                  1       1                                                                         113
        ESTIMATED:                 -       -                                                                           -

BINARY  2:  2  5    72 CFSO    AP 10
        OBSERVED:                  1                                                                                   1
        ESTIMATED:                 -                                                                                   -

BINARY  2:  3  5    72 CFSO    MY 22   JN 19
        OBSERVED:                  1       1                                                                           2
        ESTIMATED:                 -       -                                                                           -

BINARY  2:  3  7    74 CFSO    NO 20   DE 25
        OBSERVED:                  1       1                                                                           2
        ESTIMATED:                 -       -                                                                           -

BINARY  2:  4  2    72 CFSO    MR 27   JN 19   AU 28
        OBSERVED:                  1       1       1                                                                   3
        ESTIMATED:                 -       -       -                                                                   -
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: 6SPT COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	2:	4 5	73	CFSO	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:				1	2	1	1	4	7	4	6	2	6	2	1	37
	ESTIMATED:				-	-	-	-	-	-	-	-	-	-	-	-	-
BINARY	2:	4 7	74	CFSO	JL 3	OC 23											
	OBSERVED:				1	1											2
	ESTIMATED:				-	-											-
BINARY	2:	5 3	74	CFSO	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	NO 6			
	OBSERVED:				2	4	5	10	11	8	3	2	1	2			48
	ESTIMATED:				-	-	-	-	-	-	-	-	-	-			-
BINARY	2:	5 5	73	CFSO	AP 24	MY 22	JN 5	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9		
	OBSERVED:				1	1	1	5	4	3	4	9	6	1	2		37
	ESTIMATED:				-	-	-	-	-	-	-	-	-	-	-		-
BINARY	2:	5 7	74	CFSO	OC 23												
	OBSERVED:				1												1
	ESTIMATED:				-												-
BINARY	2:	6 3	74	CFSO	OC 9	DE 25											
	OBSERVED:				1	1											2
	ESTIMATED:				-	-											-
BINARY	2:	6 5	73	CFSO	JA 31	JL 31	AU 14	AU 28	SE 11	OC 9							
	OBSERVED:				1	1	2	2	1	1							8
	ESTIMATED:				-	-	-	-	-	-							-
BINARY	2:	6 7	74	CFSO	OC 9	NO 20											
	OBSERVED:				1	1											2
	ESTIMATED:				-	-											-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	2: 7 2	73 CFSO	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11		
	OBSERVED:		1	4	5	4	12	21	20	21	14	7	2		111
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-		-
BINARY	2: 7 3	74 CFSO	JL 3	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	NO 6	NO 20	DE 25		
	OBSERVED:		1	6	11	8	7	5	1	1	1	1	1		43
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-		-
BINARY	2: 7 7	74 CFSO	NO 6	DE 25											
	OBSERVED:		1	2											3
	ESTIMATED:		-	-											-
BINARY	2: 8 2	73 CFSO	FE 28	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:		1	3	5	7	3	4	17	18	39	29	14	8	
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
			SE 11	SE 25											
	OBSERVED:		1	2											151
	ESTIMATED:		-	-											-
BINARY	2: 8 5	73 CFSO	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23		
	OBSERVED:		4	6	4	4	1	6	6	8	1	2	1		43
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-		-
BINARY	2: 8 7	74 CFSO	OC 9	NO 20	DE 25										
	OBSERVED:		1	1	2										4
	ESTIMATED:		-	-	-										-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	2:	9 2	73	CFSO	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:				8	35	83	28	58	117	204	179	174	180	144	139	
	ESTIMATED:				-	-	-	-	-	-	-	-	-	-	-	-	
					SE 25	OC 9	OC 23	NO 6	NO 20	DE 25							
	OBSERVED:				73	41	18	4	4	4							1493
	ESTIMATED:				-	-	-	-	-	-							-
BINARY	2:	9 3	74	CFSO	MY 22	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	NO 6	NO 20	DE 25	DE 31		
	OBSERVED:				1	4	13	15	11	5	12	12	4	3	1		81
	ESTIMATED:				-	-	-	-	-	-	-	-	-	-	-		-
BINARY	2:	9 5	73	CFSO	AP 10	MY 8	MY 22	JN 5	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
	OBSERVED:				1	1	1	2	1	2	2	5	3	3	1	1	
	ESTIMATED:				-	-	-	-	-	-	-	-	-	-	-	-	
					OC 23	NO 20	DE 25										
	OBSERVED:				4	1	1										29
	ESTIMATED:				-	-	-										-
BINARY	2:	9 7	74	CFSO	NO 20	DE 31											
	OBSERVED:				1	1											2
	ESTIMATED:				-	-											-
BINARY	2:	10 1	72	CFSO	MY 8	JL 31											
	OBSERVED:				2	1											3
	ESTIMATED:				-	-											-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	2: 10 5	73 CFSO	AP 10	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 23	
	OBSERVED:		1	2	2	2	4	5	1	3	2	3	1	5	
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
			NO 6												
	OBSERVED:		1												32
	ESTIMATED:		-												-
BINARY	2: 10 7	74 CFSO	DE 25												
	OBSERVED:		1												1
	ESTIMATED:		-												-
BINARY	2: 11 5	74 CFSO	NO 20	DE 31											
	OBSERVED:		1	2											3
	ESTIMATED:		-	-											-
BINARY	2: 14 5	73 CFSO	JL 3												
	OBSERVED:		1												1
	ESTIMATED:		-												-
BINARY	2: 15 2	73 CFSO	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:		5	12	4	9	20	52	56	64	38	15	4	2	
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
			OC 9												
	OBSERVED:		1												282
	ESTIMATED:		-												-
BINARY	2: 15 5	73 CFSO	MY 8	JN 19	JL 17	JL 31	AU 14	AU 28							
	OBSERVED:		1	1	1	2	2	2							9
	ESTIMATED:		-	-	-	-	-	-							-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	2:	15 13	74	CFSO	AU 28	SE 11	NO 20	DE 25	
	OBSERVED:				1	1	1	2	5
	ESTIMATED:				-	-	-	-	-
BINARY	8:	1 1	73	CFSR	MY 8	JN 19			
	OBSERVED:				1	1			2
	ESTIMATED:				-	-			-
BINARY	8:	1 2	73	CFSR	JL 3				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	8:	1 3	73	CFSR	JL 31				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	8:	1 6	73	CFSR	JN 5				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	8:	1 7	73	CFSR	AU 14				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	8:	1 15	72	CFSR	AU 28				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	8:	2 2	73	CFSR	JL 17	JL 31	AU 28		
	OBSERVED:				1	1	2		4
	ESTIMATED:				-	-	-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	8: 2 3		73 CFSR	JN 19	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:			1	1	3	1	1	3	10
	ESTIMATED:			-	-	-	-	-	-	-
BINARY	8: 2 4		73 CFSR	AU 28						
	OBSERVED:			1						1
	ESTIMATED:			-						-
BINARY	8: 2 5		73 CFSR	JL 3	SE 11					
	OBSERVED:			5	1					6
	ESTIMATED:			-	-					-
BINARY	8: 2 6		73 CFSR	MY 8	MY 22	JL 3	JL 17	AU 14		
	OBSERVED:			1	2	1	2	1		7
	ESTIMATED:			-	-	-	-	-		-
BINARY	8: 2 7		73 CFSR	JN 19	JL 3	AU 14	AU 28			
	OBSERVED:			1	3	1	1			6
	ESTIMATED:			-	-	-	-			-
BINARY	8: 2 8		73 CFSR	MY 8	JN 19	JL 17	AU 14	SE 11	SE 25	
	OBSERVED:			2	1	3	1	1	2	10
	ESTIMATED:			-	-	-	-	-	-	-
BINARY	8: 2 9		73 CFSR	JN 19	JL 17	AU 28	SE 11	SE 25		
	OBSERVED:			1	1	1	1	1		5
	ESTIMATED:			-	-	-	-	-		-
BINARY	8: 2 10		73 CFSR	MY 8	JL 3	JL 31	AU 14	SE 11	OC 23	
	OBSERVED:			1	3	1	1	1	1	8
	ESTIMATED:			-	-	-	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE / AGENCY /AREA / DATA 1 2 3 / B.Y ISSUED BY / FOR BIWEEKLY PERIODS ENDING:

TAG TYPE	DATA 1 2 3	AGENCY /AREA, B.Y ISSUED BY													TOTALS
BINARY	8: 2 11	73 CFSR	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25			
	OBSERVED:		1	1	1	2	2	2	2	4	1	1			17
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-			-
BINARY	8: 2 12	73 CFSR	MY 8	JL 3	JL 17	JL 31	AU 14	AU 28	OC 9	OC 23	NO 6				
	OBSERVED:		1	6	3	3	5	5	2	2	1				28
	ESTIMATED:		-	-	-	-	-	-	-	-	-				-
BINARY	8: 2 13	73 CFSR	AP 10	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:		1	4	2	2	6	3	8	5	8	3	3	2	
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
			OC 9	OC 23	NO 6										
	OBSERVED:		2	1	1										51
	ESTIMATED:		-	-	-										-
BINARY	8: 2 14	73 CFSR	MY 8	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25			
	OBSERVED:		1	1	1	1	2	1	1	3	3	1			15
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-			-
BINARY	8: 2 15	73 CFSR	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:		2	1	1	2	2	12	9	3	9	5	8	1	
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	
			OC 9	OC 23											
	OBSERVED:		3	1											59
	ESTIMATED:		-	-											-
BINARY	8: 3 1	73 CFSR	MY 8	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11					
	OBSERVED:		1	2	1	2	1	1	1	5					14
	ESTIMATED:		-	-	-	-	-	-	-	-					-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING: | TOTALS

BINARY 8: 3 2	73 CFSR	AP 24	MY 8	MY 22	JN 19	JL 3	JL 17	AU 14	AU 28	SE 11	SE 25	OC 9	TOTALS
OBSERVED:		1	2	1	1	5	2	5	1	4	1	2	25
ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-

BINARY 8: 3 3	73 CFSR	AP 24	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	TOTALS
OBSERVED:		2	1	1	3	8	10	4	8	2	4	3	2	
ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	

		OC 23	TOTALS
OBSERVED:		1	49
ESTIMATED:		-	-

BINARY 8: 3 4	73 CFSR	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 23	TOTALS
OBSERVED:		7	2	1	4	3	1	1	1	20
ESTIMATED:		-	-	-	-	-	-	-	-	-

BINARY 8: 3 5	73 CFSR	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	TOTALS
OBSERVED:		3	1	2	4	3	5	3	2	3	3	1	2	
ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-	

		NO 6	TOTALS
OBSERVED:		1	33
ESTIMATED:		-	-

BINARY 8: 3 6	73 CFSR	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 23	TOTALS
OBSERVED:		1	1	2	3	2	4	3	3	2	2	1	24
ESTIMATED:		-	-	-	-	-	-	-	-	-	-	-	-

BINARY 8: 3 7	73 CFSR	AU 28	SE 11	SE 25	OC 23	TOTALS
OBSERVED:		1	1	1	1	4
ESTIMATED:		-	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	8: 3 8		73 CFSR	AP 10	MY 8	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	OC 23		
	OBSERVED:			1	2	2	2	8	2	4	2	3	2	1		29
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-	-		-
BINARY	8: 3 9		73 CFSR	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:			1	1	3	3	2	2	4	8	7	11	4	7	
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-	-	-	
				SE 25	OC 9	OC 23										
	OBSERVED:			6	1	4										64
	ESTIMATED:			-	-	-										-
BINARY	8: 3 10		73 CFSR	MY 22	JN 19	JL 17	JL 31	AU 14	AU 28	SE 11	OC 9					
	OBSERVED:			2	4	1	1	1	1	1	1					12
	ESTIMATED:			-	-	-	-	-	-	-	-					-
BINARY	8: 3 11		73 CFSR	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	NO 6		
	OBSERVED:			1	2	1	1	1	2	3	4	3	1	1		20
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-	-		-
BINARY	8: 3 12		73 CFSR	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 23	
	OBSERVED:			1	1	2	2	3	8	10	7	4	6	2	1	47
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-	-	-	-
BINARY	8: 3 13		73 CFSR	MY 8	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	NO 20				
	OBSERVED:			1	4	1	1	3	4	3	1	1				19
	ESTIMATED:			-	-	-	-	-	-	-	-	-				-
BINARY	8: 3 14		73 CFSR	MR 27	MY 8	MY 22	JL 3	JL 17	JL 31	AU 28	SE 11	SE 25	OC 9			
	OBSERVED:			1	2	2	2	2	2	4	3	1	1			20
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-			-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE AGENCY /AREA DATA 1 2 3 B.Y ISSUED BY FOR BIWEEKLY PERIODS ENDING:

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY														TOTALS
BINARY	8: 3 15	73 CFSR		AP 10	AP 24	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
			OBSERVED:	1	1	2	1	4	5	3	7	5	3	4	3	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9	OC 23											
			OBSERVED:	1	1											41
			ESTIMATED:	-	-											-
BINARY	8: 4 1	73 CFSR		JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25				
			OBSERVED:	1	4	8	1	6	9	3	5	2				39
			ESTIMATED:	-	-	-	-	-	-	-	-	-				-
BINARY	8: 4 2	73 CFSR		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
			OBSERVED:	2	4	3	3	6	7	2	6	4	8	4	2	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9	OC 23											
			OBSERVED:	3	1											55
			ESTIMATED:	-	-											-
BINARY	8: 4 3	73 CFSR		AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
			OBSERVED:	2	1	4	2	2	7	20	9	8	5	13	12	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				SE 25	OC 9	OC 23										
			OBSERVED:	3	3	2										93
			ESTIMATED:	-	-	-										-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED FOR BY | BIWEEKLY PERIODS ENDING: | TOTALS

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED FOR BY														TOTALS
BINARY	8: 4 4	73 CFSR		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
			OBSERVED:	1	3	1	3	1	5	8	3	6	3	3	1	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9												
			OBSERVED:	2												40
			ESTIMATED:	-												-
BINARY	8: 4 5	73 CFSR		AP 24	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	
			OBSERVED:	3	1	4	10	7	4	17	15	11	7	2	2	83
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	-
BINARY	8: 4 6	73 CFSR		AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
			OBSERVED:	1	2	3	2	3	5	13	7	4	13	7	15	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				SE 25	OC 9	OC 23										
			OBSERVED:	3	4	2										84
			ESTIMATED:	-	-	-										-
BINARY	8: 4 7	73 CFSR		MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9		
			OBSERVED:	1	1	3	2	1	2	2	4	2	2	1		21
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-		-
BINARY	8: 4 8	73 CFSR		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
			OBSERVED:	2	6	2	5	6	19	3	4	5	4	4	2	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9												
			OBSERVED:	1												63
			ESTIMATED:	-												-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y												TOTALS
BINARY	8: 4 9		73 CFSR	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:			2	7	5	12	14	20	18	17	33	17	30	8	
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9	OC 23											
	OBSERVED:			4	4											191
	ESTIMATED:			-	-											-
BINARY	8: 4 10		73 CFSR	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11						
	OBSERVED:			1	4	1	2	3	3	3						17
	ESTIMATED:			-	-	-	-	-	-	-						-
BINARY	8: 4 11		73 CFSR	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:			2	1	2	1	6	9	4	6	7	1	3	1	
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9												
	OBSERVED:			1												44
	ESTIMATED:			-												-
BINARY	8: 4 12		73 CFSR	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:			3	5	6	3	10	20	20	17	20	15	17	9	
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9	OC 23											
	OBSERVED:			7	3											155
	ESTIMATED:			-	-											-
BINARY	8: 4 13		73 CFSR	MY 8	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	
	OBSERVED:			3	1	1	4	2	4	8	3	2	2	2	1	33
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	DATA 1 2 3	B.Y ISSUED BY AGENCY /AREA	FOR BIWEEKLY PERIODS ENDING:													TOTALS
BINARY	8: 4 14	73 CFSR		AP 10	MY 8	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
			OBSERVED:	1	5	1	1	20	7	6	7	10	7	4	4	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				OC 23	DE 25											
			OBSERVED:	5	1											79
			ESTIMATED:	-	-											-
BINARY	8: 4 15	73 CFSR		AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
			OBSERVED:	2	1	8	1	1	12	28	20	18	27	12	15	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				SE 25	OC 9	OC 23	NO 6									
			OBSERVED:	6	4	3	1									159
			ESTIMATED:	-	-	-	-									-
BINARY	8: 5 1	73 CFSR		MY 8	JN 19	JL 3	JL 31	AU 14	AU 28	SE 25						
			OBSERVED:	1	1	5	1	1	1	2						12
			ESTIMATED:	-	-	-	-	-	-	-						-
BINARY	8: 5 2	73 CFSR		AP 24	JN 5	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9			
			OBSERVED:	1	1	6	5	2	6	1	3	1	2			28
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-			-
BINARY	8: 5 3	73 CFSR		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
			OBSERVED:	5	3	1	3	3	8	9	8	1	8	9	6	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9												
			OBSERVED:	2												66
			ESTIMATED:	-												-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY		BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	8:	5 4	73 CFSR		MY 8	MY 22	JN 5	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25			
				OBSERVED:	2	1	1	1	1	1	2	1	2	1			13
				ESTIMATED:	-	-	-	-	-	-	-	-	-	-			-
BINARY	8:	5 5	73 CFSR		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
				OBSERVED:	1	1	2	1	4	5	4	4	5	3	2	1	
				ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
					OC 9	OC 23											
				OBSERVED:	1	1											35
				ESTIMATED:	-	-											-
BINARY	8:	5 6	73 CFSR		AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
				OBSERVED:	1	1	1	1	3	10	6	11	7	10	8	7	
				ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
					OC 9	NO 6	NO 20										
				OBSERVED:	4	1	1										72
				ESTIMATED:	-	-	-										-
BINARY	8:	5 7	73 CFSR		JN 5	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25						
				OBSERVED:	1	2	3	3	1	1	1						12
				ESTIMATED:	-	-	-	-	-	-	-						-
BINARY	8:	5 8	73 CFSR		AP 24	MY 8	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9		
				OBSERVED:	3	1	4	2	2	4	3	1	1	1	1		23
				ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:													TOTALS
BINARY	8: 5 9	73 CFSR		AP 10	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
			OBSERVED:	1	8	3	1	7	12	10	8	12	8	8	6	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9												
			OBSERVED:	1												85
			ESTIMATED:	-												-
BINARY	8: 5 10	73 CFSR		MY 8	JN 5	JN 19	JL 3	JL 31	AU 14	OC 23						
			OBSERVED:	1	1	1	2	2	2	1						10
			ESTIMATED:	-	-	-	-	-	-	-						-
BINARY	8: 5 11	73 CFSR		AP 24	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25	OC 9	OC 23		
			OBSERVED:	1	1	3	2	5	2	4	4	1	1	1		25
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-		-
BINARY	8: 5 12	73 CFSR		AP 10	AP 24	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
			OBSERVED:	1	1	2	2	10	8	7	8	8	1	8	5	
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9	OC 23											
			OBSERVED:	4	1											66
			ESTIMATED:	-	-											-
BINARY	8: 5 13	73 CFSR		JN 5	JN 19	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9					
			OBSERVED:	1	1	1	2	2	1	1	1					10
			ESTIMATED:	-	-	-	-	-	-	-	-					-
BINARY	8: 5 14	73 CFSR		MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9		
			OBSERVED:	1	2	2	2	2	3	3	5	2	3	1		26
			ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	8:	5 15	73 CFSR	AP 10	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
	OBSERVED:			1	6	3	1	6	11	9	8	16	9	13	6	
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-	-	-	
				OC 9	OC 23											
	OBSERVED:			2	2											93
	ESTIMATED:			-	-											-
BINARY	8:	6 1	73 CFSR	MR 27	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			1	1	2	7	4	7	12	17	9	10	11	12	
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-	-	-	
				SE 11	SE 25	OC 9	OC 23									
	OBSERVED:			13	4	1	5									116
	ESTIMATED:			-	-	-	-									-
BINARY	8:	6 2	73 CFSR	JN 19	JL 17	AU 14	AU 28									
	OBSERVED:			3	1	2	1									7
	ESTIMATED:			-	-	-	-									-
BINARY	8:	6 3	73 CFSR	MY 8	MY 22	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25			
	OBSERVED:			1	2	3	4	1	2	4	5	1	2			25
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-			-
BINARY	8:	6 4	73 CFSR	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:			1	1	3	1	2	2	9	3	2	10	4	1	
	ESTIMATED:			-	-	-	-	-	-	-	-	-	-	-	-	
				SE 25	OC 9											
	OBSERVED:			2	2											43
	ESTIMATED:			-	-											-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

```
CATCH REGION: GSPT        COHO

 TAG  AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3       BY
                                                                                                   TOTALS

BINARY  8:  6  5    73 CFSR    JN 19    JL 3   JL 31   AU 14   AU 28   SE 11
        OBSERVED:                  2       4       2       3       3       1                          15
        ESTIMATED:                 -       -       -       -       -       -                           -

BINARY  8:  6  6    73 CFSR    FE 28   AP 10    MY 8   MY 22    JN 5   JN 19    JL 3   JL 17   JL 31   AU 14   AU 28   SE 11
        OBSERVED:                  1       2       6       2       5       9      22       6       8      12      12      11
        ESTIMATED:                 -       -       -       -       -       -       -       -       -       -       -       -

                               SE 25    OC 9    NO 6
        OBSERVED:                  5       3       1                                                 105
        ESTIMATED:                 -       -       -                                                   -

BINARY  8:  6  7    73 CFSR     MY 8   MY 22   JN 19    JL 3   JL 17   JL 31   AU 14   AU 28   SE 11   SE 25
        OBSERVED:                  1       2       3       7       3       4       3       3       8       1      35
        ESTIMATED:                 -       -       -       -       -       -       -       -       -       -       -

BINARY  8:  6  8    74 CFSR    AP 24   SE 11    OC 9   OC 23
        OBSERVED:                  1       1       1       2                                           5
        ESTIMATED:                 -       -       -       -                                           -

BINARY  8:  6  9    74 CFSR    MY 22    OC 9   OC 23   NO 20   DE 25
        OBSERVED:                  2       1       1       1       1                                   6
        ESTIMATED:                 -       -       -       -       -                                   -

BINARY 11:  2 10    74 UW       JL 3   JL 31   AU 14
        OBSERVED:                  1       1       1                                                   3
        ESTIMATED:                 -       -       -                                                   -

BINARY 13:  1  2    73 WDF     AU 14
        OBSERVED:                  1                                                                   1
        ESTIMATED:                 -                                                                   -
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	13: 1 7		73	WDF	JL 3	JL 17	JL 31	OC 9	
OBSERVED:					1	1	1	1	4
ESTIMATED:					-	-	-	-	-
BINARY	13: 2 2		74	WDF	OC 23				
OBSERVED:					1				1
ESTIMATED:					-				-
BINARY	13: 2 11		74	COOP	NO 20				
OBSERVED:					1				1
ESTIMATED:					-				-
BINARY	13: 2 12		74	WDF	JL 3	AU 14			
OBSERVED:					1	1			2
ESTIMATED:					-	-			-
BINARY	13: 2 13		73	WDF	JL 31	AU 14	AU 28	SE 25	
OBSERVED:					1	1	1	1	4
ESTIMATED:					-	-	-	-	-
BINARY	13: 2 14		73	WDF	AU 14	SE 25			
OBSERVED:					1	1			2
ESTIMATED:					-	-			-
BINARY	13: 4 12		74	WDF	AU 28	OC 9	DE 25		
OBSERVED:					1	1	2		4
ESTIMATED:					-	-	-		-
BINARY	13: 5 2		74	WDF	OC 23				
OBSERVED:					1				1
ESTIMATED:					-				-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

```
CATCH REGION: GSPT        COHO

 TAG  AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3      BY
                                                                    TOTALS

BINARY 13:  5  3    74 WDF     AU 28   OC 23
        OBSERVED:                  1       1                           2
        ESTIMATED:                 -       -                           -

BINARY 13:  7 15    74 WDF     NO 20
        OBSERVED:                  1                                   1
        ESTIMATED:                 -                                   -

BINARY 13:  8  6    74 WDF      OC 9   OC 23   DE 25
        OBSERVED:                  1       2       1                   4
        ESTIMATED:                 -       -       -                   -

BINARY 13:  8  8    74 WDF     OC 23
        OBSERVED:                  1                                   1
        ESTIMATED:                 -                                   -

BINARY 13:  8  9    74 WDF     OC 23   NO 20
        OBSERVED:                  1       1                           2
        ESTIMATED:                 -       -                           -

BINARY 13:  8 10    74 WDF     NO 20
        OBSERVED:                  1                                   1
        ESTIMATED:                 -                                   -

BINARY 13:  8 11    74 WDF     OC 23
        OBSERVED:                  1                                   1
        ESTIMATED:                 -                                   -

BINARY 13:  8 15    74 WDF     SE 11
        OBSERVED:                  1                                   1
        ESTIMATED:                 -                                   -
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:									TOTALS
BINARY	13: 10 2	74 WDF	AU 14	OC 9	OC 23	DE 25	DE 31					
	OBSERVED:		1	1	1	2	1					6
	ESTIMATED:		-	-	-	-	-					-
BINARY	13: 11 8	74 WDF	AU 28									
	OBSERVED:		1									1
	ESTIMATED:		-									-
BINARY	14: 2 11	74 FWS	JL 31									
	OBSERVED:		1									1
	ESTIMATED:		-									-
BINARY	14: 3 11	74 FWS	SE 11	SE 25	OC 23							
	OBSERVED:		1	1	1							3
	ESTIMATED:		-	-	-							-
BINARY	14: 5 11	74 FWS	OC 23	DE 25								
	OBSERVED:		1	1								2
	ESTIMATED:		-	-								-
BINARY	14: 6 11	74 FWS	JL 31									
	OBSERVED:		1									1
	ESTIMATED:		-									-
BINARY	14: 7 2	73 FWS	MY 8	JN 5	JN 19	JL 17	JL 31	AU 14	SE 11	SE 25	OC 9	
	OBSERVED:		2	1	1	2	2	3	1	1	1	14
	ESTIMATED:		-	-	-	-	-	-	-	-	-	-
BINARY	14: 8 2	73 FWS	SE 11									
	OBSERVED:		1									1
	ESTIMATED:		-									-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:												TOTALS
BINARY	14:	9 2	73 FWS	AP 24	MY 8	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	
OBSERVED:				3	3	4	4	13	11	7	4	6	2	1	1	
ESTIMATED:				-	-	-	-	-	-	-	-	-	-	-	-	
				OC 23												
OBSERVED:				1												60
ESTIMATED:				-												-
BINARY	14:	10 2	73 FWS	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25			
OBSERVED:				2	2	4	5	3	4	4	5	1	3			33
ESTIMATED:				-	-	-	-	-	-	-	-	-	-			-
BINARY	14:	11 2	74 FWS	SE 11												
OBSERVED:				1												1
ESTIMATED:				-												-
BINARY	14:	13 2	73 FWS	JN 19	AU 28											
OBSERVED:				1	1											2
ESTIMATED:				-	-											-
BINARY	14:	15 1	73 FWS	SE 25												
OBSERVED:				1												1
ESTIMATED:				-												-
BINARY	15:	14 10	72 WDF	OC 23												
OBSERVED:				1												1
ESTIMATED:				-												-
COLOUR	BL:	BL	72 CFSO	MY 22												
OBSERVED:				1												1
ESTIMATED:				-												-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSPT COHO

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

						TOTALS
PIN LOST		AU 14	OC 23			
	OBSERVED:	2	1			3
	ESTIMATED:	-	-			-
NO PIN		JL 3	AU 14	AU 28	OC 9	
	OBSERVED:	1	1	1	1	4
	ESTIMATED:	-	-	-	-	-

TOTALS FOR GSPT COHO

	JA 31	FE 28	MR 27	AP 10	AP 24	MY 8	MY 22	JN 5	JN 19	JL 3	JL 17	JL 31	TOTALS
OBSERVED:	1	2	3	35	108	275	137	197	431	827	663	657	
ESTIMATED:	-	-	-	-	-	-	-	-	-	-	-	-	
	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	NO 6	NO 20	DE 25	DE 31			
OBSERVED:	773	573	546	276	157	111	30	24	27	5			5858
ESTIMATED:	-	-	-	-	-	-	-	-	-	-			-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR & NWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:	TOTALS
BINARY	1: 7 4	73 WDF	JL 17	
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 7 14	73 WDF	JL 17	
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 12 12	73 WDF	AU 28	
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 13 3	73 WDF	JL 17	
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 13 7	73 WDF	JL 17	
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 14 9	73 WDF	JL 17	
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 15 6	73 WDF	AU 28	
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 15 10	73 WDF	AU 28	
	OBSERVED:		1	1
	ESTIMATED:		-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR & NWTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	1:	15 14	73	WDF	AU 28		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	2:	9 2	73	CFSO	JL 17	AU 28	
	OBSERVED:				2	4	6
	ESTIMATED:				-	-	-
BINARY	2:	10 5	73	CFSO	AU 28		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	2:	10 6	73	CFSO	JL 17	AU 28	
	OBSERVED:				3	1	4
	ESTIMATED:				-	-	-
BINARY	8:	2 15	73	CFSR	AU 28		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	4 12	73	CFSR	AU 28		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	5 9	73	CFSR	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	5 10	73	CFSR	AU 28		
	OBSERVED:				1		1
	ESTIMATED:				-		-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: CTR & NWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY		JL 17	AU 28	TOTALS
BINARY 13:	1 3		73 WDF			AU 28	
				OBSERVED:		2	2
				ESTIMATED:		-	-
BINARY 13:	2 2		74 WDF			AU 28	
				OBSERVED:		1	1
				ESTIMATED:		-	-
PIN LOST						AU 28	
				OBSERVED:		1	1
				ESTIMATED:		-	-
NO PIN					JL 17	AU 28	
				OBSERVED:	2	6	8
				ESTIMATED:	-	-	-

TOTALS FOR CTR & NWTR COHO

	JL 17	AU 28	TOTALS
OBSERVED:	13	23	36
ESTIMATED:	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: C/NW/SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING: JL 17	TOTALS
BINARY	1: 5 1	73	WDF		
	OBSERVED:			2	2
	ESTIMATED:			-	-
BINARY	1: 7 13	73	WDF		
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1: 9 3	73	WDF		
	OBSERVED:			2	2
	ESTIMATED:			-	-
BINARY	1: 9 4	73	WDF		
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1: 9 8	73	WDF		
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1: 12 10	73	WDF		
	OBSERVED:			3	3
	ESTIMATED:			-	-
BINARY	1: 13 1	73	WDF		
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1: 13 2	73	WDF		
	OBSERVED:			1	1
	ESTIMATED:			-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: C/NW/SWTR   COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING: JL 17	TOTALS
BINARY	1: 13 3	73 WDF		
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 14 1	73 WDF		
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 14 2	73 WDF		
	OBSERVED:		2	2
	ESTIMATED:		-	-
BINARY	1: 14 9	73 WDF		
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 15 2	73 COOP		
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 15 6	73 WDF		
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	1: 15 12	73 WDF		
	OBSERVED:		1	1
	ESTIMATED:		-	-
BINARY	2: 9 2	73 CFSO		
	OBSERVED:		2	2
	ESTIMATED:		-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: C/NW/SWTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING: JL 17	TOTALS
BINARY	2:	10 6	73	CFSO		
	OBSERVED:				2	2
	ESTIMATED:				-	-
BINARY	8:	3 2	73	CFSR		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	4 11	73	CFSR		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	4 15	73	CFSR		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	13:	2 12	74	WDF		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	13:	2 13	73	WDF		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	14:	10 2	73	FWS		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	14:	15 1	73	FWS		
	OBSERVED:				1	1
	ESTIMATED:				-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: C/NW/SWTR   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y BY	ISSUED FOR BIWEEKLY PERIODS ENDING: JL 17	TOTALS
PIN LOST					
OBSERVED:				1	1
ESTIMATED:				-	-
NO PIN					
OBSERVED:				2	2
ESTIMATED:				-	-

TOTALS FOR C/NW/SWTR   COHO

	JL 17	TOTALS
OBSERVED:	34	34
ESTIMATED:	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
FIN MK	AD/LP		AGE 1.1	JL 3			
	OBSERVED:			1			1
	ESTIMATED:			-			-
BINARY	1:	3 13	73 WDF	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			-			-
BINARY	1:	4 15	73 WDF	JL 3	JL 31	SE 25	
	OBSERVED:			1	1	2	4
	ESTIMATED:			-	-	-	-
BINARY	1:	5 1	73 WDF	JL 3			
	OBSERVED:			1			1
	ESTIMATED:			-			-
BINARY	1:	5 2	73 WDF	JL 31			
	OBSERVED:			1			1
	ESTIMATED:			-			-
BINARY	1:	5 4	73 WDF	JL 31			
	OBSERVED:			1			1
	ESTIMATED:			-			-
BINARY	1:	5 5	73 WDF	JL 31			
	OBSERVED:			1			1
	ESTIMATED:			-			-
BINARY	1:	7 2	73 WDF	SE 25			
	OBSERVED:			1			1
	ESTIMATED:			-			-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	1:	7 4	73	WDF	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	1:	7 6	73	WDF	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	1:	7 9	73	WDF	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	1:	7 10	73	WDF	JL 3		
	OBSERVED:				3		3
	ESTIMATED:				-		-
BINARY	1:	7 11	73	WDF	JL 3	JL 31	
	OBSERVED:				1	2	3
	ESTIMATED:				-	-	-
BINARY	1:	7 12	73	WDF	SE 11		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	1:	7 13	73	WDF	JL 31	SE 11	
	OBSERVED:				1	1	2
	ESTIMATED:				-	-	-
BINARY	1:	7 14	73	WDF	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	1:	7 15	73 WDF	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1:	8 1	73 WDF	JL 3		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1:	8 2	73 WDF	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1:	8 3	73 WDF	JL 3	JL 31	
	OBSERVED:			1	1	2
	ESTIMATED:			-	-	-
BINARY	1:	8 15	73 WDF	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1:	9 2	73 WDF	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1:	9 3	73 WDF	JL 17	JL 31	
	OBSERVED:			1	1	2
	ESTIMATED:			-	-	-
BINARY	1:	9 7	73 WDF	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1: 9 8	73	WDF	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			-			-
BINARY	1: 9 9	73	WDF	JL 31	SE 11	SE 25	
	OBSERVED:			1	1	1	3
	ESTIMATED:			-	-	-	-
BINARY	1: 12 10	73	WDF	JL 17			
	OBSERVED:			1			1
	ESTIMATED:			-			-
BINARY	1: 12 11	73	WDF	JL 17	JL 31		
	OBSERVED:			1	1		2
	ESTIMATED:			-	-		-
BINARY	1: 12 12	73	WDF	JL 3	JL 17	SE 25	
	OBSERVED:			1	2	1	4
	ESTIMATED:			-	-	-	-
BINARY	1: 13 1	73	WDF	JL 3	JL 31		
	OBSERVED:			1	3		4
	ESTIMATED:			-	-		-
BINARY	1: 13 2	73	WDF	JL 17	JL 31	SE 25	
	OBSERVED:			1	1	1	3
	ESTIMATED:			-	-	-	-
BINARY	1: 13 3	73	WDF	JL 31			
	OBSERVED:			1			1
	ESTIMATED:			-			-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	1: 13 6	73 WDF		JL 31			
	OBSERVED:			3			3
	ESTIMATED:			-			-
BINARY	1: 13 7	73 WDF		JL 3	JL 31		
	OBSERVED:			1	2		3
	ESTIMATED:			-	-		-
BINARY	1: 13 12	73 WDF		JL 31			
	OBSERVED:			1			1
	ESTIMATED:			-			-
BINARY	1: 13 13	73 WDF		JL 3	JL 31	SE 25	
	OBSERVED:			2	2	2	6
	ESTIMATED:			-	-	-	-
BINARY	1: 14 1	73 WDF		JL 3	JL 17	JL 31	
	OBSERVED:			3	1	2	6
	ESTIMATED:			-	-	-	-
BINARY	1: 14 2	73 WDF		JL 3	JL 17	JL 31	
	OBSERVED:			2	1	5	8
	ESTIMATED:			-	-	-	-
BINARY	1: 14 7	73 WDF		JL 3	SE 25		
	OBSERVED:			2	1		3
	ESTIMATED:			-	-		-
BINARY	1: 14 9	73 WDF		JL 3	JL 31		
	OBSERVED:			1	1		2
	ESTIMATED:			-	-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	1: 15 2		73 COOP	JL 3	JL 17	JL 31		
	OBSERVED:			2	1	1		4
	ESTIMATED:			-	-	-		-
BINARY	1: 15 4		73 WDF	JL 3	JL 31			
	OBSERVED:			1	1			2
	ESTIMATED:			-	-			-
BINARY	1: 15 5		73 WDF	JL 31				
	OBSERVED:			3				3
	ESTIMATED:			-				-
BINARY	1: 15 6		73 WDF	JL 17	JL 31	SE 25		
	OBSERVED:			1	4	1		6
	ESTIMATED:			-	-	-		-
BINARY	1: 15 7		73 WDF	SE 25				
	OBSERVED:			2				2
	ESTIMATED:			-				-
BINARY	1: 15 12		73 WDF	JL 3	JL 31	SE 11	SE 25	
	OBSERVED:			1	4	1	1	7
	ESTIMATED:			-	-	-	-	-
BINARY	1: 15 13		73 WDF	JL 31				
	OBSERVED:			2				2
	ESTIMATED:			-				-
BINARY	1: 15 14		73 WDF	JL 31	SE 25			
	OBSERVED:			1	2			3
	ESTIMATED:			-	-			-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	2: 4 5	73	CFSO	JL 31					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	2: 9 2	73	CFSO	JL 3	JL 17	JL 31	SE 11	SE 25	
	OBSERVED:			4	1	3	1	1	10
	ESTIMATED:			-	-	-	-	-	-
BINARY	2: 9 5	73	CFSO	JL 3	JL 31	AU 28			
	OBSERVED:			4	3	1			8
	ESTIMATED:			-	-	-			-
BINARY	2: 10 5	73	CFSO	JL 17	JL 31	SE 25			
	OBSERVED:			1	1	1			3
	ESTIMATED:			-	-	-			-
BINARY	2: 10 6	73	CFSO	JL 3	JL 31				
	OBSERVED:			5	6				11
	ESTIMATED:			-	-				-
BINARY	2: 14 5	73	CFSO	JL 31					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	2: 15 2	73	CFSO	JL 31					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	2: 15 5	73	CFSO	SE 11					
	OBSERVED:			1					1
	ESTIMATED:			-					-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:	TOTALS
BINARY	7:	1 10	73	ODFW	JL 31	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	2 2	73	CFSR	SE 11	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	2 10	73	CFSR	JL 31	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	2 13	73	CFSR	SE 11	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	3 1	73	CFSR	JL 31	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	3 9	73	CFSR	JL 3	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	3 12	73	CFSR	SE 11	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	3 14	73	CFSR	JL 31	
	OBSERVED:				1	1
	ESTIMATED:				-	-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY		FOR BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	8:	4 6	73	CFSR	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	4 7	73	CFSR	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	4 9	73	CFSR	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	4 12	73	CFSR	JL 3	JL 31	
	OBSERVED:				1	2	3
	ESTIMATED:				-	-	-
BINARY	8:	4 15	73	CFSR	JL 3	JL 31	
	OBSERVED:				1	1	2
	ESTIMATED:				-	-	-
BINARY	8:	5 6	73	CFSR	SE 25		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	5 15	73	CFSR	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	11:	2 10	74	UW	JL 31		
	OBSERVED:				1		1
	ESTIMATED:				-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	13: 1 3	73 WDF	JL 31		
	OBSERVED:		5		5
	ESTIMATED:		-		-
BINARY	13: 1 7	73 WDF	JL 31	SE 11	
	OBSERVED:		1	1	2
	ESTIMATED:		-	-	-
BINARY	13: 2 2	74 WDF	JL 31		
	OBSERVED:		1		1
	ESTIMATED:		-		-
BINARY	13: 2 12	74 WDF	JL 3	JL 31	
	OBSERVED:		1	2	3
	ESTIMATED:		-	-	-
BINARY	13: 2 13	73 WDF	JL 31	SE 11	
	OBSERVED:		1	1	2
	ESTIMATED:		-	-	-
BINARY	14: 7 2	73 FWS	SE 25		
	OBSERVED:		1		1
	ESTIMATED:		-		-
BINARY	14: 9 2	73 FWS	JL 17	JL 31	
	OBSERVED:		1	1	2
	ESTIMATED:		-	-	-
BINARY	15: 10 12		JL 3		
	OBSERVED:		1		1
	ESTIMATED:		-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & SWTR COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PERIODS ENDING:

PIN LOST

	JL 3	JL 17	JL 31	SE 11	TOTALS
OBSERVED:	1	1	4	1	7
ESTIMATED:	-	-	-	-	-

NO PIN

	JL 3	JL 17	JL 31	SE 11	SE 25	TOTALS
OBSERVED:	10	3	14	8	2	37
ESTIMATED:	-	-	-	-	-	-

NO DATA

	JL 3	TOTALS
OBSERVED:	1	1
ESTIMATED:	-	-

TOTALS FOR NWTR & SWTR COHO

	JL 3	JL 17	JL 31	AU 28	SE 11	SE 25	TOTALS
OBSERVED:	57	21	111	1	20	21	231
ESTIMATED:	-	-	-	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:	TOTALS
BINARY	1:	2 6		AU 14	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1:	3 13	73 WDF	JL 17	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1:	5 4	73 WDF	JL 17	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1:	7 3	73 WDF	AU 28	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1:	7 4	73 WDF	JL 17	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1:	7 7	73 WDF	AU 28	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1:	7 10	73 WDF	JL 31	
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1:	7 11	73 WDF	AU 14	
	OBSERVED:			1	1
	ESTIMATED:			-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1:	7 13	73	WDF	JL 17			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	1:	7 14	73	WDF	JL 31	AU 14	AU 28	
	OBSERVED:				1	1	1	3
	ESTIMATED:				-	-	-	-
BINARY	1:	7 15	73	WDF	JL 17			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	1:	8 1	73	WDF	JL 17	AU 28		
	OBSERVED:				1	2		3
	ESTIMATED:				-	-		-
BINARY	1:	8 3	73	WDF	JL 31			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	1:	8 15	73	WDF	JL 17			
	OBSERVED:				2			2
	ESTIMATED:				-			-
BINARY	1:	9 1	73	WDF	JL 17	AU 28		
	OBSERVED:				2	1		3
	ESTIMATED:				-	-		-
BINARY	1:	9 2	73	WDF	JL 17			
	OBSERVED:				1			1
	ESTIMATED:				-			-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

```
CATCH REGION: NW/SW/WOTR   COHO

 TAG  AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3      BY
                                                                                    TOTALS

BINARY  1:  9  3    73 WDF     JL 17
        OBSERVED:                  1                                                     1
        ESTIMATED:                 -                                                     -

BINARY  1:  9  4    73 WDF     JL 31   AU 28
        OBSERVED:                  1       1                                             2
        ESTIMATED:                 -       -                                             -

BINARY  1:  9  6    73 WDF     JL 17
        OBSERVED:                  2                                                     2
        ESTIMATED:                 -                                                     -

BINARY  1:  9  7    73 WDF     AU 14
        OBSERVED:                  1                                                     1
        ESTIMATED:                 -                                                     -

BINARY  1:  9  8    73 WDF     JL 17   AU 14
        OBSERVED:                  1       1                                             2
        ESTIMATED:                 -       -                                             -

BINARY  1: 12 10    73 WDF     JL 17   JL 31
        OBSERVED:                  1       1                                             2
        ESTIMATED:                 -       -                                             -

BINARY  1: 12 11    73 WDF     JL 17   AU 14   AU 28
        OBSERVED:                  3       2       1                                     6
        ESTIMATED:                 -       -       -                                     -

BINARY  1: 12 12    73 WDF     JL 17   AU 14
        OBSERVED:                  1       2                                             3
        ESTIMATED:                 -       -                                             -
```

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR COHO

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	1: 13 1	73	WDF	JL 17	JL 31	AU 14	AU 28	
	OBSERVED:			1	1	1	1	4
	ESTIMATED:			-	-	-	-	-
BINARY	1: 13 2	73	WDF	JL 31	AU 14			
	OBSERVED:			1	1			2
	ESTIMATED:			-	-			-
BINARY	1: 13 3	73	WDF	JL 17				
	OBSERVED:			1				1
	ESTIMATED:			-				-
BINARY	1: 13 6	73	WDF	JL 17	AU 28			
	OBSERVED:			1	1			2
	ESTIMATED:			-	-			-
BINARY	1: 13 7	73	WDF	JL 17	AU 28			
	OBSERVED:			1	1			2
	ESTIMATED:			-	-			-
BINARY	1: 13 12	73	WDF	JL 17				
	OBSERVED:			1				1
	ESTIMATED:			-				-
BINARY	1: 13 13	73	WDF	JL 17				
	OBSERVED:			1				1
	ESTIMATED:			-				-
BINARY	1: 14 1	73	WDF	JL 17	AU 14			
	OBSERVED:			1	1			2
	ESTIMATED:			-	-			-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR COHO

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

TAG TYPE	AGENCY/AREA DATA 1 2 3	B.Y	ISSUED BY			TOTALS
BINARY	1: 14 7	73	WDF	JL 17		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1: 14 9	73	WDF	JL 17	AU 14	
	OBSERVED:			1	1	2
	ESTIMATED:			-	-	-
BINARY	1: 15 4	73	WDF	JL 17	AU 28	
	OBSERVED:			2	1	3
	ESTIMATED:			-	-	-
BINARY	1: 15 5	73	WDF	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1: 15 6	73	WDF	JL 17		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1: 15 7	73	WDF	AU 14	AU 28	
	OBSERVED:			2	2	4
	ESTIMATED:			-	-	-
BINARY	1: 15 10	73	WDF	AU 28		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	1: 15 12	73	WDF	JL 17	SE 11	
	OBSERVED:			4	1	5
	ESTIMATED:			-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR   COHO

```
TAG  AGENCY  DATA  B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA  1  2  3     BY                                          TOTALS

BINARY  1: 15 13    73 WDF     JL 17   JL 31                          4
        OBSERVED:                  3       1
        ESTIMATED:                 -       -                          -

BINARY  1: 15 14    73 WDF     AU 14   AU 28                          4
        OBSERVED:                  1       3
        ESTIMATED:                 -       -                          -

BINARY  2:  5  5    73 CFSO    AU 14                                  1
        OBSERVED:                  1
        ESTIMATED:                 -                                  -

BINARY  2:  6  5    73 CFSO    JL 17                                  1
        OBSERVED:                  1
        ESTIMATED:                 -                                  -

BINARY  2:  9  2    73 CFSO    JL 17   JL 31   AU 14   AU 28         16
        OBSERVED:                  6       3       5       2
        ESTIMATED:                 -       -       -       -          -

BINARY  2:  9  5    73 CFSO    JL 17   JL 31                          2
        OBSERVED:                  1       1
        ESTIMATED:                 -       -                          -

BINARY  2: 10  5    73 CFSO    JL 17   AU 28                          3
        OBSERVED:                  2       1
        ESTIMATED:                 -       -                          -

BINARY  2: 10  6    73 CFSO    JL 17   JL 31   AU 14   AU 28          8
        OBSERVED:                  2       1       2       3
        ESTIMATED:                 -       -       -       -          -
```

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	2:	15 2	73 CFSO	JL 17	JL 31	
	OBSERVED:			1	1	2
	ESTIMATED:			-	-	-
BINARY	7:	1 10	73 ODFW	AU 28		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	8:	2 11	73 CFSR	AU 28		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	8:	2 12	73 CFSR	AU 14		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	8:	2 15	73 CFSR	AU 28		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	8:	3 2	73 CFSR	JL 31		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	8:	3 9	73 CFSR	SE 11		
	OBSERVED:			1		1
	ESTIMATED:			-		-
BINARY	8:	4 3	73 CFSR	AU 28		
	OBSERVED:			2		2
	ESTIMATED:			-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	8:	4 9	73	CFSR	AU 28		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	4 12	73	CFSR	AU 14		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	4 14	73	CFSR	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	5 9	73	CFSR	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	5 11	73	CFSR	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	5 12	73	CFSR	JL 17	AU 28	
	OBSERVED:				1	1	2
	ESTIMATED:				-	-	-
BINARY	8:	5 14	73	CFSR	AU 14		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	6 3	73	CFSR	AU 14		
	OBSERVED:				1		1
	ESTIMATED:				-		-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	8:	6 7	73	CFSR	AU 28			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	11:	2 10	74	UW	AU 28			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	13:	1 2	73	WDF	AU 28			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	13:	1 3	73	WDF	JL 17			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	13:	1 5	73	WDF	SE 11			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	13:	1 7	73	WDF	AU 28	SE 11		
	OBSERVED:				2	2		4
	ESTIMATED:				-	-		-
BINARY	13:	2 2	74	WDF	AU 28			
	OBSERVED:				1			1
	ESTIMATED:				-			-
BINARY	13:	2 12	74	WDF	JL 17	JL 31	AU 14	
	OBSERVED:				1	1	1	3
	ESTIMATED:				-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NW/SW/WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY 13:	2 14		73 WDF	JL 17					
OBSERVED:				1					1
ESTIMATED:				-					-
BINARY 14:	9 2		73 FWS	JL 17					
OBSERVED:				1					1
ESTIMATED:				-					-
BINARY 14:	10 2		73 FWS	JL 17	AU 14				
OBSERVED:				1	2				3
ESTIMATED:				-	-				-
BINARY 14:	15 1		73 FWS	JL 31	AU 14				
OBSERVED:				1	1				2
ESTIMATED:				-	-				-
PIN LOST				JL 17	AU 14	AU 28			
OBSERVED:				1	1	3			5
ESTIMATED:				-	-	-			-
NO PIN				JL 17	JL 31	AU 14	AU 28	SE 11	
OBSERVED:				13	3	4	5	4	29
ESTIMATED:				-	-	-	-	-	-

TOTALS FOR NW/SW/WOTR COHO

	JL 17	JL 31	AU 14	AU 28	SE 11	TOTALS
OBSERVED:	75	21	37	45	9	187
ESTIMATED:	-	-	-	-	-	-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	JL 3	TOTALS
BINARY	1:	12 10	73 WDF		
	OBSERVED:			1	1
	ESTIMATED:			-	-
BINARY	1:	12 11	73 WDF		
	OBSERVED:			1	1
	ESTIMATED:			-	-
NO PIN					
	OBSERVED:			3	3
	ESTIMATED:			-	-
TOTALS FOR NWTR & WOTR COHO					
	OBSERVED:			5	5
	ESTIMATED:			-	-

(Column headings: FOR BIWEEKLY PERIODS ENDING: JL 3)

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	1:	3 13	73	WDF	SE 25	OC 9	
	OBSERVED:				1	1	2
	ESTIMATED:				-	-	-
BINARY	1:	5 1	73	WDF	JL 3	AU 14	
	OBSERVED:				1	1	2
	ESTIMATED:				-	-	-
BINARY	1:	5 3	73	WDF	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	1:	5 4	73	WDF	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	1:	5 5	73	WDF	JL 3	SE 25	
	OBSERVED:				2	1	3
	ESTIMATED:				-	-	-
BINARY	1:	5 6	73	WDF	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	1:	6 15	73	WDF	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	1:	7 1	73	WDF	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY		BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	1:	7 3	73	WDF		AU 14					
					OBSERVED:	1					1
					ESTIMATED:	-					-
BINARY	1:	7 4	73	WDF		JL 3	JL 17				
					OBSERVED:	3	1				4
					ESTIMATED:	-	-				-
BINARY	1:	7 6	73	WDF		JL 3	JL 31				
					OBSERVED:	2	2				4
					ESTIMATED:	-	-				-
BINARY	1:	7 7	73	WDF		JL 3	JL 31				
					OBSERVED:	1	1				2
					ESTIMATED:	-	-				-
BINARY	1:	7 8	73	WDF		JL 3	JL 31				
					OBSERVED:	2	2				4
					ESTIMATED:	-	-				-
BINARY	1:	7 9	73	WDF		JL 3					
					OBSERVED:	3					3
					ESTIMATED:	-					-
BINARY	1:	7 10	73	WDF		JL 3	AU 14	AU 28	SE 11	SE 25	
					OBSERVED:	3	1	1	1	1	7
					ESTIMATED:	-	-	-	-	-	-
BINARY	1:	7 11	73	WDF		JL 3	JL 31				
					OBSERVED:	3	1				4
					ESTIMATED:	-	-				-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:			TOTALS
BINARY	1:	7 12	73	WDF	JL 3	JL 17		
	OBSERVED:				1	1		2
	ESTIMATED:				-	-		-
BINARY	1:	7 13	73	WDF	JL 3	SE 11	OC 9	
	OBSERVED:				3	1	1	5
	ESTIMATED:				-	-	-	-
BINARY	1:	7 14	73	WDF	JL 3	JL 31		
	OBSERVED:				4	1		5
	ESTIMATED:				-	-		-
BINARY	1:	7 15	73	WDF	JL 3	AU 14	SE 25	
	OBSERVED:				1	1	2	4
	ESTIMATED:				-	-	-	-
BINARY	1:	8 1	73	WDF	JL 3	AU 14		
	OBSERVED:				3	1		4
	ESTIMATED:				-	-		-
BINARY	1:	8 2	73	WDF	JL 3	JL 31		
	OBSERVED:				1	1		2
	ESTIMATED:				-	-		-
BINARY	1:	8 3	73	WDF	JL 3	JL 17	AU 14	
	OBSERVED:				3	1	1	5
	ESTIMATED:				-	-	-	-
BINARY	1:	8 7	73	WDF	JL 31			
	OBSERVED:				1			1
	ESTIMATED:				-			-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG AGENCY DATA B.Y ISSUED FOR BIWEEKLY PERIODS ENDING:
TYPE /AREA 1 2 3 BY

								TOTALS
BINARY	1: 8 15	73 WDF	JL 3	SE 11				
	OBSERVED:		1	1				2
	ESTIMATED:		-	-				-
BINARY	1: 9 1	73 WDF	JL 3	JL 31	AU 14			
	OBSERVED:		1	1	1			3
	ESTIMATED:		-	-	-			-
BINARY	1: 9 2	73 WDF	AU 14					
	OBSERVED:		1					1
	ESTIMATED:		-					-
BINARY	1: 9 3	73 WDF	JL 3					
	OBSERVED:		1					1
	ESTIMATED:		-					-
BINARY	1: 9 4	73 WDF	JL 31					
	OBSERVED:		1					1
	ESTIMATED:		-					-
BINARY	1: 9 5	73 WDF	JL 3	JL 31	AU 14	SE 11		
	OBSERVED:		3	1	1	1		6
	ESTIMATED:		-	-	-	-		-
BINARY	1: 9 6	73 WDF	JL 17					
	OBSERVED:		1					1
	ESTIMATED:		-					-
BINARY	1: 9 7	73 WDF	JL 3	AU 14				
	OBSERVED:		1	2				3
	ESTIMATED:		-	-				-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y | ISSUED BY | FOR BIWEEKLY PERIODS ENDING: | | | | | | TOTALS

TAG TYPE	AGENCY /AREA DATA 1 2 3	B.Y ISSUED BY							TOTALS
BINARY	1: 9 8	73 WDF	JL 3	JL 31	AU 28	SE 11			
	OBSERVED:		1	1	1	1			4
	ESTIMATED:		-	-	-	-			-
BINARY	1: 9 9	73 WDF	JL 3						
	OBSERVED:		2						2
	ESTIMATED:		-						-
BINARY	1: 12 10	73 WDF	JL 3	JL 17	JL 31	AU 14			
	OBSERVED:		3	1	3	3			10
	ESTIMATED:		-	-	-	-			-
BINARY	1: 12 11	73 WDF	JL 3	JL 17	AU 14	AU 28			
	OBSERVED:		2	2	2	1			7
	ESTIMATED:		-	-	-	-			-
BINARY	1: 12 12	73 WDF	JL 3	JL 17	SE 11				
	OBSERVED:		2	1	1				4
	ESTIMATED:		-	-	-				-
BINARY	1: 13 1	73 WDF	JL 3	JL 17	AU 14	SE 11			
	OBSERVED:		15	3	2	1			21
	ESTIMATED:		-	-	-	-			-
BINARY	1: 13 2	73 WDF	JL 3	JL 17	AU 14				
	OBSERVED:		5	2	2				9
	ESTIMATED:		-	-	-				-
BINARY	1: 13 3	73 WDF	JL 3	JL 17	JL 31	AU 14	SE 11	SE 25	
	OBSERVED:		7	3	1	4	2	1	18
	ESTIMATED:		-	-	-	-	-	-	-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA 1 2 3	DATA	B.Y ISSUED BY	FOR BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	1: 13 6		73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	
	OBSERVED:			6	1	2	1	1	1	12
	ESTIMATED:			-	-	-	-	-	-	-
BINARY	1: 13 7		73 WDF	JL 31	AU 14	AU 28	SE 11			
	OBSERVED:			3	4	1	1			9
	ESTIMATED:			-	-	-	-			-
BINARY	1: 13 9			JL 3						
	OBSERVED:			1						1
	ESTIMATED:			-						-
BINARY	1: 13 12		73 WDF	JL 3	JL 17	JL 31	AU 14	SE 25		
	OBSERVED:			3	1	1	2	1		8
	ESTIMATED:			-	-	-	-	-		-
BINARY	1: 13 13		73 WDF	JL 3	JL 31	AU 14				
	OBSERVED.			5	4	1				10
	ESTIMATED:			-	-	-				-
BINARY	1: 14 1		73 WDF	JL 3	JL 17	JL 31	AU 14	SE 11		
	OBSERVED:			9	5	2	3	1		20
	ESTIMATED:			-	-	-	-	-		-
BINARY	1: 14 2		73 WDF	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25	
	OBSERVED:			8	3	3	3	2	1	20
	ESTIMATED:			-	-	-	-	-	-	-
BINARY	1: 14 3			OC 9						
	OBSERVED:			1						1
	ESTIMATED:			-						-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:					TOTALS
BINARY	1:	14 7	73	WDF	JL 3	AU 14				
	OBSERVED:				1	2				3
	ESTIMATED:				-	-				-
BINARY	1:	14 8	73	WDF	JL 3	JL 17				
	OBSERVED:				1	2				3
	ESTIMATED:				-	-				-
BINARY	1:	14 9	73	WDF	JL 3	JL 17	JL 31	AU 14	OC 9	
	OBSERVED:				5	1	1	2	2	11
	ESTIMATED:				-	-	-	-	-	-
BINARY	1:	14 10			JL 17					
	OBSERVED:				1					1
	ESTIMATED:				-					-
BINARY	1:	15 2	73	COOP	JL 3	JL 17	AU 14			
	OBSERVED:				2	1	1			4
	ESTIMATED:				-	-	-			-
BINARY	1:	15 4	73	WDF	JL 3	JL 31	AU 14	OC 9		
	OBSERVED:				5	1	3	2		11
	ESTIMATED:				-	-	-	-		-
BINARY	1:	15 5	73	WDF	JL 3	SE 25				
	OBSERVED:				1	1				2
	ESTIMATED:				-	-				-
BINARY	1:	15 6	73	WDF	JL 3	SE 11				
	OBSERVED:				1	1				2
	ESTIMATED:				-	-				-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY		FOR BIWEEKLY PERIODS ENDING:							TOTALS
BINARY	1:	15 7	73 WDF		JL 3							
				OBSERVED:	1							1
				ESTIMATED:	-							-
BINARY	1:	15 10	73 WDF		JL 3	AU 14	SE 25					
				OBSERVED:	2	1	1					4
				ESTIMATED:	-	-	-					-
BINARY	1:	15 12	73 WDF		JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	
				OBSERVED:	8	2	4	4	1	3	1	23
				ESTIMATED:	-	-	-	-	-	-	-	-
BINARY	1:	15 13	73 WDF		JL 3	JL 31	AU 14	AU 28	SE 11	SE 25		
				OBSERVED:	5	1	3	1	1	1		12
				ESTIMATED:	-	-	-	-	-	-		-
BINARY	1:	15 14	73 WDF		AU 14	AU 28						
				OBSERVED:	2	1						3
				ESTIMATED:	-	-						-
BINARY	2:	2 4	73 CFSO		JL 3							
				OBSERVED:	1							1
				ESTIMATED:	-							-
BINARY	2:	4 5	73 CFSO		AU 14							
				OBSERVED:	1							1
				ESTIMATED:	-							-
BINARY	2:	5 5	73 CFSO		JL 3							
				OBSERVED:	1							1
				ESTIMATED:	-							-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:						TOTALS
BINARY	2:	6 5	73	CFSO	JL 3						
	OBSERVED:				1						1
	ESTIMATED:				-						-
BINARY	2:	7 2	73	CFSO	JL 3						
	OBSERVED:				1						1
	ESTIMATED:				-						-
BINARY	2:	8 2	73	CFSO	JL 3						
	OBSERVED:				3						3
	ESTIMATED:				-						-
BINARY	2:	8 5	73	CFSO	JL 3						
	OBSERVED:				2						2
	ESTIMATED:				-						-
BINARY	2:	9 2	73	CFSO	JL 3	JL 17	JL 31	AU 14	SE 11	SE 25	
	OBSERVED:				5	4	1	4	1	1	16
	ESTIMATED:				-	-	-	-	-	-	-
BINARY	2:	9 5	73	CFSO	JL 3						
	OBSERVED:				1						1
	ESTIMATED:				-						-
BINARY	2:	10 5	73	CFSO	JL 3	JL 31	AU 14	SE 11	OC 9	OC 23	
	OBSERVED:				2	1	2	3	1	1	10
	ESTIMATED:				-	-	-	-	-	-	-
BINARY	2:	10 6	73	CFSO	JL 3	JL 17	JL 31				
	OBSERVED:				3	7	1				11
	ESTIMATED:				-	-	-				-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	2: 14 5		73	CFSO	JL 3	JL 17	AU 14	SE 25	
	OBSERVED:				1	1	1	1	4
	ESTIMATED:				-	-	-	-	-
BINARY	2: 15 2		73	CFSO	JL 3	JL 17	JL 31	AU 28	
	OBSERVED:				4	1	1	1	7
	ESTIMATED:				-	-	-	-	-
BINARY	2: 15 13		74	CFSO	JL 17				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	5: 1 1				JL 3				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	5: 6 1				AU 14				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	5: 6 10				AU 14				
	OBSERVED:				1				1
	ESTIMATED:				-				-
BINARY	7: 1 10		73	ODFW	JL 3	AU 14			
	OBSERVED:				2	1			3
	ESTIMATED:				-	-			-
BINARY	7: 1 11		73	ODFW	SE 11				
	OBSERVED:				1				1
	ESTIMATED:				-				-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR BIWEEKLY PERIODS ENDING:	TOTALS
BINARY	7:	1 12	73	ODFW	AU 14	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	7:	9 5	73	ODFW	SE 11	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	1 6	73	CFSR	JL 3	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	2 3	73	CFSR	JL 3	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	2 7	73	CFSR	JL 3	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	2 9	73	CFSR	AU 28	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	2 11	73	CFSR	AU 28	
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	8:	2 12	73	CFSR	AU 14	
	OBSERVED:				1	1
	ESTIMATED:				-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	8:	2 13	73	CFSR	JL 17	AU 14	
	OBSERVED:				1	1	2
	ESTIMATED:				-	-	-
BINARY	8:	3 2	73	CFSR	SE 11		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	3 4	73	CFSR	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	3 5	73	CFSR	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	3 9	73	CFSR	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	3 12	73	CFSR	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	4 6	73	CFSR	SE 11		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	4 8	73	CFSR	JL 17		
	OBSERVED:				1		1
	ESTIMATED:				-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	BIWEEKLY PERIODS ENDING:		TOTALS
BINARY	8:	4 9	73	CFSR	JL 3	JL 31	
	OBSERVED:				1	1	2
	ESTIMATED:				-	-	-
BINARY	8:	4 12	73	CFSR	JL 31	AU 14	
	OBSERVED:				1	1	2
	ESTIMATED:				-	-	-
BINARY	8:	4 15	73	CFSR	AU 14		
	OBSERVED:				2		2
	ESTIMATED:				-		-
BINARY	8:	5 2	73	CFSR	AU 14		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	5 3	73	CFSR	SE 25		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	5 4	73	CFSR	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	5 5	73	CFSR	JL 3		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	5 6	73	CFSR	JL 31	AU 14	
	OBSERVED:				1	1	2
	ESTIMATED:				-	-	-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE AGENCY /AREA DATA 1 2 3 B.Y ISSUED BY — FOR BIWEEKLY PERIODS ENDING:

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY						TOTALS
BINARY	8:	5 8	73 CFSR	JL 3					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	8:	5 11	73 CFSR	JL 17					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	8:	5 12	73 CFSR	JL 31	AU 28				
	OBSERVED:			1	1				2
	ESTIMATED:			-	-				-
BINARY	8:	6 7	73 CFSR	JL 3					
	OBSERVED:			1					1
	ESTIMATED:			-					-
BINARY	11:	2 10	74 UW	JL 3					
	OBSERVED:			2					2
	ESTIMATED:			-					-
BINARY	13:	1 3	73 WDF	JL 3	JL 31	AU 14	SE 11	SE 25	
	OBSERVED:			1	2	1	1	1	6
	ESTIMATED:			-	-	-	-	-	-
BINARY	13:	1 6	73 WDF	JL 3	JL 31				
	OBSERVED:			1	1				2
	ESTIMATED:			-	-				-
BINARY	13:	1 7	73 WDF	JL 3	JL 17	JL 31	AU 14	SE 25	
	OBSERVED:			9	3	4	1	1	18
	ESTIMATED:			-	-	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y ISSUED BY	BIWEEKLY PERIODS ENDING:				TOTALS
BINARY	13:	2 2	74 WDF	JL 3	JL 31	OC 23		
		OBSERVED:		7	1	1		9
		ESTIMATED:		-	-	-		-
BINARY	13:	2 12	74 WDF	JL 3	JL 17	JL 31	AU 14	
		OBSERVED:		4	1	1	1	7
		ESTIMATED:		-	-	-	-	-
BINARY	13:	2 13	73 WDF	JL 3	JL 17	JL 31		
		OBSERVED:		3	1	1		5
		ESTIMATED:		-	-	-		-
BINARY	13:	2 14	73 WDF	JL 3				
		OBSERVED:		1				1
		ESTIMATED:		-				-
BINARY	14:	7 2	73 FWS	JL 3				
		OBSERVED:		3				3
		ESTIMATED:		-				-
BINARY	14:	9 2	73 FWS	JL 3	JL 17	JL 31	AU 14	
		OBSERVED:		5	1	1	1	8
		ESTIMATED:		-	-	-	-	-
BINARY	14:	10 2	73 FWS	JL 17	JL 31	AU 14	AU 28	
		OBSERVED:		1	1	1	1	4
		ESTIMATED:		-	-	-	-	-
BINARY	14:	15 1	73 FWS	JL 3	JL 17	JL 31		
		OBSERVED:		5	1	2		8
		ESTIMATED:		-	-	-		-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: SWTR & WOTR COHO

TAG TYPE | AGENCY /AREA | DATA 1 2 3 | B.Y ISSUED BY | FOR BIWEEKLY PER'ODS ENDING:

										TOTALS
COLOUR BL: RD	AU 14									
OBSERVED:	1									1
ESTIMATED:	-									-
PIN LOST	JL 3	JL 17	JL 31	AU 14	AU 28	SE 25				
OBSERVED:	9	1	1	4	1	2				18
ESTIMATED:	-	-	-	-	-	-				-
NO PIN	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9		
OBSERVED:	61	9	12	9	4	4	1	2		102
ESTIMATED:	-	-	-	-	-	-	-	-		-
NO DATA	JL 3									
OBSERVED:	3									3
ESTIMATED:	-									-
TOTALS FOR SWTR & WOTR COHO	JL 3	JL 17	JL 31	AU 14	AU 28	SE 11	SE 25	OC 9	OC 23	
OBSERVED:	303	68	74	94	20	30	20	10	2	621
ESTIMATED:	-	-	-	-	-	-	-	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & NWVN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING: JL 3	TOTALS
BINARY	1:	7 15	73	WDF		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	1:	12 12	73	WDF		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	1:	13 2	73	WDF		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	1:	13 3	73	WDF		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	1:	15 4	73	WDF		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	2:	9 2	73	CFSO		
	OBSERVED:				2	2
	ESTIMATED:				-	-
BINARY	2:	9 5	73	CFSO		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	2:	10 6	73	CFSO		
	OBSERVED:				4	4
	ESTIMATED:				-	-

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: NWTR & NWVN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING: JL 3	TOTALS
BINARY 13:	1 7		73	WDF		
OBSERVED:					1	1
ESTIMATED:					-	-
NO PIN					JL 3	
OBSERVED:					6	6
ESTIMATED:					-	-
TOTALS FOR NWTR & NWVN COHO					JL 3	
OBSERVED:					19	19
ESTIMATED:					-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR & GSN   COHO

```
 TAG  AGENCY  DATA  B.Y ISSUED  FOR  WEEKLY PERIODS ENDING:
 TYPE /AREA  1  2  3      BY
                                                                      TOTALS

BINARY  2:  2  4    73 CFSO    JL 17                                     1
        OBSERVED:                  1                                     -
        ESTIMATED:                 -

BINARY  2:  9  2    73 CFSO    JL 17   SE 11                             4
        OBSERVED:                  2       2                             -
        ESTIMATED:                 -       -

BINARY  8:  2 15    73 CFSR    SE 11                                     1
        OBSERVED:                  1                                     -
        ESTIMATED:                 -

BINARY  8:  3  3    73 CFSR    JL 17                                     1
        OBSERVED:                  1                                     -
        ESTIMATED:                 -

BINARY  8:  3  4    73 CFSR    JL 17                                     1
        OBSERVED:                  1                                     -
        ESTIMATED:                 -

BINARY  8:  4  2    73 CFSR    SE 11                                     1
        OBSERVED:                  1                                     -
        ESTIMATED:                 -

BINARY  8:  4  9    73 CFSR    SE 11                                     1
        OBSERVED:                  1                                     -
        ESTIMATED:                 -

BINARY  8:  4 12    73 CFSR    JL 17                                     1
        OBSERVED:                  1                                     -
        ESTIMATED:                 -
```

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: GSTR & GSN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	WEEKLY PERIODS ENDING:		TOTALS
BINARY	8:	6 3	73	CFSR	SE 11		
	OBSERVED:				1		1
	ESTIMATED:				-		-
PIN LOST					SE 11		
	OBSERVED:				1		1
	ESTIMATED:				-		-
NO PIN					JL 17	SE 11	
	OBSERVED:				1	1	2
	ESTIMATED:				-	-	-
TOTALS FOR GSTR & GSN COHO					JL 17	SE 11	
	OBSERVED:				7	8	15
	ESTIMATED:				-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN & CN   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:		TOTALS
BINARY	1:	9 3	73	WDF	JL 24		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	2:	2 4	73	CFSO	JL 10	JL 24	
	OBSERVED:				1	1	2
	ESTIMATED:				-	-	-
BINARY	2:	9 2	73	CFSO	JL 10	JL 24	
	OBSERVED:				8	6	14
	ESTIMATED:				-	-	-
BINARY	2:	10 6	73	CFSO	JL 10		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	2 5	73	CFSR	JL 24		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	3 12	73	CFSR	JL 10		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	4 8	73	CFSR	JL 10		
	OBSERVED:				1		1
	ESTIMATED:				-		-
BINARY	8:	4 9	73	CFSR	JL 10		
	OBSERVED:				1		1
	ESTIMATED:				-		-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JSN & CN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY		FOR WEEKLY PERIODS ENDING:		TOTALS
BINARY	8:	4 11	73	CFSR		JL 24		
					OBSERVED:	1		1
					ESTIMATED:	-		-
BINARY	8:	4 12	73	CFSR		JL 24		
					OBSERVED:	1		1
					ESTIMATED:	-		-
BINARY	8:	5 2	73	CFSR		JL 10		
					OBSERVED:	1		1
					ESTIMATED:	-		-
BINARY	8:	5 15	73	CFSR		JL 10		
					OBSERVED:	1		1
					ESTIMATED:	-		-
BINARY	8:	6 1	73	CFSR		JL 10		
					OBSERVED:	1		1
					ESTIMATED:	-		-
NO PIN						JL 24		
					OBSERVED:	3		3
					ESTIMATED:	-		-
NO DATA						JL 10		
					OBSERVED:	1		1
					ESTIMATED:	-		-

TOTALS FOR JSN & CN COHO

	JL 10	JL 24	TOTALS
OBSERVED:	17	14	31
ESTIMATED:	-	-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN & SWVN   COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING: JN 26	TOTALS
BINARY	1:	7 4	73	WDF		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	1:	12 10	73	WDF		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	1:	13 3	73	WDF		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	1:	14 1	73	WDF		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	2:	9 5	73	CFSO		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	2:	15 2	73	CFSO		
	OBSERVED:				1	1
	ESTIMATED:				-	-
BINARY	13:	1 7	73	WDF		
	OBSERVED:				2	2
	ESTIMATED:				-	-
BINARY	14:	9 2	73	FWS		
	OBSERVED:				2	2
	ESTIMATED:				-	-

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

OBSERVED AND ESTIMATED RECOVERIES OF MARKED SALMON IN SAMPLED CANADIAN COMMERCIAL AND SPORT FISHERIES, 1976

CATCH REGION: JFN & SWVN COHO

TAG TYPE	AGENCY /AREA	DATA 1 2 3	B.Y	ISSUED BY	FOR WEEKLY PERIODS ENDING:	TOTALS

TOTALS FOR JFN & SWVN COHO

	JN 26	TOTALS
OBSERVED:	10	10
ESTIMATED:	-	-

SUBREPORT 3

ENVIRONMENT CANADA
REGIONAL MARK RECOVERY SERVICE
****

GEORGIA STRAIT SPORT CATCH AND SPORT TOTAL RECOVERIES OF MARKED SALMON, 1976

FOR MONTHS OF :

		JAN. - APR.	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTALS
CHINOOK	CATCH	32005.	16814.	29466.	45296.	53203.	39827.	13289.	10184.	25961.	266045.
	RECOVERIES	120.	126.	177.	671.	607.	395.	155.	75.	121.	2447.
COHO	CATCH	17646.	13482.	39550.	49375.	40769.	31965.	13778.	7487.	3591.	217643.
	RECOVERIES	295.	305.	899.	1837.	1346.	822.	287.	41.	26.	5858.

APPENDIX TO VOLUME 1

Table 1. Names and Statistical Areas comprising Catch Regions. Note that all regions are commercial Catch Regions except those specified as sport.

Mnemonic	Full Name	Statistical Areas Included
ATR	Alaska Troll	N.A.
NTR	Northern Troll	1-5
CTR	Central Troll	6-12, 30
NWTR	Northwest Troll	25-27
SWTR	Southwest Troll	23 & 24
WOTR	Washington-Oregon Troll	21 & C
JFTR	Juan de Fuca Troll	20
GSTR	Georgia Strait Troll	13-18, 29A, B & C
NN	Northern Net*	1-5
CN	Central Net	6-11
NWVN	Northwest Vancouver I. Net	25-27
SWVN	Southwest Vancouver I. Net	21-24
JFN	Juan de Fuca Net	20
JSN	Johnstone Strait Net	12-13
GSN	Georgia Strait Net	14-18
FGN	Fraser River Gill Net	29A, B, C, D & E
NSPT	Northern Sport	1-5
CSPT	Central Sport	6-12
WSPT	West Coast Vancouver I. Sport	21-27
GSPT	Georgia Strait Sport	13-20, 28, 29A, B & C

* In this table, "Net" indicates mixed gillnet and seine fisheries.

Table 2. Time Periods and Statistical Weeks

Week Ending Date	Dates of Statistical Weeks	Statistical Weeks
JA 24*	Dec 28 - Jan 24	010
JA 31*	Jan 25 - Jan 31	015
FE 28*	Feb 1 - Feb 28	020
MR 6	Feb 29 - Mar 6	031
MR 13	Mar 7 - Mar 13	032
MR 20	Mar 14 - Mar 20	033
MR 27	Mar 21 - Mar 27	034
AP 3	Mar 28 - Apr 3	041
AP 10	Apr 4 - Apr 10	042
AP 17	Apr 11 - Apr 17	043
AP 24	Apr 18 - Apr 24	044
MY 1	Apr 25 - May 1	045
MY 8	May 2 - May 8	051
MY 15	May 9 - May 15	052
MY 22	May 16 - May 22	053
MY 29	May 23 - May 29	054
JN 5	May 30 - Jun 5	061
JN 12	Jun 6 - Jun 12	062
JN 19	Jun 13 - Jun 19	063
JN 26	Jun 20 - Jun 26	064
JL 3	Jun 27 - Jul 3	071
JL 10	Jul 4 - Jul 10	072
JL 17	Jul 11 - Jul 17	073
JL 24	Jul 18 - Jul 24	074
JL 31	Jul 25 - Jul 31	075
AU 7	Aug 1 - Aug 7	081
AU 14	Aug 8 - Aug 14	082
AU 21	Aug 15 - Aug 21	083
AU 28	Aug 22 - Aug 28	084
SP 4	Aug 29 - Sep 4	091
SP 11	Sep 5 - Sep 11	092
SP 18	Sep 12 - Sep 18	093
SP 25	Sep 19 - Sep 25	094
OC 2	Sep 26 - Oct 2	101
OC 9	Oct 3 - Oct 9	102
OC 16	Oct 10 - Oct 16	103
OC 23	Oct 17 - Oct 23	104
OC 30	Oct 24 - Oct 30	105
NO 6	Oct 31 - Nov 6	111
NO 13	Nov 7 - Nov 13	112
NO 20	Nov 14 - Nov 20	113
NO 27	Nov 21 - Nov 27	114
DE 25*	Nov 28 - Dec 25	120
DE 31*	Dec 26 - Dec 31	125

* Since fishing activity is sharply reduced in winter months, the "Statistical Weeks" used in reporting catch statistics are up to 4 weeks long.

Table 3. Index to Catch Regions. Volume 1, Subreport 2 (Chinook)

Catch Region	pp.
NTR	2-1 to 2-21
CTR	2-22 to 2-38
NWTR	2-39 to 2-58
SWTR	2-59 to 2-93
WOTR	2-94 to 2-111
JFTR	2-112
GSTR	2-113 to 2-126
NN	2-127 to 2-128
CN	2-129 to 2-137
NWVN	2-138 to 2-139
SWVN	2-140 to 2-145
JFN	2-146 to 2-154
JSN	2-155 to 2-163
GSN	2-164
FGN	2-165 to 2-166
CSPT	2-167
WSPT	2-168 to 2-171
GSPT	2-172 to 2-192
NTR + CTR	2-193
CTR + NWTR	2-194
NWTR + SWTR	2-195 to 2-197
NWTR, SWTR + WOTR	2-198 to 2-203
NWTR + WOTR	2-204
SWTR + WOTR	2-205 to 2-215
WOTR + JFTR	2-216
NWTR + NWVN	2-217
GSTR + GSN	2-218 to 2-219
JSN + CN	2-220 to 2-222

Table 4. Index to Catch Regions. Volume 1, Subreport 2 (Coho)

Catch Region	pp.
NTR	2-223 to 2-226
CTR	2-227 to 2-244
NWTR	2-245 to 2-263
SWTR	2-264 to 2-286
WOTR	2-287 to 2-306
JFTR	2-307
GSTR	2-308 to 2-322
NN	2-323
CN	2-324 to 2-331
NWVN	2-332 to 2-337
SWVN	2-338 to 2-339
JFN	2-340 to 2-360
JSN	2-361 to 2-367
GSN	2-368 to 2-384
FGN	2-385 to 2-387
NSPT	2-388
CSPT	2-389
WSPT	2-390
GSPT	2-391 to 2-419
CTR + NWTR	2-420 to 2-422
CTR + NWTR + SWTR	2-423 to 2-426
NWTR + SWTR	2-427 to 2-437
NWTR, SWTR + WOTR	2-438 to 2-447
NWTR + WOTR	2-448
SWTR + WOTR	2-449 to 2-464
NWTR + NWVN	2-465 to 2-466
GSTR + GSN	2-467 to 2-468
JSN + CN	2-469 to 2-470
JFN + SWVN	2-471 to 2-472

Table 5. CWT Colour Codes (in sorted order).

Mnemonic	Colour
NA	Not available (missing or unreadable)
BL	Blue
BR	Brown
GN	Green
GY	Grey
LB	Light Blue
LG	Light Green
OR	Orange
XB	Oxide Blue
XR	Oxide Red
XY	Oxide Yellow
PK	Pink
PU	Purple
RD	Red
WH	White
YW	Yellow
DG	Dark Green
BK	Black
GD	Gold
CY	Chrome Yellow
MG	Medium Green
TN	Tan
DR	Dark Red
MO	Medium Orange
GM	Metallic Grey
MX	Mixed

Table 6 . Order of sorting of fin marks, 1976.

Fin Mark Number	Fin Mark
001	AD (not included in fin mark list)
002	AD/D
004	AD/D/RM
007	AD/LV
008	AD/LV/RV
010	AD/RV
011	AD/LP
012	AD/RP
014	AD/RM
016	D/LV
017	D/LV/RV
018	D/RV
019	D/LP
020	D/RP
023	AD/LM/RM
025	AD/D/RP
028	AD/LV/LM
029	AD/RV/RM
030	AD/RP/LV
032	AD/RP/LM
034	AD/D/RP/LM
035	AD/D/RV/LM
036	AD/LV/RM

Fig. 1. British Columbia Statistical Areas.



Fig. 2. Statistical Area C.